- $00:00:00.160 \rightarrow 00:00:01.920$ Funding for Yale Cancer Answers
- NOTE Confidence: 0.9429361
- $00:00:01.920 \dashrightarrow 00:00:03.679$ is provided by Smilow Cancer
- NOTE Confidence: 0.9429361
- $00:00:03.679 \longrightarrow 00:00:04.180$ Hospital.
- NOTE Confidence: 0.956088
- 00:00:06.080 --> 00:00:08.000 Welcome to Yale Cancer Answers
- NOTE Confidence: 0.956088
- $00:00:08.000 \longrightarrow 00:00:09.039$ with the director of the
- NOTE Confidence: 0.956088
- 00:00:09.039 --> 00:00:10.800 Yale Cancer Center, doctor Eric
- NOTE Confidence: 0.956088
- $00:00:10.800 \longrightarrow 00:00:11.300$ Winer.
- NOTE Confidence: 0.98957187
- 00:00:11.840 --> 00:00:13.940 Yale Cancer Answers features conversations
- NOTE Confidence: 0.98957187
- $00{:}00{:}14.080 \dashrightarrow 00{:}00{:}14.820$ with on cologists
- NOTE Confidence: 0.9797492
- $00:00:15.120 \longrightarrow 00:00:15.675$ and specialists.
- NOTE Confidence: 0.92460436
- $00{:}00{:}19.755 \dashrightarrow 00{:}00{:}21.515$ Our guest host is doctor Tracy Battaglia
- NOTE Confidence: 0.92460436
- $00:00:21.515 \longrightarrow 00:00:23.114$ who is joined for a conversation about
- NOTE Confidence: 0.92460436
- $00{:}00{:}23.114 \dashrightarrow 00{:}00{:}25.114$ breast cancer with doctor
- NOTE Confidence: 0.92460436
- $00{:}00{:}25.114 \dashrightarrow 00{:}00{:}26.015$ Maryam Lustberg.
- NOTE Confidence: 0.9876822
- $00{:}00{:}26.555 \dashrightarrow 00{:}00{:}28.175$ Doctor Lustberg is a professor
- NOTE Confidence: 0.9876822
- $00:00:28.235 \rightarrow 00:00:29.915$ of internal medicine and medical

- NOTE Confidence: 0.9876822
- $00:00:29.915 \longrightarrow 00:00:31.290$ on cology at the Yale School
- NOTE Confidence: 0.9876822
- $00:00:31.290 \longrightarrow 00:00:31.910$ of Medicine.
- NOTE Confidence: 0.9960615
- $00{:}00{:}32{.}450 \dashrightarrow 00{:}00{:}33{.}590$ Here's doctor Battaglia.
- NOTE Confidence: 0.99923056
- $00:00:34.690 \longrightarrow 00:00:36.310$ Well, let's dive right in.
- NOTE Confidence: 0.99467385
- $00{:}00{:}36.690 \dashrightarrow 00{:}00{:}37.650$ I think we'd like to
- NOTE Confidence: 0.99467385
- $00:00:37.650 \longrightarrow 00:00:39.650$ start our session by just
- NOTE Confidence: 0.99467385
- $00:00:39.650 \longrightarrow 00:00:40.770$ learning a little bit about
- NOTE Confidence: 0.99467385
- $00{:}00{:}40{.}770 \dashrightarrow 00{:}00{:}42{.}390$ who you are, doctor Lustberg.
- NOTE Confidence: 0.99467385
- $00:00:42.530 \longrightarrow 00:00:43.489$ What brought you to the
- NOTE Confidence: 0.99467385
- $00:00:43.489 \longrightarrow 00:00:44.950$ field of breast oncology?
- NOTE Confidence: 0.99336755
- 00:00:46.255 --> 00:00:47.854 Yes. Happy to talk
- NOTE Confidence: 0.99336755
- $00{:}00{:}47.854 \dashrightarrow 00{:}00{:}49.315$ about this. So I've been
- NOTE Confidence: 0.9974716
- $00:00:50.495 \longrightarrow 00:00:51.555$ a medical on cologist
- NOTE Confidence: 0.9962179
- $00{:}00{:}52.015 \dashrightarrow 00{:}00{:}54.335$ focused exclusively on breast cancer
- NOTE Confidence: 0.9962179
- $00{:}00{:}54.335 \dashrightarrow 00{:}00{:}55.875$ for the last two decades.
- NOTE Confidence: 0.9979316

00:00:56.815 --> 00:00:59.055 I became interested in working

NOTE Confidence: 0.9979316

 $00{:}00{:}59{.}055 \dashrightarrow 00{:}01{:}00{.}434$ with patients and families

NOTE Confidence: 0.9868731

 $00:01:01.430 \longrightarrow 00:01:03.269$ dealing with breast cancer early

NOTE Confidence: 0.9868731

 $00:01:03.269 \longrightarrow 00:01:04.869$ on in my medical training.

NOTE Confidence: 0.9868731

00:01:04.869 --> 00:01:06.970 I really enjoyed the close

NOTE Confidence: 0.9868731

 $00{:}01{:}07{.}030 \dashrightarrow 00{:}01{:}08{.}150$ bonds that

NOTE Confidence: 0.9991003

00:01:08.869 --> 00:01:10.729 physicians and patients were developing

NOTE Confidence: 0.95046014

 $00:01:11.030 \longrightarrow 00:01:12.009$ as they tackled

NOTE Confidence: 0.9303008

 $00{:}01{:}13.745 \dashrightarrow 00{:}01{:}15.205$ this scary diagnosis.

NOTE Confidence: 0.9931119

00:01:15.505 --> 00:01:16.785 And it was

NOTE Confidence: 0.9931119

 $00{:}01{:}16.785 \dashrightarrow 00{:}01{:}17.985$ a population that I really

NOTE Confidence: 0.9931119

 $00:01:17.985 \longrightarrow 00:01:19.425$ enjoyed working with. And at

NOTE Confidence: 0.9931119

 $00:01:19.425 \longrightarrow 00:01:20.625$ the same time, I was

NOTE Confidence: 0.9931119

00:01:20.625 --> 00:01:21.125 also

NOTE Confidence: 0.9997065

00:01:21.825 --> 00:01:22.965 very much drawn

NOTE Confidence: 0.95445716

 $00{:}01{:}23.505 \dashrightarrow 00{:}01{:}25.125$ to the active scientific

- NOTE Confidence: 0.98690635
- $00:01:25.680 \longrightarrow 00:01:27.120$ inquiry as well as clinical
- NOTE Confidence: 0.98690635
- $00:01:27.120 \longrightarrow 00:01:28.720$ trials that were being devoted
- NOTE Confidence: 0.98690635
- 00:01:28.720 --> 00:01:29.620 to breast cancer
- NOTE Confidence: 0.94280225
- 00:01:30.240 --> 00:01:32.640 and thought that
- NOTE Confidence: 0.94280225
- $00:01:32.640 \longrightarrow 00:01:33.680$ this was a good way
- NOTE Confidence: 0.94280225
- $00:01:33.680 \longrightarrow 00:01:34.880$ for me to get involved
- NOTE Confidence: 0.94280225
- $00{:}01{:}34.880 \dashrightarrow 00{:}01{:}36.319$ both as a scientist and
- NOTE Confidence: 0.94280225
- 00:01:36.319 --> 00:01:36.980 a physician,
- NOTE Confidence: 0.99059266
- $00{:}01{:}38{.}160 \dashrightarrow 00{:}01{:}39{.}040$ to try to make an
- NOTE Confidence: 0.99059266
- $00:01:39.040 \longrightarrow 00:01:39.465$ impact
- NOTE Confidence: 0.9994071
- 00:01:40.505 00:01:42.125 in this very common disease.
- NOTE Confidence: 0.9856134
- 00:01:42.505 --> 00:01:43.384 So I wonder if we
- NOTE Confidence: 0.9856134
- 00:01:43.384 --> 00:01:44.984 could just start by having
- NOTE Confidence: 0.9856134
- 00:01:44.984 --> 00:01:46.265 you break down for
- NOTE Confidence: 0.9856134
- $00{:}01{:}46.265 \dashrightarrow 00{:}01{:}46.844$ our list eners
- NOTE Confidence: 0.99737984

 $00:01:47.545 \longrightarrow 00:01:48.664$ what are the most common

NOTE Confidence: 0.99737984

 $00:01:48.664 \longrightarrow 00:01:49.804$ kinds of breast cancers

NOTE Confidence: 0.936941

 $00:01:50.104 \longrightarrow 00:01:51.465$ and the treatments that

NOTE Confidence: 0.936941

 $00:01:51.465 \longrightarrow 00:01:52.125$ are available?

NOTE Confidence: 0.9461553

00:01:53.070 --> 00:01:54.270 I often hear

NOTE Confidence: 0.93330693

 $00{:}01{:}55{.}149 \dashrightarrow 00{:}01{:}57{.}149$ on cologists say that there's

NOTE Confidence: 0.93330693

 $00:01:57.149 \longrightarrow 00:01:58.189$ not just one kind of

NOTE Confidence: 0.93330693

 $00{:}01{:}58{.}189 \dashrightarrow 00{:}01{:}59{.}710$ cancer. There's hundreds kinds of

NOTE Confidence: 0.93330693

00:01:59.710 --> 00:02:00.909 cancers. Maybe you can break

NOTE Confidence: 0.93330693

 $00:02:00.909 \longrightarrow 00:02:02.049$ that down for us.

NOTE Confidence: 0.97352946

00:02:02.670 --> 00:02:05.069 Exactly. And similarly, we

NOTE Confidence: 0.97352946

 $00:02:05.069 \longrightarrow 00:02:06.530$ also like to say that

NOTE Confidence: 0.97352946

00:02:06.775 --> 00:02:08.055 breast cancer is not one

NOTE Confidence: 0.97352946

00:02:08.055 --> 00:02:10.135 type, but multiple different types,

NOTE Confidence: 0.97352946

00:02:10.135 --> 00:02:11.255 and each of them is

NOTE Confidence: 0.97352946

00:02:11.255 --> 00:02:12.155 very unique.

 $00:02:12.775 \longrightarrow 00:02:14.215$ I think a good way

NOTE Confidence: 0.9739777

 $00:02:14.215 \longrightarrow 00:02:15.655$ to start breaking down breast

NOTE Confidence: 0.9739777

00:02:15.655 - 00:02:17.834 cancer is into the category

NOTE Confidence: 0.9739777

00:02:18.055 --> 00:02:19.919 of is it hormonally driven

NOTE Confidence: 0.9739777

 $00:02:19.919 \longrightarrow 00:02:22.240$ or not hormonally driven? And

NOTE Confidence: 0.9739777

 $00:02:22.240 \longrightarrow 00:02:23.460$ hormonally driven

NOTE Confidence: 0.87373173

 $00:02:24.240 \longrightarrow 00:02:26.080$ breast cancers comprise

NOTE Confidence: 0.87373173

 $00:02:26.320 \longrightarrow 00:02:28.240$ approximately two thirds of all

NOTE Confidence: 0.87373173

 $00:02:28.240 \longrightarrow 00:02:29.620$ our breast cancer types,

NOTE Confidence: 0.9979812

 $00{:}02{:}30{.}320 \dashrightarrow 00{:}02{:}31{.}940$ and these are characterized by

00:02:33.600 --> 00:02:34.100 rich

NOTE Confidence: 0.9937777

00:02:34.455 --> 00:02:36.155 expression within the tumor

NOTE Confidence: 0.9972446

00:02:37.415 --> 00:02:39.655 of receptors for estrogen and

NOTE Confidence: 0.9972446

00:02:39.655 --> 00:02:41.175 progesterone, which are the main

NOTE Confidence: 0.9972446

 $00:02:41.175 \longrightarrow 00:02:42.155$ female hormones.

 $00:02:45.014 \rightarrow 00:02:47.254$ These hormonally driven breast cancers

- $00:02:47.254 \rightarrow 00:02:48.535$ are most common, and we
- NOTE Confidence: 0.9559619
- 00:02:48.535 --> 00:02:49.889 can certainly talk
- NOTE Confidence: 0.9988346
- $00{:}02{:}50.290 \dashrightarrow 00{:}02{:}51.970$ in subsequent questions about
- NOTE Confidence: 0.9993384
- $00{:}02{:}52{.}370 \dashrightarrow 00{:}02{:}53{.}090$ we have a lot of
- NOTE Confidence: 0.9993384
- $00:02:53.090 \rightarrow 00:02:55.090$ great treatments for hormonally driven
- NOTE Confidence: 0.9993384
- $00:02:55.090 \longrightarrow 00:02:55.830$ breast cancer.
- NOTE Confidence: 0.99731076
- $00:02:56.290 \rightarrow 00:02:57.750$ And then the second categorization,
- NOTE Confidence: 0.96962726
- $00{:}02{:}59{.}010 \dashrightarrow 00{:}03{:}00{.}690$ is the breast
- NOTE Confidence: 0.96962726
- 00:03:00.690 --> 00:03:01.750 cancer driven
- NOTE Confidence: 0.9975123
- 00:03:02.275 --> 00:03:03.315 by what I call a
- NOTE Confidence: 0.9975123
- $00:03:03.315 \longrightarrow 00:03:04.375$ growth antenna
- NOTE Confidence: 0.8813135
- $00{:}03{:}05{.}155 \dashrightarrow 00{:}03{:}06{.}615$ or growth signal
- NOTE Confidence: 0.8893921
- 00:03:06.915 --> 00:03:07.895 called HER2 NEU.
- 00:03:11.555 --> 00:03:13.475 And being HER2 NEU
- NOTE Confidence: 0.909558
- 00:03:13.475 --> 00:03:15.175 the tumor HER2NEU positive
- NOTE Confidence: 0.9842054
- $00:03:15.650 \rightarrow 00:03:16.710$ or HER2 negative
- NOTE Confidence: 0.9959604

- $00:03:17.010 \longrightarrow 00:03:17.910$ is the second
- NOTE Confidence: 0.9691851
- 00:03:18.690 --> 00:03:19.670 big categorization.
- NOTE Confidence: 0.9920424
- $00:03:20.690 \longrightarrow 00:03:22.050$ And so some
- NOTE Confidence: 0.9920424
- $00:03:22.050 \longrightarrow 00:03:24.230$ tumors rely both on estrogen
- NOTE Confidence: 0.9920424
- $00{:}03{:}24.370 \dashrightarrow 00{:}03{:}26.370$ receptor pathways as well as
- NOTE Confidence: 0.9920424
- $00{:}03{:}26{.}370 \dashrightarrow 00{:}03{:}27{.}430$ HER2neu pathways.
- NOTE Confidence: 0.996315
- $00{:}03{:}28{.}545 \dashrightarrow 00{:}03{:}29{.}745$ And to make it a
- NOTE Confidence: 0.996315
- $00:03:29.745 \longrightarrow 00:03:31.585$ little bit extra confusing, in
- NOTE Confidence: 0.996315
- $00{:}03{:}31{.}585 \dashrightarrow 00{:}03{:}32{.}805$ most recent years,
- NOTE Confidence: 0.9995512
- $00{:}03{:}33{.}345 \dashrightarrow 00{:}03{:}34{.}085$ the categorization
- NOTE Confidence: 0.9796023
- 00:03:34.385 --> 00:03:36.305 of HER-two neu has gone through
- NOTE Confidence: 0.9796023
- 00:03:36.305 --> 00:03:37.125 many changes,
- NOTE Confidence: 0.9825592
- 00:03:37.665 --> 00:03:38.945 including now we have a
- NOTE Confidence: 0.9825592
- 00:03:38.945 --> 00:03:40.945 category of HER-two low. So
- NOTE Confidence: 0.9825592
- 00:03:40.945 --> 00:03:42.565 it's not clearly positive
- NOTE Confidence: 0.97880816
- $00{:}03{:}43{.}319 \dashrightarrow 00{:}03{:}44{.}680$ as we have been used

- NOTE Confidence: 0.97880816
- $00{:}03{:}44.680 \dashrightarrow 00{:}03{:}46.280$ to categorizing it in

 $00:03:46.280 \longrightarrow 00:03:47.099$ distant years.

00:03:49.800 --> 00:03:50.680 It has a little bit

NOTE Confidence: 0.978508

 $00:03:50.680 \longrightarrow 00:03:51.500$ of that signal.

NOTE Confidence: 0.9921716

 $00:03:52.280 \longrightarrow 00:03:53.879$ And with advances in our

NOTE Confidence: 0.9921716

 $00:03:53.879 \longrightarrow 00:03:54.940$ systemic therapies,

NOTE Confidence: 0.98691237

 $00:03:55.495 \longrightarrow 00:03:57.655$ it's an important category to

NOTE Confidence: 0.98691237

00:03:57.655 --> 00:03:58.715 take into account

NOTE Confidence: 0.98232293

 $00{:}03{:}59{.}655 \dashrightarrow 00{:}04{:}00{.}935$ for some patients as we

NOTE Confidence: 0.98232293

 $00:04:00.935 \longrightarrow 00:04:02.455$ describe their breast cancer.

NOTE Confidence: 0.98232293

 $00{:}04{:}02{.}455 \dashrightarrow 00{:}04{:}03{.}415$ Thank you for breaking that down

NOTE Confidence: 0.98232293

 $00:04:03.415 \longrightarrow 00:04:04.855$ for us.

NOTE Confidence: 0.98232293

 $00:04:04.855 \dashrightarrow 00:04:06.235$ It feels a little bit overwhelming

NOTE Confidence: 0.98232293

 $00:04:06.295 \longrightarrow 00:04:07.255$ to sort of hear you

NOTE Confidence: 0.98232293

00:04:07.255 --> 00:04:08.215 explain it. And so I

NOTE Confidence: 0.98232293

 $00:04:08.215 \longrightarrow 00:04:09.495$ wonder if you can explain

- NOTE Confidence: 0.98232293
- $00:04:09.495 \rightarrow 00:04:10.315$ to our listeners,
- NOTE Confidence: 0.9159181
- 00:04:10.880 --> 00:04:11.760 how do you know what
- NOTE Confidence: 0.9159181
- 00:04:11.760 --> 00:04:12.640 kind of tumor you
- NOTE Confidence: 0.9159181
- $00:04:12.640 \longrightarrow 00:04:13.140$ have?
- NOTE Confidence: 0.9932229
- 00:04:13.440 --> 00:04:14.580 So one of
- NOTE Confidence: 0.9891352
- $00:04:14.880 \longrightarrow 00:04:16.720$ the important aspects to keep
- NOTE Confidence: 0.9891352
- $00:04:16.720 \longrightarrow 00:04:18.080$ in mind is that breast
- NOTE Confidence: 0.9891352
- $00:04:18.080 \longrightarrow 00:04:20.160$ cancer care is very much
- NOTE Confidence: 0.9891352
- $00:04:20.160 \longrightarrow 00:04:21.460$ a multi specialty
- NOTE Confidence: 0.9886665
- $00:04:22.160 \longrightarrow 00:04:23.300$ type of practice.
- NOTE Confidence: 0.9990294
- $00:04:24.074 \longrightarrow 00:04:25.194$ So all of us come
- NOTE Confidence: 0.9990294
- $00{:}04{:}25{.}194 \dashrightarrow 00{:}04{:}25{.}694$ together
- NOTE Confidence: 0.98478204
- $00{:}04{:}25{.}995 \dashrightarrow 00{:}04{:}27{.}354$ as a team in this
- NOTE Confidence: 0.98478204
- 00:04:27.354 --> 00:04:27.854 multidisciplinary
- NOTE Confidence: 0.98881316
- $00:04:28.475 \longrightarrow 00:04:28.975$ way,
- NOTE Confidence: 0.9899545

- $00:04:29.354 \rightarrow 00:04:31.134$ to deliver the best,
- NOTE Confidence: 0.999254
- $00{:}04{:}31{.}595 \dashrightarrow 00{:}04{:}33{.}354$ most personalized type of breast
- NOTE Confidence: 0.999254
- 00:04:33.354 --> 00:04:33.854 cancer
- NOTE Confidence: 0.9993416
- $00{:}04{:}34{.}154 \dashrightarrow 00{:}04{:}35{.}455$ care to our patients.
- NOTE Confidence: 0.9981115
- 00:04:35.835 --> 00:04:37.194 So one of our key
- NOTE Confidence: 0.9981115
- $00{:}04{:}37.194 \dashrightarrow 00{:}04{:}38.955$ team members is actually the
- NOTE Confidence: 0.9981115
- $00:04:38.955 \longrightarrow 00:04:39.455$ pathologist.
- NOTE Confidence: 0.98450905
- $00:04:40.850 \longrightarrow 00:04:42.450$ So after a biopsy is
- NOTE Confidence: 0.98450905
- $00{:}04{:}42{.}450 \dashrightarrow 00{:}04{:}43{.}510$ taken or
- NOTE Confidence: 0.9417717
- 00:04:43.889 --> 00:04:45.250 after a patient may undergo
- NOTE Confidence: 0.9417717
- $00:04:45.250 \longrightarrow 00:04:46.070$ breast surgery,
- NOTE Confidence: 0.99710846
- 00:04:46.850 00:04:48.630 that tumor tissue is actually
- NOTE Confidence: 0.99710846
- $00:04:48.690 \longrightarrow 00:04:50.310$ very carefully inspected
- NOTE Confidence: 0.9317368
- $00:04:51.490 \longrightarrow 00:04:53.830$ for size and lymph node status.
- NOTE Confidence: 0.9080619
- 00:04:54.290 --> 00:04:55.029 But, additionally,
- NOTE Confidence: 0.9893751
- $00{:}04{:}56{.}185 \dashrightarrow 00{:}04{:}57{.}865$ the tumor tissue is also

- NOTE Confidence: 0.9893751
- $00:04:57.865 \longrightarrow 00:05:00.125$ looked at for different driver.
- $00:05:01.545 \longrightarrow 00:05:03.245$ And so there's very specific
- NOTE Confidence: 0.98963916
- $00:05:03.385 \dashrightarrow 00:05:05.805$ staining protocols and testing protocols
- NOTE Confidence: 0.98963916
- $00{:}05{:}05{.}865 \dashrightarrow 00{:}05{:}07{.}705$ where the pathologist is actually
- NOTE Confidence: 0.98963916
- $00{:}05{:}07{.}705 \dashrightarrow 00{:}05{:}08{.}685$ looking to see
- NOTE Confidence: 0.9738857
- 00:05:10.029 --> 00:05:10.910 what are some of the
- NOTE Confidence: 0.9738857
- $00:05:10.910 \rightarrow 00:05:13.010$ categories that I previously mentioned?
- NOTE Confidence: 0.9738857
- $00:05:13.070 \longrightarrow 00:05:14.850$ Is there evidence
- NOTE Confidence: 0.9738857
- $00{:}05{:}14{.}910 \dashrightarrow 00{:}05{:}17{.}089$ that there's hormone receptor expression?
- NOTE Confidence: 0.97518855
- $00{:}05{:}17.949 \dashrightarrow 00{:}05{:}19.550$ Is there evidence of HER2
- NOTE Confidence: 0.97518855
- 00:05:19.550 --> 00:05:21.089 expression? So I think
- NOTE Confidence: 0.9990907
- 00:05:21.790 --> 00:05:22.449 a correct
- NOTE Confidence: 0.99836046
- 00:05:22.775 --> 00:05:23.835 tissue diagnosis
- NOTE Confidence: 0.9642232
- $00{:}05{:}24.375 \dashrightarrow 00{:}05{:}25.895$ is so central to what
- NOTE Confidence: 0.9642232
- $00{:}05{:}25.895 \dashrightarrow 00{:}05{:}26.555$ we do.
- NOTE Confidence: 0.9786999
- $00:05:30.134 \rightarrow 00:05:31.354$ And one of the first steps

- NOTE Confidence: 0.9786999
- $00:05:31.414 \longrightarrow 00:05:32.375$ for us to be able
- NOTE Confidence: 0.9786999
- $00:05:32.375 \longrightarrow 00:05:33.735$ to devise the
- NOTE Confidence: 0.9786999
- $00{:}05{:}33.735 \dashrightarrow 00{:}05{:}35.974$ most accurate and personalized treatment
- NOTE Confidence: 0.9786999
- $00:05:35.974 \longrightarrow 00:05:37.574$ plan for you. That's really
- NOTE Confidence: 0.9786999
- $00:05:37.574 \rightarrow 00:05:38.074$ helpful.
- 00:05:40.000 --> 00:05:40.740 The multidisciplinary
- NOTE Confidence: 0.9718375
- $00:05:41.120 \longrightarrow 00:05:42.080$ team will look at your
- NOTE Confidence: 0.9718375
- $00:05:42.080 \longrightarrow 00:05:43.600$ tumor and tell you which
- NOTE Confidence: 0.9718375
- 00:05:43.600 --> 00:05:44.720 type of tumor that you
- NOTE Confidence: 0.9718375
- $00{:}05{:}44.720 \dashrightarrow 00{:}05{:}46.000$ have. And that will, in
- NOTE Confidence: 0.9718375
- 00:05:46.000 --> 00:05:46.500 turn,
- NOTE Confidence: 0.9970824
- $00:05:47.360 \rightarrow 00:05:48.880$ determine the types of treatment
- NOTE Confidence: 0.9970824
- $00:05:48.880 \longrightarrow 00:05:50.259$ you have available to you.
- NOTE Confidence: 0.9409389
- 00:05:50.654 --> 00:05:52.255 Exactly. And typically it starts
- NOTE Confidence: 0.9409389
- $00{:}05{:}52.255 \dashrightarrow 00{:}05{:}53.775$ with a biopsy. I think
- NOTE Confidence: 0.9409389
- $00:05:53.775 \longrightarrow 00:05:54.915$ that biopsy

- NOTE Confidence: 0.93381387
- $00{:}05{:}55{.}375 \dashrightarrow 00{:}05{:}56{.}895$ gives us
- NOTE Confidence: 0.93381387
- 00:05:56.895 --> 00:05:58.115 that initial clue
- NOTE Confidence: 0.9928279
- $00:05:58.735 \longrightarrow 00:05:59.875$ in terms of,
- NOTE Confidence: 0.9964393
- $00{:}06{:}01.535 \dashrightarrow 00{:}06{:}02.895$ again, what type of breast
- NOTE Confidence: 0.9964393
- $00{:}06{:}02.895 \dashrightarrow 00{:}06{:}04.195$ cancer this is,
- NOTE Confidence: 0.95686114
- $00:06:04.810 \longrightarrow 00:06:06.730$ depending on the type, as
- NOTE Confidence: 0.95686114
- $00:06:06.730 \longrightarrow 00:06:07.450$ well as,
- NOTE Confidence: 0.99964184
- $00:06:08.330 \longrightarrow 00:06:09.310$ some of the imaging
- NOTE Confidence: 0.8519124
- $00:06:09.770 \longrightarrow 00:06:10.270$ information.
- NOTE Confidence: 0.9986154
- 00:06:11.130 --> 00:06:12.029 Breast radiology
- NOTE Confidence: 0.97362995
- $00:06:12.410 \longrightarrow 00:06:13.690$ is also a key
- NOTE Confidence: 0.97362995
- 00:06:13.690 --> 00:06:15.290 component of that multi d
- NOTE Confidence: 0.97362995
- 00:06:15.290 --> 00:06:17.130 team. So in addition
- NOTE Confidence: 0.97362995
- $00{:}06{:}17{.}130 \dashrightarrow 00{:}06{:}17{.}950$ to the biopsy,
- NOTE Confidence: 0.98977566
- $00{:}06{:}19.595 \dashrightarrow 00{:}06{:}21.595$ understanding based on imaging, and
- NOTE Confidence: 0.98977566

- $00:06:21.595 \longrightarrow 00:06:22.815$ that could be mammogram,
- NOTE Confidence: 0.9567568
- $00{:}06{:}23.115 \dashrightarrow 00{:}06{:}24.975$ ultrasound, and in some cases,
- NOTE Confidence: 0.9567568
- $00{:}06{:}25.035 \dashrightarrow 00{:}06{:}25.855$ breast MRI.
- $00:06:29.275 \longrightarrow 00:06:32.075$ What is the approximate extent of disease based
- NOTE Confidence: 0.98946077
- $00:06:32.075 \longrightarrow 00:06:33.755$ on size and lymph node
- NOTE Confidence: 0.98946077
- $00{:}06{:}33.755 \dashrightarrow 00{:}06{:}34.255$ status?
- NOTE Confidence: 0.98302543
- $00:06:34.930 \longrightarrow 00:06:36.529$ And all of these pieces
- NOTE Confidence: 0.98302543
- $00:06:36.529 \rightarrow 00:06:38.389$ of information are brought together.
- NOTE Confidence: 0.850168
- $00{:}06{:}38{.}770 \dashrightarrow 00{:}06{:}39{.}970$ And typically, there is a
- NOTE Confidence: 0.850168
- $00:06:39.970 \longrightarrow 00:06:41.270$ discussion in a multidisciplinary
- NOTE Confidence: 0.9804862
- $00:06:41.810 \longrightarrow 00:06:43.490$ tumor board or sometimes an
- NOTE Confidence: 0.9804862
- $00:06:43.490 \longrightarrow 00:06:45.250$ informal discussion among all the
- NOTE Confidence: 0.9804862
- $00:06:45.250 \longrightarrow 00:06:46.069$ different specialties
- NOTE Confidence: 0.9798028
- $00:06:46.770 \longrightarrow 00:06:47.830$ to kind of decide,
- NOTE Confidence: 0.98361826
- $00:06:48.849 \longrightarrow 00:06:50.229$ what are the next steps,
- NOTE Confidence: 0.99393547
- $00{:}06{:}50.714 \dashrightarrow 00{:}06{:}52.094$ in terms of that personalized
- NOTE Confidence: 0.99393547

- $00:06:52.235 \rightarrow 00:06:53.854$ care for the patient diagnosed.
- NOTE Confidence: 0.9799565
- 00:06:54.555 --> 00:06:55.514 I think it's really
- NOTE Confidence: 0.9799565
- $00:06:55.514 \longrightarrow 00:06:57.194$ helpful for our listeners to
- NOTE Confidence: 0.9799565
- $00{:}06{:}57{.}194 \dashrightarrow 00{:}06{:}58{.}794$ understand what happens behind the
- NOTE Confidence: 0.9799565
- 00:06:58.794 --> 00:07:00.794 scenes after a biopsy is
- NOTE Confidence: 0.9799565
- 00:07:00.794 --> 00:07:01.835 taken. So thank you for
- NOTE Confidence: 0.9799565
- $00:07:01.835 \longrightarrow 00:07:02.895$ breaking that down.
- NOTE Confidence: 0.9074966
- $00:07:04.189 \longrightarrow 00:07:05.069$ I'm going to have you
- NOTE Confidence: 0.9074966
- $00{:}07{:}05{.}069 \dashrightarrow 00{:}07{:}06{.}669$ hold your thoughts about treatment.
- NOTE Confidence: 0.9074966
- 00:07:06.669 --> 00:07:07.810 Because I wanted to
- NOTE Confidence: 0.9769431
- $00:07:08.509 \rightarrow 00:07:09.949$ change our conversation to talk
- NOTE Confidence: 0.9769431
- $00:07:09.949 \longrightarrow 00:07:10.990$ a little bit about early
- NOTE Confidence: 0.9769431
- $00{:}07{:}10.990 \dashrightarrow 00{:}07{:}12.050$ detection.
- NOTE Confidence: 0.90018064
- 00:07:13.469 --> 00:07:14.289 Specifically,
- NOTE Confidence: 0.9991536
- 00:07:15.469 --> 00:07:17.729 it's hard to not listen
- NOTE Confidence: 0.99366724
- $00:07:18.164 \longrightarrow 00:07:19.365$ to the news and hear

- NOTE Confidence: 0.99366724
- 00:07:19.365 --> 00:07:20.745 a lot about the rising
- NOTE Confidence: 0.99366724
- $00:07:20.884 \longrightarrow 00:07:21.384$ incidence
- NOTE Confidence: 0.9588351
- $00:07:22.085 \longrightarrow 00:07:23.925$ of cancer in young people,
- NOTE Confidence: 0.9588351
- $00:07:23.925 \longrightarrow 00:07:24.664$ and specifically
- NOTE Confidence: 0.97172415
- $00:07:24.965 \dashrightarrow 00:07:26.664$ breast cancer in young people.
- NOTE Confidence: 0.9988083
- $00:07:27.205 \longrightarrow 00:07:28.245$ So can you tell us
- NOTE Confidence: 0.9988083
- $00:07:28.245 \longrightarrow 00:07:29.284$ a little bit about what's
- NOTE Confidence: 0.9988083
- $00{:}07{:}29{.}284 \dashrightarrow 00{:}07{:}29{.}784$ behind
- NOTE Confidence: 0.9976578
- $00:07:30.245 \longrightarrow 00:07:31.845$ this rising incidence of breast
- NOTE Confidence: 0.9976578
- $00:07:31.845 \rightarrow 00:07:33.145$ cancer in young women?
- NOTE Confidence: 0.9452735
- 00:07:34.110 --> 00:07:35.330 I think it's a really
- NOTE Confidence: 0.9452735
- $00:07:35.470 \longrightarrow 00:07:37.009$ wonderful, important question,
- NOTE Confidence: 0.99746025
- $00{:}07{:}38.590 \dashrightarrow 00{:}07{:}41.090$ and we're still actively learning
- NOTE Confidence: 0.9833697
- $00{:}07{:}42.110 \dashrightarrow 00{:}07{:}42.610$ exactly
- NOTE Confidence: 0.9988701
- $00:07:43.070 \longrightarrow 00:07:44.130$ what is driving
- $00:07:45.789 \longrightarrow 00:07:47.250$ this rising trend

- NOTE Confidence: 0.75236523
- $00:07:47.310 \longrightarrow 00:07:48.585$ in diagnosis of
- NOTE Confidence: 0.9905966
- 00:07:49.384 --> 00:07:51.245 breast cancer in younger women,
- NOTE Confidence: 0.91983604
- $00:07:52.345 \longrightarrow 00:07:53.785$ those under age fifty or
- NOTE Confidence: 0.91983604
- $00:07:53.785 \longrightarrow 00:07:55.405$ under age forty five.
- 00:07:57.944 --> 00:07:59.305 What we know is that
- NOTE Confidence: 0.98814756
- 00:07:59.305 --> 00:08:01.085 it's probably not one factor
- NOTE Confidence: 0.98814756
- $00:08:01.145 \longrightarrow 00:08:02.985$ that's driving this increase,
- NOTE Confidence: 0.98814756
- $00:08:02.985 \longrightarrow 00:08:03.485$ it's
- NOTE Confidence: 0.9710986
- 00:08:03.790 --> 00:08:04.770 multiple factors
- NOTE Confidence: 0.7565457
- $00:08:05.630 \longrightarrow 00:08:06.130$ including
- $00:08:09.390 \longrightarrow 00:08:11.310$ lifestyle factors have changed quite
- NOTE Confidence: 0.98528963
- $00{:}08{:}11{.}310 \dashrightarrow 00{:}08{:}12{.}430$ a bit in the last
- NOTE Confidence: 0.98528963
- $00:08:12.430 \longrightarrow 00:08:13.790$ several decades with
- NOTE Confidence: 0.94660985
- $00:08:15.884 \rightarrow 00:08:16.625$ more sedentary
- NOTE Confidence: 0.9265951
- 00:08:18.525 --> 00:08:19.965 culture kind as
- NOTE Confidence: 0.9265951
- $00{:}08{:}19.965 \dashrightarrow 00{:}08{:}22.625$ we've become more technology dependent.
- $00{:}08{:}25.085 \dashrightarrow 00{:}08{:}26.205$ We know that

- NOTE Confidence: 0.88530904
- $00{:}08{:}26{.}925 \dashrightarrow 00{:}08{:}28{.}365$ there's been changes in
- NOTE Confidence: 0.88530904
- 00:08:28.365 --> 00:08:30.625 dietary patterns, including increased
- NOTE Confidence: 0.92610425
- 00:08:31.600 --> 00:08:34.000 processed food comes consumption, increased
- NOTE Confidence: 0.92610425
- $00{:}08{:}34{.}000 \dashrightarrow 00{:}08{:}34{.}820$ fat intake.
- NOTE Confidence: 0.9914179
- $00{:}08{:}36{.}000 \dashrightarrow 00{:}08{:}37{.}120$ We also know that there
- NOTE Confidence: 0.9914179
- $00:08:37.120 \longrightarrow 00:08:38.720$ have been changes in
- NOTE Confidence: 0.98047656
- 00:08:39.280 --> 00:08:41.860 reproductive patterns with some delayed
- NOTE Confidence: 0.98047656
- 00:08:42.000 --> 00:08:42.500 childbearing,
- NOTE Confidence: 0.9930506
- $00{:}08{:}43.695 \dashrightarrow 00{:}08{:}44.995$ that we have noted
- NOTE Confidence: 0.976
- $00:08:45.455 \longrightarrow 00:08:46.575$ in the last several
- NOTE Confidence: 0.976
- 00:08:46.575 --> 00:08:48.255 decades, as well as delayed
- NOTE Confidence: 0.976
- $00{:}08{:}48.255 \dashrightarrow 00{:}08{:}48.755$ breast feeding.
- NOTE Confidence: 0.9913917
- 00:08:49.455 --> 00:08:50.835 Now all of these factors
- NOTE Confidence: 0.9913917
- 00:08:50.975 --> 00:08:52.595 are not in any way
- NOTE Confidence: 0.9913917
- $00:08:52.735 \rightarrow 00:08:54.975$ blaming the patients for developing
- NOTE Confidence: 0.9913917

 $00:08:54.975 \longrightarrow 00:08:56.175$ breast cancer. That is not

NOTE Confidence: 0.9913917

 $00{:}08{:}56.175 \dashrightarrow 00{:}08{:}57.075$ what I'm saying.

NOTE Confidence: 0.8599387

00:08:58.980 --> 00:09:00.200 In many patients,

NOTE Confidence: 0.9686191

 $00:09:00.820 \longrightarrow 00:09:02.020$ we actually don't have a

NOTE Confidence: 0.9686191

 $00:09:02.020 \longrightarrow 00:09:03.780$ clear cause of why

NOTE Confidence: 0.9686191

 $00:09:03.780 \dashrightarrow 00:09:04.900$ they develop breast cancer. They

NOTE Confidence: 0.9686191

 $00{:}09{:}04{.}900 \dashrightarrow 00{:}09{:}05{.}860$ could have done all the

NOTE Confidence: 0.9686191

 $00:09:05.860 \longrightarrow 00:09:07.220$ right things and been the

NOTE Confidence: 0.9686191

 $00{:}09{:}07{.}220 \dashrightarrow 00{:}09{:}08{.}420$ healthiest that they could have

NOTE Confidence: 0.9686191

 $00{:}09{:}08{.}420 \dashrightarrow 00{:}09{:}09{.}540$ been. So I think

NOTE Confidence: 0.9686191

00:09:09.540 --> 00:09:10.920 there's a lot of unknown

NOTE Confidence: 0.9686191

00:09:11.059 --> 00:09:11.559 factors

NOTE Confidence: 0.98161083

 $00:09:12.715 \longrightarrow 00:09:14.235$ in terms of why any

NOTE Confidence: 0.98161083

 $00:09:14.235 \rightarrow 00:09:16.315$ individual develops breast cancer, and

NOTE Confidence: 0.98161083

00:09:16.315 --> 00:09:17.615 that also goes

NOTE Confidence: 0.9949275

 $00:09:18.395 \longrightarrow 00:09:19.755$ for younger women with

- NOTE Confidence: 0.9949275
- $00{:}09{:}19.755 \dashrightarrow 00{:}09{:}20.575$ breast cancer.
- NOTE Confidence: 0.98354894
- $00{:}09{:}21.275 \dashrightarrow 00{:}09{:}22.155$ But I think there are
- NOTE Confidence: 0.98354894
- $00{:}09{:}22.155 \dashrightarrow 00{:}09{:}23.755$ theories that in
- NOTE Confidence: 0.98354894
- 00:09:23.755 --> 00:09:24.575 many ways,
- NOTE Confidence: 0.93700224
- $00{:}09{:}25{.}250 \dashrightarrow 00{:}09{:}26{.}690$ kind of our exposure to
- NOTE Confidence: 0.93700224
- $00:09:26.690 \dashrightarrow 00:09:29.170$ hormones have changed, our exposure
- $00:09:31.570 \longrightarrow 00:09:33.410$ to environmental factors may have changed
- NOTE Confidence: 0.983649
- $00:09:33.410 \longrightarrow 00:09:34.769$ in recent years. We're still
- NOTE Confidence: 0.983649
- $00{:}09{:}34.769 \dashrightarrow 00{:}09{:}36.230$ trying to understand exactly
- NOTE Confidence: 0.98755616
- $00{:}09{:}36{.}769 \dashrightarrow 00{:}09{:}37{.}170$ what's
- NOTE Confidence: 0.9951763
- $00:09:37.809 \dashrightarrow 00:09:39.510$ driving this increase in rates.
- NOTE Confidence: 0.95262814
- $00:09:40.425 \rightarrow 00:09:42.045$ Yeah. It sounds really complex.
- NOTE Confidence: 0.9544333
- $00:09:42.585 \dashrightarrow 00:09:44.105$ And there certainly are things
- NOTE Confidence: 0.9544333
- 00:09:44.105 --> 00:09:45.005 in our history
- NOTE Confidence: 0.9504051
- $00:09:46.505 \longrightarrow 00:09:48.265$ that we can't really change.
- NOTE Confidence: 0.9504051
- 00:09:48.265 --> 00:09:49.945 Right? Like our family history,

- NOTE Confidence: 0.9504051
- $00:09:49.945 \longrightarrow 00:09:51.304$ for example. But then there

 $00:09:51.304 \longrightarrow 00:09:52.845$ are things that are potentially

NOTE Confidence: 0.9504051

 $00:09:53.145 \longrightarrow 00:09:53.645$ modifiable.

NOTE Confidence: 0.99363065

00:09:54.309 --> 00:09:56.070 Correct. Like our lifestyle choices.

NOTE Confidence: 0.99363065

00:09:56.070 --> 00:09:56.790 Maybe you can talk a

NOTE Confidence: 0.99363065

 $00{:}09{:}56.790 \dashrightarrow 00{:}09{:}57.990$ little bit about the difference

NOTE Confidence: 0.99363065

 $00:09:57.990 \longrightarrow 00:09:58.950$ between the things that you

NOTE Confidence: 0.99363065

 $00{:}09{:}58{.}950 \dashrightarrow 00{:}09{:}59{.}910$ can change and the things

NOTE Confidence: 0.99363065

 $00:09:59.910 \longrightarrow 00:10:00.570$ you can't.

NOTE Confidence: 0.990496

 $00:10:01.270 \longrightarrow 00:10:02.950$ Absolutely. As you

NOTE Confidence: 0.990496

 $00:10:02.950 \longrightarrow 00:10:03.450$ mentioned,

NOTE Confidence: 0.97633696

 $00:10:04.230 \longrightarrow 00:10:06.650$ our family history, having

NOTE Confidence: 0.97633696

 $00:10:06.710 \longrightarrow 00:10:07.610$ a primary

NOTE Confidence: 0.96394646

 $00{:}10{:}09{.}025 \dashrightarrow 00{:}10{:}11{.}205$ direct relative with breast cancer

 $00{:}10{:}12{.}545 \dashrightarrow 00{:}10{:}13{.}985$ is one of the central risk factors for

NOTE Confidence: 0.96394646

 $00:10:13.985 \longrightarrow 00:10:15.285$ breast cancer or

- NOTE Confidence: 0.9935546
- 00:10:15.825 --> 00:10:16.325 having
- NOTE Confidence: 0.98846465
- $00{:}10{:}16.865 \dashrightarrow 00{:}10{:}18.245$ a genetic predisposition,
- NOTE Confidence: 0.9966919
- $00{:}10{:}18{.}945 \dashrightarrow 00{:}10{:}20{.}145$ a set of genes that
- NOTE Confidence: 0.9966919
- 00:10:20.145 --> 00:10:21.125 can increase
- NOTE Confidence: 0.75729954
- $00{:}10{:}21{.}459 \dashrightarrow 00{:}10{:}22{.}200$ the probability,
- NOTE Confidence: 0.98919314
- $00:10:22.740 \longrightarrow 00:10:24.580$ the lifetime probability of developing
- NOTE Confidence: 0.98919314
- $00:10:24.580 \rightarrow 00:10:26.100$ breast cancer. Obviously, we can't
- NOTE Confidence: 0.98919314
- $00:10:26.100 \longrightarrow 00:10:27.459$ change our family history. We
- NOTE Confidence: 0.98919314
- 00:10:27.459 --> 00:10:29.559 can't change our genetic makeup,
- NOTE Confidence: 0.99673045
- $00{:}10{:}30{.}500 \dashrightarrow 00{:}10{:}32{.}279$ for certain patients who've had
- NOTE Confidence: 0.9736346
- $00:10:32.580 \longrightarrow 00:10:34.179$ other types of exposures for
- NOTE Confidence: 0.9736346
- $00{:}10{:}34{.}179 \dashrightarrow 00{:}10{:}36{.}175$ other cancers, such as radiation
- NOTE Confidence: 0.9736346
- $00{:}10{:}36{.}175 \dashrightarrow 00{:}10{:}37{.}615$ treatment for other cancers. Those
- NOTE Confidence: 0.9736346
- $00{:}10{:}37.615 \dashrightarrow 00{:}10{:}38.915$ are things we can't change.
- NOTE Confidence: 0.9997404
- $00:10:39.375 \longrightarrow 00:10:40.675$ But in terms of modifiable
- NOTE Confidence: 0.96457183

- $00:10:41.054 \longrightarrow 00:10:43.054$ risk factors, these are our
- NOTE Confidence: 0.96457183
- $00{:}10{:}43.054 \dashrightarrow 00{:}10{:}43.875$ health habits.
- NOTE Confidence: 0.9941063
- $00{:}10{:}44.735 \dashrightarrow 00{:}10{:}45.795$ And that includes
- NOTE Confidence: 0.98199666
- $00:10:46.334 \rightarrow 00:10:48.595$ things like exercise. It includes
- NOTE Confidence: 0.95029813
- $00{:}10{:}49{.}535 \dashrightarrow 00{:}10{:}51{.}470$ our body mass index and
- NOTE Confidence: 0.9976063
- $00:10:53.129 \longrightarrow 00:10:54.490$ whether we're falling in that
- NOTE Confidence: 0.9976063
- 00:10:54.490 --> 00:10:56.269 overweight or obese category.
- NOTE Confidence: 0.99726194
- $00:10:57.449 \longrightarrow 00:10:59.370$ It relates to alcohol use.
- NOTE Confidence: 0.99726194
- $00{:}10{:}59{.}370 \dashrightarrow 00{:}11{:}00{.}649$ We have more and more
- NOTE Confidence: 0.99726194
- 00:11:00.649 --> 00:11:01.709 data about
- NOTE Confidence: 0.9996922
- $00:11:02.649 \rightarrow 00:11:03.709$ stronger associations
- NOTE Confidence: 0.86618435
- $00{:}11{:}04.250 \dashrightarrow 00{:}11{:}04.569$ with
- NOTE Confidence: 0.9812152
- $00:11:05.285 \longrightarrow 00:11:07.065$ moderate to heavy alcohol use
- NOTE Confidence: 0.9955246
- 00:11:08.005 --> 00:11:09.445 being associated with
- NOTE Confidence: 0.9911194
- 00:11:10.005 --> 00:11:11.365 a higher chance of developing
- NOTE Confidence: 0.9911194
- $00:11:11.365 \longrightarrow 00:11:12.905$ breast cancer. So these are

- NOTE Confidence: 0.9911194
- $00:11:13.205 \longrightarrow 00:11:14.885$ factors that

 $00:11:14.885 \rightarrow 00:11:16.505$ we have some control over,

 $00:11:18.565 \dashrightarrow 00:11:19.684$ and the these are things that can

 $00:11:21.370 \rightarrow 00:11:22.809$ absolutely lower the lifetime risk

NOTE Confidence: 0.993657

 $00:11:22.809 \longrightarrow 00:11:24.270$ of breast cancer.

NOTE Confidence: 0.95437926

00:11:24.890 --> 00:11:26.029 So healthy lifestyle,

NOTE Confidence: 0.9890297

 $00:11:26.330 \rightarrow 00:11:27.850$ behavior, everything we've been taught

NOTE Confidence: 0.9890297

00:11:27.850 --> 00:11:28.770 since we were younger

NOTE Confidence: 0.9890297

 $00:11:28.890 \longrightarrow 00:11:30.089$ also will reduce our breast

NOTE Confidence: 0.9890297

 $00{:}11{:}30{.}089 \dashrightarrow 00{:}11{:}31{.}630$ cancer risk. Is that right?

NOTE Confidence: 0.9890297

 $00:11:31.690 \rightarrow 00:11:32.570$ Yes. And

NOTE Confidence: 0.9837123

 $00:11:33.450 \longrightarrow 00:11:35.309$ what's interesting is that

NOTE Confidence: 0.9989213

00:11:36.295 --> 00:11:36.795 cardiovascular

NOTE Confidence: 0.9887163

00:11:37.255 --> 00:11:38.535 disease, which is actually the

NOTE Confidence: 0.9887163

00:11:38.535 --> 00:11:40.375 most common cause of death

NOTE Confidence: 0.9887163

 $00:11:40.375 \longrightarrow 00:11:41.995$ in the US in both

 $00:11:42.054 \longrightarrow 00:11:44.475$ men and women, cardiovascular

NOTE Confidence: 0.9991698

 $00:11:44.934 \longrightarrow 00:11:45.755$ disease factors

NOTE Confidence: 0.99325293

00:11:46.214 --> 00:11:47.735 actually have shared risk factors

NOTE Confidence: 0.99325293

 $00:11:47.735 \longrightarrow 00:11:48.634$ with breast cancer.

 $00:11:49.980 \longrightarrow 00:11:51.180$ So you get a two for one

NOTE Confidence: 0.95809025

 $00:11:51.180 \longrightarrow 00:11:52.380$ as you kind of address

NOTE Confidence: 0.95809025

00:11:52.380 --> 00:11:53.900 your breast cancer risk factors.

NOTE Confidence: 0.95809025

00:11:53.900 --> 00:11:55.040 You're also addressing

NOTE Confidence: 0.9902743

 $00:11:55.980 \longrightarrow 00:11:57.760$ heart disease risk factors.

NOTE Confidence: 0.9960098

00:11:58.540 --> 00:11:59.980 Maintaining that healthy

NOTE Confidence: 0.9960098

 $00:11:59.980 \rightarrow 00:12:00.480$ weight,

NOTE Confidence: 0.99292976

00:12:01.340 --> 00:12:02.800 being physically active,

NOTE Confidence: 0.91217476

 $00:12:03.900 \longrightarrow 00:12:05.204$ you know, at least one

NOTE Confidence: 0.91217476

00:12:05.204 --> 00:12:07.285 hundred fifty minutes a week,

NOTE Confidence: 0.91217476

00:12:07.285 --> 00:12:08.184 if not more,

NOTE Confidence: 0.94442457

 $00:12:08.885 \longrightarrow 00:12:10.345$ and then limiting alcohol,

- $00:12:11.445 \longrightarrow 00:12:12.584$ focusing on a
- 00:12:14.165 --> 00:12:15.545 plant forward diet,
- NOTE Confidence: 0.9995385
- $00:12:16.644 \rightarrow 00:12:17.704$ with more plants,
- NOTE Confidence: 0.9470935
- $00{:}12{:}18.059 \dashrightarrow 00{:}12{:}19.980$ less animal fat, less processed
- NOTE Confidence: 0.9470935
- $00{:}12{:}19{.}980 \dashrightarrow 00{:}12{:}22{.}059$ foods and sugars, all these
- NOTE Confidence: 0.9470935
- $00{:}12{:}22.059 \dashrightarrow 00{:}12{:}23.179$ are all things that can
- NOTE Confidence: 0.9470935
- $00{:}12{:}23.179 \dashrightarrow 00{:}12{:}24.380$ help both your heart as
- NOTE Confidence: 0.9470935
- $00:12:24.380 \longrightarrow 00:12:25.679$ well as your breast health.
- NOTE Confidence: 0.95316625
- $00:12:26.380 \longrightarrow 00:12:28.059$ That's great. Thank you for
- NOTE Confidence: 0.95316625
- $00:12:28.059 \rightarrow 00:12:29.520$ that advice Doctor. Lustberg.
- NOTE Confidence: 0.9223355
- 00:12:30.075 --> 00:12:31.275 In the last minute we
- NOTE Confidence: 0.9223355
- $00:12:31.275 \longrightarrow 00:12:32.815$ have before we break,
- NOTE Confidence: 0.9570319
- 00:12:33.195 --> 00:12:34.315 I wanna ask you,
- NOTE Confidence: 0.9570319
- $00{:}12{:}34{.}475 \dashrightarrow 00{:}12{:}35{.}675$ you've talked about lifestyle and
- NOTE Confidence: 0.9570319
- $00{:}12{:}35{.}675 \dashrightarrow 00{:}12{:}37{.}355$ behavior. What about screening and
- NOTE Confidence: 0.9570319
- $00:12:37.355 \rightarrow 00:12:39.135$ early detection for our listeners?
- NOTE Confidence: 0.98865485

00:12:40.475 --> 00:12:42.175 Yeah. So it's really important

NOTE Confidence: 0.98865485

00:12:42.315 --> 00:12:43.675 to know your risk

NOTE Confidence: 0.98865485

 $00{:}12{:}43.675 \dashrightarrow 00{:}12{:}44.655$ of breast cancer.

NOTE Confidence: 0.99664223

 $00:12:45.059 \longrightarrow 00:12:46.260$ There's gonna be a national

NOTE Confidence: 0.99664223

 $00:12:46.260 \longrightarrow 00:12:48.120$ movement to really focus on

NOTE Confidence: 0.9567685

 $00{:}12{:}48.500 \dashrightarrow 00{:}12{:}50.679$ each individual woman really understanding

NOTE Confidence: 0.9567685

 $00:12:50.820 \longrightarrow 00:12:52.179$ her risk factors for breast

NOTE Confidence: 0.9567685

 $00:12:52.179 \longrightarrow 00:12:53.240$ cancer and for women

 $00{:}12{:}55{.}540 \dashrightarrow 00{:}12{:}57{.}320$ at average risk for developing

NOTE Confidence: 0.9592616

 $00:12:57.380 \longrightarrow 00:12:58.120$ breast cancer,

NOTE Confidence: 0.9478821

 $00:12:59.075 \rightarrow 00:13:01.015$ typically, we do recommend screening

NOTE Confidence: 0.9478821

 $00:13:01.075 \longrightarrow 00:13:02.695$ starting at age, forty.

NOTE Confidence: 0.9971791

00:13:03.475 --> 00:13:04.915 But depending on if you

NOTE Confidence: 0.9971791

 $00{:}13{:}04{.}915 \dashrightarrow 00{:}13{:}06{.}675$ have other risk factors, screening

NOTE Confidence: 0.9971791

 $00{:}13{:}06.675 \dashrightarrow 00{:}13{:}07.895$ should really be individualized

NOTE Confidence: 0.9909396

 $00:13:08.275 \rightarrow 00:13:09.015$ to your risk.

 $00:13:09.635 \longrightarrow 00:13:11.235$ But starting with a average

NOTE Confidence: 0.91853935

00:13:11.235 --> 00:13:11.975 risk woman,

NOTE Confidence: 0.97854

 $00:13:12.500 \rightarrow 00:13:14.339$ then mammography starting at age

NOTE Confidence: 0.97854

 $00:13:14.339 \longrightarrow 00:13:16.179$ forty. And then depending on

NOTE Confidence: 0.97854

00:13:16.179 --> 00:13:17.399 what your breast tissue

NOTE Confidence: 0.9951563

00:13:17.779 --> 00:13:19.480 looks like on a mammogram,

NOTE Confidence: 0.9929182

00:13:20.660 --> 00:13:22.660 how much glandular tissue there

NOTE Confidence: 0.9929182

00:13:22.660 --> 00:13:25.000 is relative to fatty tissue,

NOTE Confidence: 0.9976261

 $00{:}13{:}25{.}485 \dashrightarrow 00{:}13{:}26{.}705$ that actually determines

NOTE Confidence: 0.99694395

00:13:28.045 --> 00:13:29.725 a factor called your breast

NOTE Confidence: 0.99694395

00:13:29.725 --> 00:13:30.225 density.

NOTE Confidence: 0.98563004

 $00:13:30.684 \longrightarrow 00:13:31.885$ And knowing your breast

NOTE Confidence: 0.98563004

 $00{:}13{:}31.885 \dashrightarrow 00{:}13{:}33.404$ density is now the law.

NOTE Confidence: 0.98563004

 $00:13:33.404 \longrightarrow 00:13:34.525$ It should be in your

NOTE Confidence: 0.98563004

00:13:34.525 --> 00:13:35.964 mammogram report. And if you

NOTE Confidence: 0.98563004

 $00:13:35.964 \rightarrow 00:13:37.005$ scroll down, you should be

- NOTE Confidence: 0.98563004
- $00:13:37.005 \longrightarrow 00:13:37.825$ able to see
- NOTE Confidence: 0.9995386
- $00:13:38.205 \rightarrow 00:13:39.565$ what type of density you
- NOTE Confidence: 0.9995386
- $00:13:39.565 \longrightarrow 00:13:40.065$ have.
- NOTE Confidence: 0.9928707
- $00:13:40.620 \longrightarrow 00:13:42.220$ Fifty percent of women in
- NOTE Confidence: 0.9928707
- $00:13:42.220 \longrightarrow 00:13:43.500$ the US actually fall in
- NOTE Confidence: 0.9928707
- 00:13:43.500 00:13:44.880 that higher breast density,
- NOTE Confidence: 0.91232
- $00:13:45.580 \rightarrow 00:13:46.080$ category.
- NOTE Confidence: 0.9977873
- $00{:}13{:}46{.}540 \dashrightarrow 00{:}13{:}47{.}660$ And what that means is
- NOTE Confidence: 0.9977873
- $00:13:47.660 \longrightarrow 00:13:48.780$ that it may be more
- NOTE Confidence: 0.9977873
- $00:13:48.780 \longrightarrow 00:13:50.080$ difficult for a radiologist
- NOTE Confidence: 0.99988174
- $00:13:50.540 \longrightarrow 00:13:51.200$ to see
- NOTE Confidence: 0.9883038
- $00{:}13{:}51{.}580 \dashrightarrow 00{:}13{:}53{.}360$ solely relying on the mammogram,
- NOTE Confidence: 0.9708784
- 00:13:54.395 --> 00:13:55.755 the extent of how your
- NOTE Confidence: 0.9708784
- 00:13:55.755 --> 00:13:57.755 breast tissue is. So, typically,
- NOTE Confidence: 0.9708784
- $00:13:57.755 \longrightarrow 00:13:58.415$ a supplemental
- NOTE Confidence: 0.9315135

- 00:13:58.875 --> 00:13:59.375 imaging,
- NOTE Confidence: 0.9833066
- $00{:}13{:}59.675 \dashrightarrow 00{:}14{:}00.554$ whether it be
- NOTE Confidence: 0.94534165
- $00{:}14{:}00{.}955 \dashrightarrow 00{:}14{:}02{.}315$ an ultrasound or in some
- NOTE Confidence: 0.94534165
- $00{:}14{:}02{.}315 \dashrightarrow 00{:}14{:}03{.}915$ cases, an MRI is needed
- NOTE Confidence: 0.94534165
- $00{:}14{:}03{.}915 \dashrightarrow 00{:}14{:}04{.}715$ to be able to see
- NOTE Confidence: 0.94534165
- $00:14:04.715 \longrightarrow 00:14:05.535$ more clearly.
- NOTE Confidence: 0.9920072
- $00:14:06.170 \longrightarrow 00:14:08.009$ In addition, breast density is
- NOTE Confidence: 0.9920072
- 00:14:08.009 --> 00:14:09.929 actually an independent risk factor
- NOTE Confidence: 0.9920072
- $00{:}14{:}09{.}929 \dashrightarrow 00{:}14{:}11{.}470$ for developing breast cancer.
- NOTE Confidence: 0.96490943
- $00:14:13.370 \longrightarrow 00:14:15.290$ That higher glandular tissue
- NOTE Confidence: 0.96490943
- $00:14:15.290 \longrightarrow 00:14:17.050$ is more susceptible to changes
- NOTE Confidence: 0.96490943
- $00:14:17.050 \longrightarrow 00:14:18.329$ that may predispose it to
- NOTE Confidence: 0.96490943
- $00{:}14{:}18{.}329 \dashrightarrow 00{:}14{:}19{.}725$ to cancer. So knowing
- NOTE Confidence: 0.96490943
- $00:14:19.725 \longrightarrow 00:14:21.485$ your breast density is another
- NOTE Confidence: 0.96490943
- 00:14:21.485 --> 00:14:21.985 important
- NOTE Confidence: 0.98998225
- 00:14:23.404 --> 00:14:24.945 facet of knowing your risk.

- NOTE Confidence: 0.98998225
- $00:14:25.165 \rightarrow 00:14:26.385$ So many aspects
- NOTE Confidence: 0.97973824
- 00:14:27.085 --> 00:14:28.925 of your background influence your
- NOTE Confidence: 0.97973824
- 00:14:28.925 --> 00:14:30.705 own personal breast cancer risk.
- NOTE Confidence: 0.97973824
- $00:14:31.005 \rightarrow 00:14:31.500$ Correct.
- NOTE Confidence: 0.9606615
- $00{:}14{:}31{.}900 \dashrightarrow 00{:}14{:}32{.}780$ Well, we have covered a
- NOTE Confidence: 0.9606615
- $00:14:32.780 \longrightarrow 00:14:33.740$ lot of ground in this
- NOTE Confidence: 0.9606615
- 00:14:33.740 --> 00:14:34.860 first half. But we're going
- NOTE Confidence: 0.9606615
- $00{:}14{:}34{.}860 \dashrightarrow 00{:}14{:}35{.}900$ to break now to take
- NOTE Confidence: 0.9606615
- $00{:}14{:}35{.}900 \dashrightarrow 00{:}14{:}36{.}960$ a one minute break.
- NOTE Confidence: 0.9728167
- $00:14:37.420 \longrightarrow 00:14:38.300$ We're going to come back
- NOTE Confidence: 0.9728167
- $00:14:38.300 \rightarrow 00:14:39.180$ and we're going to pick
- NOTE Confidence: 0.9728167
- $00{:}14{:}39{.}180 \dashrightarrow 00{:}14{:}40{.}300$ up on all of the
- NOTE Confidence: 0.9728167
- 00:14:40.300 --> 00:14:41.580 details you gave us about
- NOTE Confidence: 0.9728167
- $00{:}14{:}41{.}580 \dashrightarrow 00{:}14{:}43{.}420$ tumor and different types of
- NOTE Confidence: 0.9728167
- $00{:}14{:}43{.}420 \dashrightarrow 00{:}14{:}45{.}395$ cancers and personal risk to
- NOTE Confidence: 0.9728167

- $00:14:45.395 \longrightarrow 00:14:46.375$ talk about personalized
- NOTE Confidence: 0.9712962
- $00{:}14{:}46{.}915$ --> $00{:}14{:}48{.}915$ and precision medicine and treatment.
- NOTE Confidence: 0.9712962
- 00:14:48.915 --> 00:14:50.595 So stay tuned to learn
- NOTE Confidence: 0.9712962
- $00:14:50.595 \rightarrow 00:14:52.195$ more about improving your outcomes
- NOTE Confidence: 0.9712962
- $00{:}14{:}52{.}195 \dashrightarrow 00{:}14{:}53{.}395$ for breast cancer care with
- NOTE Confidence: 0.9712962
- 00:14:53.395 --> 00:14:54.915 my guest, doctor Maryam Lustberg.
- NOTE Confidence: 0.9712962
- $00:14:54.915 \longrightarrow 00:14:56.515$ We'll be right back.
- NOTE Confidence: 0.9712962
- $00:14:56.515 \rightarrow 00:14:58.035$ Support for Yale Cancer Answers comes
- NOTE Confidence: 0.9712962
- 00:14:58.035 --> 00:14:59.655 from Smilow Cancer Hospital,
- NOTE Confidence: 0.99650395
- 00:15:00.080 --> 00:15:01.760 where all patients have access
- NOTE Confidence: 0.99650395
- $00{:}15{:}01.760 \dashrightarrow 00{:}15{:}03.440$ to cutting edge clinical trials
- NOTE Confidence: 0.99650395
- $00:15:03.440 \rightarrow 00:15:05.520$ at several convenient locations throughout
- NOTE Confidence: 0.99650395
- $00:15:05.520 \longrightarrow 00:15:06.100$ the region.
- NOTE Confidence: 0.9261602
- 00:15:06.480 --> 00:15:08.100 To learn more, visit smilowcancerhospital
- NOTE Confidence: 0.99262094
- $00{:}15{:}09{.}040 \dashrightarrow 00{:}15{:}09{.}780$ dot org.
- NOTE Confidence: 0.9673326
- $00:15:11.600 \rightarrow 00:15:13.295$ It's estimated that over two

- NOTE Confidence: 0.9673326
- 00:15:13.295 --> 00:15:14.655 hundred and forty thousand men
- NOTE Confidence: 0.9673326
- $00{:}15{:}14.655 \dashrightarrow 00{:}15{:}15.695$ in the US will be
- NOTE Confidence: 0.9673326
- $00:15:15.695 \rightarrow 00:15:17.775$ diagnosed with prostate cancer this
- NOTE Confidence: 0.9673326
- $00{:}15{:}17.775 \dashrightarrow 00{:}15{:}19.615$ year with over three thousand
- NOTE Confidence: 0.9673326
- 00:15:19.615 --> 00:15:21.295 new cases being identified here
- NOTE Confidence: 0.9673326
- 00:15:21.295 --> 00:15:21.955 in Connecticut.
- NOTE Confidence: 0.9922577
- 00:15:22.575 --> 00:15:24.015 One in eight American men
- NOTE Confidence: 0.9922577
- 00:15:24.015 --> 00:15:25.695 will develop prostate cancer in
- NOTE Confidence: 0.9922577
- $00{:}15{:}25.695 \dashrightarrow 00{:}15{:}26.915$ the course of his lifetime.
- NOTE Confidence: 0.99659705
- $00{:}15{:}27.680 \dashrightarrow 00{:}15{:}29.279$ Major advances in the detection
- NOTE Confidence: 0.99659705
- $00{:}15{:}29{.}279 \dashrightarrow 00{:}15{:}30{.}959$ and treatment of prostate cancer
- NOTE Confidence: 0.99659705
- $00:15:30.959 \rightarrow 00:15:32.720$ have dramatically decreased the number
- NOTE Confidence: 0.99659705
- 00:15:32.720 --> 00:15:33.760 of men who die from
- NOTE Confidence: 0.99659705
- $00{:}15{:}33{.}760 \dashrightarrow 00{:}15{:}34{.}500$ the disease.
- NOTE Confidence: 0.98864347
- $00:15:35.040 \rightarrow 00:15:36.720$ Screening can be performed quickly
- NOTE Confidence: 0.98864347

- $00:15:36.720 \rightarrow 00:15:38.180$ and easily in a physician's
- NOTE Confidence: 0.98864347
- $00{:}15{:}38{.}240 \dashrightarrow 00{:}15{:}40{.}180$ office using two simple tests,
- NOTE Confidence: 0.98864347
- 00:15:40.399 --> 00:15:41.680 a physical exam and a
- NOTE Confidence: 0.98864347
- $00{:}15{:}41.680 \dashrightarrow 00{:}15{:}42.500$ blood test.
- NOTE Confidence: 0.9502175
- 00:15:42.885 --> 00:15:44.725 Clinical trials are currently underway
- NOTE Confidence: 0.9502175
- 00:15:44.725 --> 00:15:47.365 at federally designated comprehensive cancer
- NOTE Confidence: 0.9502175
- 00:15:47.365 --> 00:15:48.965 centers, such as Yale Cancer
- NOTE Confidence: 0.9502175
- 00:15:48.965 --> 00:15:50.565 Center and Smilow Cancer
- NOTE Confidence: 0.9502175
- $00{:}15{:}50{.}565 \dashrightarrow 00{:}15{:}51{.}065$ Hospital,
- NOTE Confidence: 0.9707708
- $00:15:51.525 \rightarrow 00:15:53.125$ where doctors are also using
- NOTE Confidence: 0.9707708
- $00{:}15{:}53{.}125 \dashrightarrow 00{:}15{:}55{.}385$ the Artemis machine, which enables
- NOTE Confidence: 0.9707708
- $00:15:55.445 \rightarrow 00:15:57.385$ targeted biopsies to be performed.
- NOTE Confidence: 0.98168796
- $00{:}15{:}58{.}089 \dashrightarrow 00{:}15{:}59{.}610$ More information is available at
- NOTE Confidence: 0.98168796
- $00:15:59.610 \rightarrow 00:16:01.390$ yale cancer center dot org.
- NOTE Confidence: 0.98168796
- 00:16:01.529 --> 00:16:03.210 You're listening to Connecticut Public
- NOTE Confidence: 0.98168796
- $00:16:03.210 \longrightarrow 00:16:03.710$ Radio.

00:16:04.810 --> 00:16:06.250 We elcome back to Yale

NOTE Confidence: 0.9339017

00:16:06.250 --> 00:16:08.170 Cancer Answers. This is doctor

NOTE Confidence: 0.9339017

00:16:08.170 --> 00:16:09.850 Tracy Battaglia.

NOTE Confidence: 0.9339017

 $00:16:09.850 \longrightarrow 00:16:11.529$ I am joined to night by my

NOTE Confidence: 0.9339017

 $00{:}16{:}11.529 \dashrightarrow 00{:}16{:}13.050$ colleague and guest, doctor Maryam NOTE Confidence: 0.9339017

 $00:16:13.050 \rightarrow 00:16:13.550$ Lustberg.

NOTE Confidence: 0.9912102

00:16:14.315 --> 00:16:15.215 We're discussing

NOTE Confidence: 0.9734761

 $00{:}16{:}15.675 \dashrightarrow 00{:}16{:}16.895$ breast cancer diagnosis.

NOTE Confidence: 0.9988613

00:16:17.835 --> 00:16:19.035 And we've had a riveting

NOTE Confidence: 0.9988613

 $00:16:19.035 \longrightarrow 00:16:19.535$ conversation

NOTE Confidence: 0.97040063

 $00{:}16{:}19{.}995 \dashrightarrow 00{:}16{:}21{.}035$ for the first half of

NOTE Confidence: 0.97040063

00:16:21.035 --> 00:16:22.795 our time, really breaking down

NOTE Confidence: 0.97040063

 $00:16:22.795 \longrightarrow 00:16:24.075$ the types of different breast

NOTE Confidence: 0.97040063

 $00:16:24.075 \rightarrow 00:16:24.575$ cancers,

NOTE Confidence: 0.9918501

 $00:16:25.275 \longrightarrow 00:16:26.790$ types of risk factors that

 $00:16:26.790 \rightarrow 00:16:28.630$ go into developing breast cancer,

NOTE Confidence: 0.9918501

 $00{:}16{:}28{.}630 \dashrightarrow 00{:}16{:}29{.}589$ and even things you can

NOTE Confidence: 0.9918501

 $00:16:29.589 \longrightarrow 00:16:31.029$ do to prevent or find

NOTE Confidence: 0.9918501

 $00{:}16{:}31.029 \dashrightarrow 00{:}16{:}32.949$ cancer early. But we're gonna

NOTE Confidence: 0.9918501

 $00:16:32.949 \longrightarrow 00:16:35.110$ transition our conversation now to

NOTE Confidence: 0.9918501

 $00{:}16{:}35{.}110 \dashrightarrow 00{:}16{:}36{.}709$ treatment. We heard a lot

NOTE Confidence: 0.9918501

 $00:16:36.709 \longrightarrow 00:16:37.990$ about the different types of

NOTE Confidence: 0.9918501

 $00:16:37.990 \longrightarrow 00:16:39.910$ tumors that dictate the types

NOTE Confidence: 0.9918501

 $00{:}16{:}39{.}910 \dashrightarrow 00{:}16{:}41{.}115$ of treatment that you get.

NOTE Confidence: 0.9814223

00:16:41.755 --> 00:16:43.675 So I'm gonna ask our

NOTE Confidence: 0.9814223

00:16:43.675 --> 00:16:45.595 guest, doctor Lustberg, to talk

NOTE Confidence: 0.9814223

 $00:16:45.595 \longrightarrow 00:16:47.035$ with us about the different

NOTE Confidence: 0.9814223

 $00:16:47.035 \longrightarrow 00:16:48.154$ types of treatment that are

NOTE Confidence: 0.9814223

 $00:16:48.154 \longrightarrow 00:16:49.834$ available to breast cancer and

NOTE Confidence: 0.9814223

00:16:49.834 --> 00:16:50.795 how they relate to the

NOTE Confidence: 0.9814223

 $00:16:50.795 \longrightarrow 00:16:51.834$ type of tumor that you

- NOTE Confidence: 0.9814223
- $00:16:51.834 \longrightarrow 00:16:52.334$ have.
- NOTE Confidence: 0.97486794
- $00:16:53.820 \longrightarrow 00:16:55.680$ Thanks, Tracy, for that question.
- NOTE Confidence: 0.97486794
- $00{:}16{:}55{.}820 \dashrightarrow 00{:}16{:}58{.}080$ So multiple
- NOTE Confidence: 0.97486794
- 00:16:58.140 --> 00:17:00.560 factors go into us advising
- NOTE Confidence: 0.97486794
- $00:17:00.700 \longrightarrow 00:17:02.320$ our patients in terms of
- NOTE Confidence: 0.99052906
- 00:17:03.020 --> 00:17:04.619 the type of multi d
- NOTE Confidence: 0.99052906
- $00:17:04.619 \rightarrow 00:17:06.320$ treatment that they might need.
- NOTE Confidence: 0.9661449
- $00{:}17{:}07{.}415 \dashrightarrow 00{:}17{:}08{.}775$ So we've talked about the
- NOTE Confidence: 0.9661449
- 00:17:08.775 -> 00:17:10.615 subtypes of breast cancer. That's
- NOTE Confidence: 0.9661449
- $00:17:10.615 \longrightarrow 00:17:11.755$ an important factor.
- NOTE Confidence: 0.99931985
- 00:17:12.855 --> 00:17:14.475 Additional factors include
- NOTE Confidence: 0.9923286
- $00{:}17{:}14.775 \dashrightarrow 00{:}17{:}16.215$ the stage of the breast
- NOTE Confidence: 0.9923286
- 00:17:16.215 --> 00:17:17.655 cancer.
- NOTE Confidence: 0.88566
- $00{:}17{:}18{.}215 \dashrightarrow 00{:}17{:}19{.}415$ We have four
- NOTE Confidence: 0.88566
- $00:17:19.415 \longrightarrow 00:17:19.915$ stages.
- NOTE Confidence: 0.9860786

- $00{:}17{:}22.169 \dashrightarrow 00{:}17{:}22.889$ And for
- NOTE Confidence: 0.97494066
- $00:17:23.210 \longrightarrow 00:17:24.490$ kind of the earliest stage of
- NOTE Confidence: 0.97494066
- 00:17:24.490 --> 00:17:25.230 breast cancer,
- NOTE Confidence: 0.9834173
- $00:17:26.330 \rightarrow 00:17:28.169$ generally, we focus on starting
- NOTE Confidence: 0.9834173
- $00{:}17{:}28.169 \dashrightarrow 00{:}17{:}29.869$ with local regional treatment,
- NOTE Confidence: 0.990304
- $00:17:30.970 \longrightarrow 00:17:32.990$ which generally consists of surgery
- NOTE Confidence: 0.990304
- 00:17:33.049 --> 00:17:33.549 first
- NOTE Confidence: 0.92827725
- $00:17:34.009 \rightarrow 00:17:35.690$ and really truly understanding as
- NOTE Confidence: 0.92827725
- $00{:}17{:}35{.}690 \dashrightarrow 00{:}17{:}37{.}149$ a consequence of surgery
- NOTE Confidence: 0.9875159
- $00:17:37.635 \longrightarrow 00:17:39.555$ exactly how much tumor and
- NOTE Confidence: 0.9875159
- $00{:}17{:}39{.}555 \dashrightarrow 00{:}17{:}41{.}395$ disease involvement there was. And
- NOTE Confidence: 0.9875159
- $00:17:41.395 \longrightarrow 00:17:42.935$ then after after that,
- NOTE Confidence: 0.9764028
- $00:17:43.315 \longrightarrow 00:17:44.755$ kind of depending on the
- NOTE Confidence: 0.9764028
- $00:17:44.755 \longrightarrow 00:17:45.955$ type of surgery that was
- NOTE Confidence: 0.9764028
- $00{:}17{:}45.955 \dashrightarrow 00{:}17{:}47.815$ had, the amount of disease,
- NOTE Confidence: 0.9582972
- $00:17:48.515 \longrightarrow 00:17:49.555$ and the type of breast

- NOTE Confidence: 0.9582972
- $00:17:49.555 \rightarrow 00:17:51.255$ cancer, deciding on,
- NOTE Confidence: 0.97774315
- $00:17:51.940 \rightarrow 00:17:53.780$ whether radiation is needed, which
- NOTE Confidence: 0.97774315
- $00:17:53.780 \longrightarrow 00:17:55.720$ is another local regional treatment,
- NOTE Confidence: 0.97927827
- $00:17:56.740 \longrightarrow 00:17:57.380$ and then,
- NOTE Confidence: 0.9712303
- $00{:}17{:}57.860 \dashrightarrow 00{:}17{:}58.360$ additional
- NOTE Confidence: 0.9990488
- $00:17:59.300 \longrightarrow 00:18:00.680$ therapy in the form
- NOTE Confidence: 0.9992729
- $00:18:00.980 \longrightarrow 00:18:02.520$ of systemic therapies.
- NOTE Confidence: 0.9998274
- $00:18:02.980 \longrightarrow 00:18:04.420$ These are the rapies that treat
- NOTE Confidence: 0.9998274
- $00{:}18{:}04{.}420 \dashrightarrow 00{:}18{:}05{.}320$ the whole body
- NOTE Confidence: 0.9937258
- 00:18:06.684 --> 00:18:08.465 and may consist of
- NOTE Confidence: 0.99603826
- $00{:}18{:}09{.}164 \dashrightarrow 00{:}18{:}10{.}544$ the category of
- NOTE Confidence: 0.9438494
- $00:18:10.845 \longrightarrow 00:18:12.845$ endocrine therapy, also known as
- NOTE Confidence: 0.9438494
- $00:18:12.845 \rightarrow 00:18:15.244$ hormonal therapy or anti estrogen
- NOTE Confidence: 0.9438494
- $00:18:15.244 \rightarrow 00:18:15.744$ therapy.
- NOTE Confidence: 0.9962796
- $00:18:16.205 \rightarrow 00:18:17.984$ They may consist of chemotherapy.
- NOTE Confidence: 0.9718472

- $00:18:19.004 \longrightarrow 00:18:20.280$ They may consist of
- NOTE Confidence: 0.9143788
- 00:18:20.840 --> 00:18:22.060 HER2 monoclonal
- NOTE Confidence: 0.96065915
- 00:18:22.520 --> 00:18:24.460 antibodies or HER2 treatments,
- NOTE Confidence: 0.99826133
- $00:18:25.160 \longrightarrow 00:18:25.660$ immunotherapy
- NOTE Confidence: 0.9878014
- $00{:}18{:}25{.}960 \dashrightarrow 00{:}18{:}27{.}020$ in certain cases.
- NOTE Confidence: 0.99968123
- $00{:}18{:}27{.}320 \dashrightarrow 00{:}18{:}28{.}780$ So these are all different
- NOTE Confidence: 0.99968123
- $00{:}18{:}28{.}920 \dashrightarrow 00{:}18{:}29{.}420$ categories
- NOTE Confidence: 0.99978095
- $00:18:30.359 \rightarrow 00:18:31.660$ of systemic therapy
- NOTE Confidence: 0.98929775
- $00{:}18{:}32{.}200 \dashrightarrow 00{:}18{:}33{.}480$ that may be given in
- NOTE Confidence: 0.98929775
- $00{:}18{:}33{.}480 \dashrightarrow 00{:}18{:}35{.}160$ sequence or combined with each
- NOTE Confidence: 0.98929775
- $00{:}18{:}35{.}160 \dashrightarrow 00{:}18{:}36{.}994$ other depending on the situation.
- NOTE Confidence: 0.98308146
- $00{:}18{:}38.655 \dashrightarrow 00{:}18{:}39.315$ There are
- NOTE Confidence: 0.97046715
- $00:18:40.095 \rightarrow 00:18:41.855$ situations such as in stage
- NOTE Confidence: 0.97046715
- $00{:}18{:}41.855 \dashrightarrow 00{:}18{:}42.355$ four
- NOTE Confidence: 0.9998062
- 00:18:43.215 --> 00:18:44.035 breast cancer
- NOTE Confidence: 0.7849642
- $00{:}18{:}44{.}494 \dashrightarrow 00{:}18{:}44{.}994$ where

- NOTE Confidence: 0.9998697
- 00:18:45.615 --> 00:18:46.115 focusing
- NOTE Confidence: 0.99957764
- $00{:}18{:}46{.}734 \dashrightarrow 00{:}18{:}48{.}335$ on the best and the
- NOTE Confidence: 0.99957764
- 00:18:48.335 --> 00:18:49.234 most targeted
- NOTE Confidence: 0.99952435
- 00:18:49.759 --> 00:18:50.820 systemic therapy
- NOTE Confidence: 0.9857824
- $00{:}18{:}51{.}200 \dashrightarrow 00{:}18{:}52{.}720$ is the best place to
- NOTE Confidence: 0.9857824
- $00{:}18{:}52{.}720 \dashrightarrow 00{:}18{:}53{.}220$ start and
- $00:18:55.600 \longrightarrow 00:18:56.879$ not taking time for local
- NOTE Confidence: 0.94681937
- $00:18:56.879 \rightarrow 00:18:58.720$ regional treatment because that takes
- NOTE Confidence: 0.94681937
- $00{:}18{:}58{.}720 \dashrightarrow 00{:}18{:}59{.}779$ away from time
- NOTE Confidence: 0.9988929
- $00:19:00.159 \longrightarrow 00:19:01.519$ to really treat the whole
- NOTE Confidence: 0.9988929
- $00:19:01.519 \longrightarrow 00:19:03.220$ disease process in the body.
- NOTE Confidence: 0.99790025
- $00:19:03.734 \longrightarrow 00:19:05.095$ So all of these factors
- NOTE Confidence: 0.99790025
- $00:19:05.095 \longrightarrow 00:19:06.295$ come together for us to
- NOTE Confidence: 0.99790025
- 00:19:06.295 --> 00:19:07.195 kind of decide,
- NOTE Confidence: 0.9698491
- $00{:}19{:}07{.}895 \dashrightarrow 00{:}19{:}09{.}255$ what are the right combinations
- NOTE Confidence: 0.9698491
- $00{:}19{:}09{.}255 \dashrightarrow 00{:}19{:}10.615$ of treatments. And all of

- NOTE Confidence: 0.9698491
- 00:19:10.615 --> 00:19:12.535 this is often discussed kind
- NOTE Confidence: 0.9698491
- 00:19:12.535 --> 00:19:14.395 of, as I mentioned before,
- NOTE Confidence: 0.95276153
- 00:19:14.775 --> 00:19:16.055 as part of that multi
- NOTE Confidence: 0.95276153
- 00:19:16.055 --> 00:19:16.795 d discussion
- NOTE Confidence: 0.99750686
- $00{:}19{:}17{.}340 \dashrightarrow 00{:}19{:}18{.}799$ with with all the special ties
- NOTE Confidence: 0.99750686
- $00:19:18.940 \longrightarrow 00:19:19.440$ involved.
- NOTE Confidence: 0.9973755
- 00:19:20.299 --> 00:19:21.419 You started out
- NOTE Confidence: 0.997832
- $00:19:22.140 \longrightarrow 00:19:23.740$ describing the importance of the
- NOTE Confidence: 0.997832
- $00:19:23.740 \longrightarrow 00:19:24.240$ multidisciplinary
- NOTE Confidence: 0.9672529
- $00:19:24.700 \longrightarrow 00:19:26.320$ approach to cancer. And
- NOTE Confidence: 0.98245233
- $00{:}19{:}26.700 \dashrightarrow 00{:}19{:}28.140$ as you describe the treatments,
- NOTE Confidence: 0.98245233
- $00:19:28.140 \longrightarrow 00:19:29.580$ it becomes more apparent how
- NOTE Confidence: 0.98245233
- $00:19:29.580 \longrightarrow 00:19:30.799$ important that is.
- NOTE Confidence: 0.89942807
- 00:19:31.905 --> 00:19:32.865 I wonder if you
- NOTE Confidence: 0.89942807
- 00:19:32.865 --> 00:19:33.925 could talk about
- NOTE Confidence: 0.9919075

- $00:19:35.425 \longrightarrow 00:19:37.125$ there's so many choices
- NOTE Confidence: 0.99974906
- $00:19:37.425 \longrightarrow 00:19:38.244$ for cancer
- NOTE Confidence: 0.87267685
- $00:19:38.545 \longrightarrow 00:19:39.045$ treatment,
- NOTE Confidence: 0.97093135
- $00{:}19{:}39{.}585 \dashrightarrow 00{:}19{:}41{.}025$ both the modality and the
- NOTE Confidence: 0.97093135
- 00:19:41.025 --> 00:19:42.145 order as you point out.
- NOTE Confidence: 0.97093135
- $00{:}19{:}42.145 \dashrightarrow 00{:}19{:}43.505$ We used to always
- NOTE Confidence: 0.97093135
- 00:19:43.505 --> 00:19:44.865 start with surgery, for example,
- NOTE Confidence: 0.97093135
- $00{:}19{:}44.865 \dashrightarrow 00{:}19{:}45.825$ and now we're sort of
- NOTE Confidence: 0.97093135
- $00{:}19{:}45{.}825 \dashrightarrow 00{:}19{:}47{.}185$ rethinking the order. So there's
- NOTE Confidence: 0.97093135
- $00{:}19{:}47{.}185 \dashrightarrow 00{:}19{:}48{.}440$ the types of the rapy and
- NOTE Confidence: 0.97093135
- $00:19:48.440 \longrightarrow 00:19:49.580$ the order of the rapy.
- NOTE Confidence: 0.99494195
- $00{:}19{:}50{.}200 \dashrightarrow 00{:}19{:}51{.}400$ And how does that decision
- NOTE Confidence: 0.99494195
- 00:19:51.400 00:19:53.080 making process happen for a
- NOTE Confidence: 0.99494195
- $00:19:53.080 \longrightarrow 00:19:54.119$ patient? Can you walk us
- NOTE Confidence: 0.99494195
- $00:19:54.119 \longrightarrow 00:19:54.780$ through that?
- NOTE Confidence: 0.9977765
- 00:19:55.240 --> 00:19:56.619 Yes. So

- NOTE Confidence: 0.90897816
- $00{:}19{:}57{.}160 \dashrightarrow 00{:}19{:}58{.}920$ it goes without saying that
- NOTE Confidence: 0.90897816
- $00:19:58.920 \longrightarrow 00:20:00.060$ the patient
- NOTE Confidence: 0.9543934
- $00:20:01.274 \longrightarrow 00:20:02.075$ has a key
- NOTE Confidence: 0.9543934
- 00:20:02.075 --> 00:20:03.134 central role
- NOTE Confidence: 0.9760012
- $00:20:03.994 \longrightarrow 00:20:05.355$ here in terms of many
- NOTE Confidence: 0.9760012
- 00:20:05.355 00:20:06.634 of these decision makings, if
- NOTE Confidence: 0.9760012
- $00:20:06.634 \longrightarrow 00:20:07.355$ not all of it.
- $00:20:08.554 \rightarrow 00:20:09.835$ This is her body, and she
- NOTE Confidence: 0.9760012
- $00{:}20{:}09{.}835 \dashrightarrow 00{:}20{:}11.195$ gets to decide what is
- NOTE Confidence: 0.9760012
- $00{:}20{:}11.195 \dashrightarrow 00{:}20{:}11.695$ done.
- NOTE Confidence: 0.9972744
- $00{:}20{:}11{.}994 \dashrightarrow 00{:}20{:}13{.}710$ We are guides to
- NOTE Confidence: 0.9972744
- $00:20:13.710 \longrightarrow 00:20:15.330$ kind of share the evidence
- NOTE Confidence: 0.9972744
- $00:20:15.390 \longrightarrow 00:20:16.590$ of what we know so
- NOTE Confidence: 0.9972744
- 00:20:16.590 --> 00:20:17.090 far
- NOTE Confidence: 0.9950805
- $00:20:17.790 \longrightarrow 00:20:19.490$ about different biological
- 00:20:20.990 --> 00:20:22.350 characteristics of the tumor and
- NOTE Confidence: 0.9874986

 $00:20:22.350 \longrightarrow 00:20:23.390$ what are the pros and

NOTE Confidence: 0.9874986

 $00{:}20{:}23{.}390 \dashrightarrow 00{:}20{:}24{.}850$ cons of each approach.

NOTE Confidence: 0.99293983

 $00:20:26.325 \longrightarrow 00:20:27.125$ To give you a more

NOTE Confidence: 0.99293983

 $00{:}20{:}27{.}125 \dashrightarrow 00{:}20{:}29{.}125$ tangible example, the

NOTE Confidence: 0.99293983

 $00:20:29.125 \longrightarrow 00:20:30.184$ order of the rapy

NOTE Confidence: 0.9924755

 $00{:}20{:}31{.}125 \dashrightarrow 00{:}20{:}31{.}845$ for our

NOTE Confidence: 0.9107251

 $00:20:32.484 \longrightarrow 00:20:32.984$ non-hormonally

NOTE Confidence: 0.99608606

00:20:33.684 --> 00:20:34.184 driven,

NOTE Confidence: 0.9420371

 $00:20:34.484 \longrightarrow 00:20:36.184$ non HER2 driven tumors,

NOTE Confidence: 0.9747737

 $00{:}20{:}36{.}565 \dashrightarrow 00{:}20{:}37{.}765$ which are known also as

NOTE Confidence: 0.9747737

00:20:37.765 --> 00:20:39.225 our triple negative tumors,

 $00{:}20{:}42.580 \dashrightarrow 00{:}20{:}44.020$ in stage two and stage

NOTE Confidence: 0.972003

 $00{:}20{:}44.020 \dashrightarrow 00{:}20{:}46.280$ three breast cancer, giving up front

NOTE Confidence: 0.9974671

 $00:20:46.660 \rightarrow 00:20:48.359$ chemotherapy plus immunotherapy

NOTE Confidence: 0.97118807

 $00:20:49.540 \longrightarrow 00:20:50.920$ has so many advantages,

NOTE Confidence: 0.9998746

00:20:51.460 --> 00:20:51.960 including

NOTE Confidence: 0.98874235

 $00:20:52.660 \longrightarrow 00:20:54.520$ having a real time response

NOTE Confidence: 0.98874235

 $00{:}20{:}54.660 \dashrightarrow 00{:}20{:}55.845$ measure of

NOTE Confidence: 0.96440417

 $00:20:56.405 \longrightarrow 00:20:57.765$ is the combination actually

NOTE Confidence: 0.96440417

 $00:20:57.765 \longrightarrow 00:20:59.525$ working for the biology of

NOTE Confidence: 0.96440417

 $00{:}20{:}59{.}525 \dashrightarrow 00{:}21{:}01{.}205$ this breast cancer? So o

NOTE Confidence: 0.96440417

 $00:21:01.205 \longrightarrow 00:21:03.145$ by giving that upfront

NOTE Confidence: 0.96440417

 $00:21:03.205 \longrightarrow 00:21:04.645$ treatment and not rushing to

NOTE Confidence: 0.96440417

 $00:21:04.645 \rightarrow 00:21:05.145$ surgery,

NOTE Confidence: 0.9975668

 $00{:}21{:}06{.}405 \dashrightarrow 00{:}21{:}08{.}585$ we we're truly interrogating

NOTE Confidence: 0.99984366

 $00{:}21{:}08.885 \dashrightarrow 00{:}21{:}10.164$ the biology of the breast

NOTE Confidence: 0.99984366

00:21:10.164 --> 00:21:10.664 cancer

NOTE Confidence: 0.9986549

 $00:21:11.109 \longrightarrow 00:21:12.149$ and making sure that we're

NOTE Confidence: 0.9986549

 $00{:}21{:}12{.}149 \dashrightarrow 00{:}21{:}13{.}590$ on the right track. And

NOTE Confidence: 0.9986549

 $00:21:13.590 \longrightarrow 00:21:14.710$ then when the patient does

NOTE Confidence: 0.9986549

00:21:14.710 --> 00:21:16.169 ultimately go to surgery,

NOTE Confidence: 0.99980533

 $00:21:16.470 \longrightarrow 00:21:17.769$ then we have an additional

- NOTE Confidence: 0.99980533
- $00:21:17.830 \longrightarrow 00:21:18.809$ measure of
- NOTE Confidence: 0.95120883
- $00:21:19.909 \longrightarrow 00:21:21.029$ how good were we
- NOTE Confidence: 0.95120883
- $00:21:21.029 \longrightarrow 00:21:23.029$ in terms of targeting this
- NOTE Confidence: 0.95120883
- $00{:}21{:}23.029 \dashrightarrow 00{:}21{:}24.869$ tumor. Was there any tumor
- NOTE Confidence: 0.95120883
- $00:21:24.869 \longrightarrow 00:21:25.369$ left?
- NOTE Confidence: 0.9936374
- 00:21:25.994 --> 00:21:27.375 Was it a partial response
- NOTE Confidence: 0.9936374
- $00:21:27.435 \longrightarrow 00:21:28.875$ or no response? And that
- NOTE Confidence: 0.9936374
- $00:21:28.875 \longrightarrow 00:21:31.035$ can determine then additional systemic
- NOTE Confidence: 0.9936374
- $00{:}21{:}31{.}035 \dashrightarrow 00{:}21{:}32{.}975$ the rapies that are given subsequently.
- NOTE Confidence: 0.9450359
- 00:21:33.675 --> 00:21:35.135 So I would say it's
- $00:21:36.315 \longrightarrow 00:21:38.175$ all those factors. The patient
- NOTE Confidence: 0.945233
- $00:21:38.539 \longrightarrow 00:21:40.320$ plays that central role.
- NOTE Confidence: 0.9746562
- 00:21:41.580 --> 00:21:42.799 And then in addition,
- NOTE Confidence: 0.9746562
- $00:21:43.020 \longrightarrow 00:21:45.340$ that shared decision
- NOTE Confidence: 0.9746562
- $00{:}21{:}45{.}340 \dashrightarrow 00{:}21{:}47{.}179$ making model is
- NOTE Confidence: 0.9746562
- $00{:}21{:}47.179 \dashrightarrow 00{:}21{:}48.779$ the scientific evidence of

- NOTE Confidence: 0.9746562
- $00:21:48.779 \longrightarrow 00:21:50.320$ the biology of the cancer.
- NOTE Confidence: 0.9818934
- $00:21:51.145 \rightarrow 00:21:53.085$ What can be realistically surgically
- NOTE Confidence: 0.96674794
- 00:21:53.385 --> 00:21:54.825 achieved. Like, is a
- NOTE Confidence: 0.96674794
- 00:21:54.825 --> 00:21:55.325 tumor
- NOTE Confidence: 0.9447846
- $00{:}21{:}56.105 \dashrightarrow 00{:}21{:}57.545$ small enough for it
- NOTE Confidence: 0.9447846
- $00:21:57.545 \longrightarrow 00:21:59.065$ to, for example, undergo
- NOTE Confidence: 0.9447846
- $00:21:59.065 \rightarrow 00:22:00.045$ surgery first?
- NOTE Confidence: 0.9964204
- 00:22:00.505 --> 00:22:02.184 But patient preference on the
- NOTE Confidence: 0.9964204
- $00:22:02.184 \longrightarrow 00:22:03.565$ type of surgery she wants
- NOTE Confidence: 0.9997212
- $00:22:04.184 \longrightarrow 00:22:05.565$ is also a key factor.
- NOTE Confidence: 0.99578154
- $00:22:06.179 \longrightarrow 00:22:07.299$ So there's a lot of
- NOTE Confidence: 0.99578154
- $00{:}22{:}07{.}299 \dashrightarrow 00{:}22{:}08{.}659$ discussion, and I would like
- NOTE Confidence: 0.99578154
- $00:22:08.659 \longrightarrow 00:22:09.639$ to say that
- NOTE Confidence: 0.97427124
- $00{:}22{:}10.740 \dashrightarrow 00{:}22{:}12.100$ there's no reason to make
- NOTE Confidence: 0.97427124
- $00:22:12.100 \longrightarrow 00:22:13.619$ a rushed decision on many
- NOTE Confidence: 0.97427124

 $00:22:13.619 \rightarrow 00:22:15.220$ of these factors. Typically, it

NOTE Confidence: 0.97427124

 $00:22:15.220 \longrightarrow 00:22:16.740$ can take several weeks, if

NOTE Confidence: 0.97427124

 $00:22:16.740 \longrightarrow 00:22:18.315$ not longer, for us to

NOTE Confidence: 0.97427124

 $00{:}22{:}18.315 \dashrightarrow 00{:}22{:}19.774$ kinda bring all these pieces

NOTE Confidence: 0.97427124

 $00:22:19.835 \longrightarrow 00:22:20.335$ together

NOTE Confidence: 0.95839745

 $00{:}22{:}20.635 \dashrightarrow 00{:}22{:}22.075$ and also kind of have

NOTE Confidence: 0.95839745

00:22:22.075 --> 00:22:23.294 multiple conversations

NOTE Confidence: 0.9849607

 $00:22:23.595 \longrightarrow 00:22:24.335$ with patients,

NOTE Confidence: 0.9980941

 $00{:}22{:}25{.}355 \dashrightarrow 00{:}22{:}27{.}054$ so that they're fully informed

NOTE Confidence: 0.99686956

 $00:22:27.434 \longrightarrow 00:22:28.875$ and are truly making a

NOTE Confidence: 0.99686956

 $00:22:28.875 \longrightarrow 00:22:30.414$ decision that's right for them.

NOTE Confidence: 0.99077773

00:22:31.420 --> 00:22:32.220 I think that's such a

NOTE Confidence: 0.99077773

 $00:22:32.220 \longrightarrow 00:22:33.420$ critical piece of

NOTE Confidence: 0.9887863

 $00:22:33.820 \longrightarrow 00:22:35.100$ advice that you're giving there,

NOTE Confidence: 0.9887863

 $00{:}22{:}35{.}100 \dashrightarrow 00{:}22{:}35{.}920$ which is really

NOTE Confidence: 0.9881069

 $00:22:36.940 \longrightarrow 00:22:37.760$ the urgency

- NOTE Confidence: 0.9990172
- $00{:}22{:}38.060 \dashrightarrow 00{:}22{:}39.359$ of decision making.
- NOTE Confidence: 0.9910882
- 00:22:39.820 --> 00:22:40.859 I mean, I think any
- NOTE Confidence: 0.9910882
- 00:22:40.859 --> 00:22:42.060 of us who have had
- NOTE Confidence: 0.9910882
- $00{:}22{:}42.060 \dashrightarrow 00{:}22{:}44.060$ the experience of cancer or
- NOTE Confidence: 0.9910882
- $00{:}22{:}44.060 \dashrightarrow 00{:}22{:}45.100$ a loved one who has had
- NOTE Confidence: 0.9910882
- $00:22:45.100 \longrightarrow 00:22:45.600$ cancer,
- NOTE Confidence: 0.9592163
- $00:22:46.024 \longrightarrow 00:22:47.144$ there's such a sense of
- NOTE Confidence: 0.9592163
- 00:22:47.144 --> 00:22:49.005 urgency to do something immediately.
- NOTE Confidence: 0.9592163
- 00:22:49.225 --> 00:22:50.345 Because you wanna get rid
- NOTE Confidence: 0.9592163
- $00{:}22{:}50{.}345 \dashrightarrow 00{:}22{:}51{.}965$ of this toxin
- NOTE Confidence: 0.9592163
- $00:22:52.264 \longrightarrow 00:22:53.404$ that's in your body.
- NOTE Confidence: 0.9572105
- 00:22:54.264 --> 00:22:55.465 And yet I'm hearing you
- NOTE Confidence: 0.9572105
- $00{:}22{:}55{.}465 \dashrightarrow 00{:}22{:}57{.}644$ say that it takes time
- NOTE Confidence: 0.9572105
- $00{:}22{:}57.705 \dashrightarrow 00{:}22{:}58.940$ and thought fulness
- NOTE Confidence: 0.99790984
- $00{:}22{:}59{.}240 \dashrightarrow 00{:}23{:}00{.}679$ to put together the appropriate
- NOTE Confidence: 0.99790984

00:23:00.679 --> 00:23:01.880 treatment plan that makes the

NOTE Confidence: 0.99790984

 $00{:}23{:}01{.}880 \dashrightarrow 00{:}23{:}03{.}240$ most sense for women. So

NOTE Confidence: 0.99790984

 $00:23:03.240 \longrightarrow 00:23:04.119$ maybe you can just speak

NOTE Confidence: 0.99790984

 $00{:}23{:}04{.}119 \dashrightarrow 00{:}23{:}05{.}080$ to that a little bit

NOTE Confidence: 0.99790984

 $00:23:05.080 \rightarrow 00:23:06.619$ more.

NOTE Confidence: 0.9881916

00:23:08.039 --> 00:23:08.840 First I would like to

NOTE Confidence: 0.9881916

 $00:23:08.840 \longrightarrow 00:23:11.075$ acknowledge that the experience

NOTE Confidence: 0.99835336

 $00:23:11.455 \longrightarrow 00:23:12.815$ of going through this as

NOTE Confidence: 0.99835336

 $00{:}23{:}12.815 \dashrightarrow 00{:}23{:}14.575$ a patient and a family

NOTE Confidence: 0.99835336

00:23:14.575 --> 00:23:15.075 member,

NOTE Confidence: 0.9932481

 $00{:}23{:}15{.}534 \dashrightarrow 00{:}23{:}16{.}815$ that's something that I can't

NOTE Confidence: 0.9932481

 $00:23:16.815 \longrightarrow 00:23:18.494$ fully imagine.

NOTE Confidence: 0.9932481

00:23:18.494 --> 00:23:19.794 I want to acknowledge that,

NOTE Confidence: 0.98141

 $00:23:21.294 \longrightarrow 00:23:23.375$ from meeting thousands of

NOTE Confidence: 0.98141

 $00{:}23{:}23{.}375 \dashrightarrow 00{:}23{:}24{.}734$ patients and families over the

NOTE Confidence: 0.98141

 $00:23:24.734 \longrightarrow 00:23:26.195$ years, I do want to

- NOTE Confidence: 0.99428374
- $00{:}23{:}26{.}550 \dashrightarrow 00{:}23{:}28{.}070$ validate and acknowledge that it
- NOTE Confidence: 0.99428374
- $00:23:28.070 \longrightarrow 00:23:29.990$ can feel very scary from
- NOTE Confidence: 0.99428374
- $00:23:29.990 \rightarrow 00:23:31.510$ having these conversations with them.
- NOTE Confidence: 0.99428374
- $00{:}23{:}31{.}510 \dashrightarrow 00{:}23{:}32{.}950$ And that sense of
- NOTE Confidence: 0.99428374
- $00:23:32.950 \longrightarrow 00:23:34.390$ urgency that you're talking about
- NOTE Confidence: 0.99428374
- $00:23:34.390 \longrightarrow 00:23:35.050$ is absolutely
- NOTE Confidence: 0.99489313
- $00:23:36.310 \longrightarrow 00:23:37.990$ a real feeling. I don't
- NOTE Confidence: 0.99489313
- $00:23:37.990 \longrightarrow 00:23:39.615$ wanna dismiss it. But then
- NOTE Confidence: 0.99489313
- $00{:}23{:}39{.}775 \dashrightarrow 00{:}23{:}41{.}934$ the scientific counter to that
- NOTE Confidence: 0.99489313
- $00:23:41.934 \longrightarrow 00:23:43.775$ is that we actually have
- NOTE Confidence: 0.99489313
- 00:23:43.775 --> 00:23:44.915 really strong data
- NOTE Confidence: 0.98730606
- $00:23:45.295 \longrightarrow 00:23:46.734$ that taking our time is
- NOTE Confidence: 0.98730606
- $00:23:46.734 \longrightarrow 00:23:48.595$ okay, and it can actually
- NOTE Confidence: 0.98730606
- 00:23:48.815 --> 00:23:49.475 help you
- NOTE Confidence: 0.99968517
- $00{:}23{:}50{.}255 \dashrightarrow 00{:}23{:}52{.}035$ find that right treatment plan.
- NOTE Confidence: 0.9898787

 $00:23:52.440 \longrightarrow 00:23:53.559$ Many of these breast cancers

NOTE Confidence: 0.9898787

 $00:23:53.559 \longrightarrow 00:23:54.440$ have actually been in the

NOTE Confidence: 0.9898787

 $00:23:54.440 \longrightarrow 00:23:56.139$ body for quite some time.

NOTE Confidence: 0.9898787

 $00{:}23{:}56{.}200 \dashrightarrow 00{:}23{:}57{.}880$ And so taking

NOTE Confidence: 0.9898787

 $00:23:57.880 \longrightarrow 00:23:59.659$ those next few weeks

NOTE Confidence: 0.9910166

 $00:24:00.039 \longrightarrow 00:24:01.240$ to really decide on the

NOTE Confidence: 0.9910166

 $00{:}24{:}01{.}240 \dashrightarrow 00{:}24{:}03{.}080$ right treatment plan has not

NOTE Confidence: 0.9910166

 $00:24:03.080 \longrightarrow 00:24:04.359$ in any way been shown

NOTE Confidence: 0.9910166

 $00{:}24{:}04{.}359 \dashrightarrow 00{:}24{:}05{.}179$ to be detrimental.

NOTE Confidence: 0.9504376

00:24:06.515 --> 00:24:07.715 It can also open up

NOTE Confidence: 0.9504376

 $00{:}24{:}07{.}715 \dashrightarrow 00{:}24{:}09{.}654$ doors for more novel the rapies

NOTE Confidence: 0.9504376

 $00:24:09.875 \longrightarrow 00:24:11.234$ such as being screened for

NOTE Confidence: 0.9504376

 $00:24:11.234 \longrightarrow 00:24:12.994$ clinical trials, which we think

NOTE Confidence: 0.9504376

 $00:24:12.994 \longrightarrow 00:24:13.975$ are super important.

NOTE Confidence: 0.9815722

00:24:16.755 --> 00:24:18.434 I both hear and validate those

NOTE Confidence: 0.9815722

 $00:24:18.434 \rightarrow 00:24:19.794$ feelings, and at the same

- NOTE Confidence: 0.9815722
- $00:24:19.794 \longrightarrow 00:24:21.059$ time, I think I
- NOTE Confidence: 0.9815722
- $00:24:21.059 \longrightarrow 00:24:22.980$ can assure my patients that
- NOTE Confidence: 0.9815722
- $00{:}24{:}22{.}980 \dashrightarrow 00{:}24{:}24{.}679$ it's okay to
- NOTE Confidence: 0.99656576
- $00{:}24{:}24{.}980 \dashrightarrow 00{:}24{:}26{.}279$ take our time.
- NOTE Confidence: 0.99656576
- $00{:}24{:}26{.}419 \dashrightarrow 00{:}24{:}27{.}159$ That's great.
- NOTE Confidence: 0.979473
- 00:24:28.580 --> 00:24:29.619 I wanna get back to
- NOTE Confidence: 0.979473
- $00{:}24{:}29.619 \dashrightarrow 00{:}24{:}31.220$ the clinical trials question in
- NOTE Confidence: 0.979473
- 00:24:31.220 --> 00:24:32.419 a moment, but I wanna
- NOTE Confidence: 0.979473
- 00:24:32.419 --> 00:24:33.539 focus a little more on
- NOTE Confidence: 0.979473
- $00:24:33.539 \rightarrow 00:24:35.299$ the shared decision making piece
- NOTE Confidence: 0.979473
- $00:24:35.299 \longrightarrow 00:24:35.799$ and
- NOTE Confidence: 0.9907041
- $00{:}24{:}36{.}465 \dashrightarrow 00{:}24{:}38{.}065$ what goes into making a
- NOTE Confidence: 0.9907041
- $00{:}24{:}38.065 \dashrightarrow 00{:}24{:}38.565$ decision.
- NOTE Confidence: 0.9502404
- $00{:}24{:}39{.}664 \dashrightarrow 00{:}24{:}40{.}865$ And there are so many
- NOTE Confidence: 0.9502404
- $00{:}24{:}40.865 \dashrightarrow 00{:}24{:}42.625$ things to consider, obviously, but
- NOTE Confidence: 0.9502404

 $00{:}24{:}42.625 \dashrightarrow 00{:}24{:}44.225$ side effects are one. And

NOTE Confidence: 0.9502404

 $00{:}24{:}44{.}225 \dashrightarrow 00{:}24{:}45{.}924$ side effects that affect

NOTE Confidence: 0.9920323

00:24:46.945 --> 00:24:48.465 people differently based on their

NOTE Confidence: 0.9920323

 $00{:}24{:}48{.}465 \dashrightarrow 00{:}24{:}50{.}200$ age. So one, I think,

NOTE Confidence: 0.9920323

00:24:50.200 --> 00:24:51.880 very prominent example

NOTE Confidence: 0.9920323

 $00:24:51.880 \longrightarrow 00:24:52.779$ of that is

NOTE Confidence: 0.9972652

 $00:24:53.320 \longrightarrow 00:24:53.820$ fertility

NOTE Confidence: 0.99945253

 $00:24:54.119 \longrightarrow 00:24:54.619$ issues

NOTE Confidence: 0.98687506

 $00{:}24{:}55{.}399 \dashrightarrow 00{:}24{:}57{.}240$ and impact on fertility for

NOTE Confidence: 0.98687506

 $00:24:57.240 \rightarrow 00:24:58.840$ younger women with breast cancer.

NOTE Confidence: 0.98687506

 $00{:}24{:}58{.}840 \dashrightarrow 00{:}24{:}59{.}559$ So I wonder if you

NOTE Confidence: 0.98687506

00:24:59.559 --> 00:25:00.519 can take a few minutes

NOTE Confidence: 0.98687506

 $00{:}25{:}00{.}519 \dashrightarrow 00{:}25{:}01{.}659$ to talk about that.

NOTE Confidence: 0.9951267

 $00{:}25{:}02.755 \dashrightarrow 00{:}25{:}03.655$ Yes. Absolutely.

NOTE Confidence: 0.99752253

00:25:04.035 --> 00:25:05.015 So I think,

NOTE Confidence: 0.97442454

 $00:25:06.835 \rightarrow 00:25:08.355$ younger women it's one

- NOTE Confidence: 0.97442454
- $00{:}25{:}08{.}355 \dashrightarrow 00{:}25{:}09{.}715$ of the central questions that
- NOTE Confidence: 0.97442454
- $00:25:09.715 \longrightarrow 00:25:11.155$ we always ask when when
- NOTE Confidence: 0.97442454
- $00:25:11.155 \longrightarrow 00:25:12.435$ we see patients under the
- NOTE Confidence: 0.97442454
- $00:25:12.435 \longrightarrow 00:25:14.375$ age of forty five is,
- NOTE Confidence: 0.97442454
- $00:25:14.515 \longrightarrow 00:25:15.555$ you know, no matter how
- NOTE Confidence: 0.97442454
- $00{:}25{:}15{.}555 \dashrightarrow 00{:}25{:}17{.}690$ many children they've had, fertility
- NOTE Confidence: 0.97442454
- $00:25:17.690 \longrightarrow 00:25:19.590$ is a personal decision and
- NOTE Confidence: 0.97442454
- $00{:}25{:}19.590 \dashrightarrow 00{:}25{:}21.490$ what completes your family or
- NOTE Confidence: 0.97442454
- $00{:}25{:}21{.}490 \dashrightarrow 00{:}25{:}22{.}830$ what that looks like to
- NOTE Confidence: 0.97442454
- $00:25:22.830 \longrightarrow 00:25:24.130$ you is a very individual
- NOTE Confidence: 0.97442454
- $00:25:24.269 \longrightarrow 00:25:24.769$ decision.
- NOTE Confidence: 0.92234147
- $00{:}25{:}25{.}389 \dashrightarrow 00{:}25{:}27{.}309$ And so in
- NOTE Confidence: 0.92234147
- $00{:}25{:}27{.}309 \dashrightarrow 00{:}25{:}29{.}009$ those initial consultations
- NOTE Confidence: 0.92234147
- $00:25:29.230 \longrightarrow 00:25:30.750$ it's very important for
- NOTE Confidence: 0.92234147
- $00:25:30.750 \longrightarrow 00:25:32.210$ your oncology team
- NOTE Confidence: 0.9998595

- $00:25:32.554 \longrightarrow 00:25:33.595$ to be checking in with
- NOTE Confidence: 0.9998595
- 00:25:33.595 --> 00:25:34.095 you
- NOTE Confidence: 0.9702646
- $00:25:34.395 \rightarrow 00:25:36.315$ about your fertility goals, what's
- NOTE Confidence: 0.9702646
- 00:25:36.315 00:25:37.755 important to you, whether you
- NOTE Confidence: 0.9702646
- $00{:}25{:}37.755 \dashrightarrow 00{:}25{:}39.755$ desire to have more children
- NOTE Confidence: 0.9702646
- $00:25:39.755 \rightarrow 00:25:41.035$ or any children. And it is part of the
- $00{:}25{:}43.674 \dashrightarrow 00{:}25{:}45.350$ decision making and
- NOTE Confidence: 0.9625071
- $00{:}25{:}45{.}350 \dashrightarrow 00{:}25{:}46{.}869$ taking that time is that
- NOTE Confidence: 0.9625071
- $00{:}25{:}46.869 \dashrightarrow 00{:}25{:}48.490$ there for those who do
- NOTE Confidence: 0.9625071
- $00:25:48.630 \longrightarrow 00:25:50.790$ want to have more children
- NOTE Confidence: 0.9625071
- $00:25:50.790 \longrightarrow 00:25:51.450$ in the future,
- NOTE Confidence: 0.9916858
- $00:25:52.070 \longrightarrow 00:25:53.270$ depending on the type of
- NOTE Confidence: 0.9916858
- $00:25:53.270 \longrightarrow 00:25:53.770$ treatment,
- NOTE Confidence: 0.9792205
- $00{:}25{:}55{.}190 \dashrightarrow 00{:}25{:}56{.}790$ I think, taking the time
- NOTE Confidence: 0.9792205
- $00{:}25{:}56{.}790 \dashrightarrow 00{:}25{:}58{.}010$ to meet with a fertility
- NOTE Confidence: 0.9792205
- $00:25:58.070 \longrightarrow 00:26:00.090$ special specialist so that
- NOTE Confidence: 0.9674625

 $00:26:01.065 \rightarrow 00:26:03.705$ certain measures including egg

NOTE Confidence: 0.9674625

 $00{:}26{:}03.705 \dashrightarrow 00{:}26{:}05.865$ harvest or fertilization are taken.

NOTE Confidence: 0.9674625

00:26:05.865 --> 00:26:07.244 I think that's important.

NOTE Confidence: 0.9674625

00:26:07.544 --> 00:26:08.905 The most toxic of our

NOTE Confidence: 0.9674625

 $00:26:08.905 \rightarrow 00:26:11.005$ therapies to fertility is chemotherapy.

NOTE Confidence: 0.8321792

00:26:12.744 --> 00:26:13.225 And,

NOTE Confidence: 0.99985313

00:26:14.700 --> 00:26:15.679 I would say

NOTE Confidence: 0.9356586

 $00:26:15.980 \longrightarrow 00:26:16.480$ that,

NOTE Confidence: 0.9789073

 $00{:}26{:}17{.}340 \dashrightarrow 00{:}26{:}18{.}460$ there may be some gray

NOTE Confidence: 0.9789073

 $00{:}26{:}18.460 \dashrightarrow 00{:}26{:}19.740$ zones in terms of when

NOTE Confidence: 0.9789073

 $00:26:19.740 \longrightarrow 00:26:21.500$ chemotherapy is needed or not.

NOTE Confidence: 0.9789073

 $00:26:21.500 \longrightarrow 00:26:22.940$ And so that may

NOTE Confidence: 0.9789073

00:26:22.940 --> 00:26:23.980 or may not play a

NOTE Confidence: 0.9789073

 $00:26:23.980 \longrightarrow 00:26:25.179$ play a factor in

NOTE Confidence: 0.9789073

 $00{:}26{:}25{.}260 \dashrightarrow 00{:}26{:}26{.}700$ that shared decision making

NOTE Confidence: 0.9789073

 $00:26:26.700 \rightarrow 00:26:28.720$ that some younger younger women

- NOTE Confidence: 0.98986495
- $00:26:29.260 \longrightarrow 00:26:29.760$ make.
- NOTE Confidence: 0.9878915
- $00:26:31.215 \longrightarrow 00:26:32.335$ But then there are cases
- NOTE Confidence: 0.9878915
- $00:26:32.335 \rightarrow 00:26:34.195$ where the benefits of chemotherapy
- NOTE Confidence: 0.9878915
- $00:26:34.335 \longrightarrow 00:26:35.395$ are very clearly
- NOTE Confidence: 0.8282681
- $00{:}26{:}36.095 \dashrightarrow 00{:}26{:}36.595$ evident.
- NOTE Confidence: 0.9915266
- 00:26:37.775 --> 00:26:38.255 And,
- NOTE Confidence: 0.99173194
- 00:26:38.734 --> 00:26:40.095 I think patients
- NOTE Confidence: 0.99173194
- $00{:}26{:}40.095 \dashrightarrow 00{:}26{:}41.375$ have some hard decisions to
- NOTE Confidence: 0.99173194
- 00:26:41.375 --> 00:26:42.255 make because
- NOTE Confidence: 0.954551
- 00:26:42.655 --> 00:26:44.320 there are some competing
- NOTE Confidence: 0.954551
- 00:26:44.320 --> 00:26:45.700 factors and competing
- NOTE Confidence: 0.9746363
- $00:26:46.240 \longrightarrow 00:26:46.740$ goals.
- NOTE Confidence: 0.9584528
- 00:26:47.680 --> 00:26:48.640 But I think
- NOTE Confidence: 0.95959216
- 00:26:49.200 --> 00:26:50.160 it doesn't have to be
- NOTE Confidence: 0.95959216
- $00{:}26{:}50{.}160 \dashrightarrow 00{:}26{:}51{.}520$ an opposition is what I'm
- NOTE Confidence: 0.95959216

 $00:26:51.520 \longrightarrow 00:26:52.640$ trying to say is that

NOTE Confidence: 0.95959216

 $00:26:52.640 \longrightarrow 00:26:54.820$ we have wonderful fertility preservation

NOTE Confidence: 0.95959216

 $00:26:55.119 \longrightarrow 00:26:56.340$ techniques and technologies

 $00:26:58.494 \rightarrow 00:26:59.935$ and we know that pregnancy after

NOTE Confidence: 0.99707484

 $00:26:59.935 \longrightarrow 00:27:01.234$ breast cancer is safe,

NOTE Confidence: 0.94827956

 $00{:}27{:}02.015 \dashrightarrow 00{:}27{:}04.655$ based on multiple retrospective studies

NOTE Confidence: 0.94827956

 $00:27:04.655 \longrightarrow 00:27:05.875$ as well as the recently

NOTE Confidence: 0.94827956

00:27:06.015 --> 00:27:08.355 reported prospective positive study.

NOTE Confidence: 0.99305373

NOTE Confidence: 0.9829692

00:27:10.734 --> 00:27:11.775 I think we can we can take

NOTE Confidence: 0.9829692

 $00{:}27{:}11.775 \dashrightarrow 00{:}27{:}13.080$ the time to

NOTE Confidence: 0.9829692

 $00:27:13.159 \longrightarrow 00:27:14.619$ really work on both

NOTE Confidence: 0.9828347

 $00:27:16.200 \longrightarrow 00:27:17.480$ treating the breast cancer in

NOTE Confidence: 0.9828347

 $00:27:17.480 \longrightarrow 00:27:19.100$ the most comprehensive way,

NOTE Confidence: 0.9468712

 $00{:}27{:}19.559 \dashrightarrow 00{:}27{:}20.840$ but also kind of

NOTE Confidence: 0.9468712

00:27:20.840 --> 00:27:21.720 looking at some

NOTE Confidence: 0.9468712

 $00:27:21.720 \rightarrow 00:27:23.000$ of those long term goals,

- NOTE Confidence: 0.9468712
- $00:27:23.000 \rightarrow 00:27:24.859$ such as fertility and
- NOTE Confidence: 0.9468712
- $00:27:25.000 \longrightarrow 00:27:26.059$ family creation.
- NOTE Confidence: 0.99864864
- $00:27:26.684 \rightarrow 00:27:27.424$ That's wonderful.
- NOTE Confidence: 0.959601
- 00:27:27.965 --> 00:27:29.005 I'm sure we can talk
- NOTE Confidence: 0.959601
- $00{:}27{:}29.005 \dashrightarrow 00{:}27{:}30.365$ a whole segment about this
- NOTE Confidence: 0.959601
- $00{:}27{:}30{.}365 \dashrightarrow 00{:}27{:}32{.}845$ topic of fertility and cancer
- NOTE Confidence: 0.959601
- $00:27:32.845 \longrightarrow 00:27:34.924$ treatments. But, maybe a
- NOTE Confidence: 0.959601
- 00:27:34.924 --> 00:27:36.365 take
away point for our
- NOTE Confidence: 0.959601
- $00{:}27{:}36{.}365 \dashrightarrow 00{:}27{:}38{.}225$ list eners is ask the question.
- NOTE Confidence: 0.959601
- $00:27:38.460 \longrightarrow 00:27:39.980$ What is the impact of
- NOTE Confidence: 0.959601
- $00:27:39.980 \rightarrow 00:27:41.600$ the different treatments on fertility?
- NOTE Confidence: 0.959601
- $00:27:41.659 \longrightarrow 00:27:43.119$ What are my options to
- NOTE Confidence: 0.991092
- 00:27:43.899 --> 00:27:45.500 address those
- NOTE Confidence: 0.991092
- $00:27:45.500 \longrightarrow 00:27:46.700$ side effects? So thank you
- NOTE Confidence: 0.991092
- $00:27:46.700 \longrightarrow 00:27:48.460$ for that. Before we close,
- NOTE Confidence: 0.991092

00:27:48.460 --> 00:27:49.260 I just wanna give you

NOTE Confidence: 0.991092

 $00:27:49.260 \longrightarrow 00:27:50.619$ the opportunity to talk again

NOTE Confidence: 0.991092

 $00:27:50.619 \longrightarrow 00:27:52.320$ about the importance of having

NOTE Confidence: 0.99456054

 $00{:}27{:}52{.}774 \dashrightarrow 00{:}27{:}54{.}455$ access to clinical trials and

NOTE Confidence: 0.99456054

 $00{:}27{:}54.455 \dashrightarrow 00{:}27{:}55.975$ what that means in terms

NOTE Confidence: 0.99456054

 $00:27:55.975 \longrightarrow 00:27:56.715$ of treatment.

NOTE Confidence: 0.99901175

 $00:27:57.894 \rightarrow 00:27:58.394$ Absolutely.

 $00{:}27{:}59{.}494 \dashrightarrow 00{:}28{:}00{.}934$ It's a good reminder to

NOTE Confidence: 0.997645

 $00{:}28{:}00{.}934 \dashrightarrow 00{:}28{:}02{.}475$ all of us that every

NOTE Confidence: 0.997645

 $00{:}28{:}02{.}534 \dashrightarrow 00{:}28{:}04{.}695$ treatment that's currently known as

NOTE Confidence: 0.997645

 $00{:}28{:}04.695 \dashrightarrow 00{:}28{:}06.375$ the standard of care or

NOTE Confidence: 0.997645

00:28:06.375 --> 00:28:07.274 current practice

NOTE Confidence: 0.9869723

 $00{:}28{:}07{.}909 \dashrightarrow 00{:}28{:}09{.}429$ actually came from a prior

NOTE Confidence: 0.9869723

 $00{:}28{:}09{.}429 \dashrightarrow 00{:}28{:}11{.}270$ clinical trial from years ago

NOTE Confidence: 0.9869723

 $00:28:11.270 \longrightarrow 00:28:12.090$ from patients

NOTE Confidence: 0.9998058

 $00{:}28{:}12.869 \dashrightarrow 00{:}28{:}13.609$ and researchers

NOTE Confidence: 0.9747198

 $00:28:14.150 \rightarrow 00:28:16.090$ really working together in partnership

NOTE Confidence: 0.9964138

 $00{:}28{:}16.710 \dashrightarrow 00{:}28{:}18.630$ to advance the science of

NOTE Confidence: 0.9964138

 $00{:}28{:}18.630 \dashrightarrow 00{:}28{:}19.850$ breast cancer care.

NOTE Confidence: 0.99255204

 $00{:}28{:}20.789 \dashrightarrow 00{:}28{:}22.549$ Asking the question in your

NOTE Confidence: 0.99255204

 $00:28:22.549 \longrightarrow 00:28:23.049$ visits,

NOTE Confidence: 0.98306334

00:28:23.744 --> 00:28:24.945 do I have any clinical

NOTE Confidence: 0.98306334

 $00:28:24.945 \rightarrow 00:28:26.725$ trial options available to me,

NOTE Confidence: 0.98306334

 $00:28:26.945 \longrightarrow 00:28:28.405$ will be a further prompt

NOTE Confidence: 0.98306334

 $00{:}28{:}28{.}625 \dashrightarrow 00{:}28{:}30{.}545$ to your clinical on cology team

NOTE Confidence: 0.98306334

 $00{:}28{:}30{.}545 \dashrightarrow 00{:}28{:}31{.}825$ to make sure that we're

NOTE Confidence: 0.98306334

 $00:28:31.825 \rightarrow 00:28:33.665$ not missing any potential opportunities.

NOTE Confidence: 0.98306334

00:28:33.665 --> 00:28:35.984 Doctor Maryam Lustberg

NOTE Confidence: 0.98306334

 $00:28:35.984 \longrightarrow 00:28:37.380$ is a professor of internal

NOTE Confidence: 0.98306334

 $00{:}28{:}37{.}380 \dashrightarrow 00{:}28{:}39{.}300$ medicine and medical oncology at

NOTE Confidence: 0.98306334

 $00:28:39.300 \longrightarrow 00:28:40.680$ the Yale School of Medicine.

NOTE Confidence: 0.9753337

 $00:28:41.300 \longrightarrow 00:28:42.500$ If you have questions, the

- NOTE Confidence: 0.9753337
- 00:28:42.500 --> 00:28:44.100 address is cancer answers at

NOTE Confidence: 0.9753337

 $00:28:44.100 \longrightarrow 00:28:45.460$ yale dot e d u,

NOTE Confidence: 0.9753337

 $00:28:45.460 \longrightarrow 00:28:46.740$ and past editions of the

NOTE Confidence: 0.9753337

 $00:28:46.740 \longrightarrow 00:28:48.340$ program are available in audio

NOTE Confidence: 0.9753337

 $00{:}28{:}48{.}340 \dashrightarrow 00{:}28{:}49{.}620$ and written form at yale

NOTE Confidence: 0.9753337

 $00{:}28{:}49{.}620 \dashrightarrow 00{:}28{:}51{.}080$ cancer center dot org.

NOTE Confidence: 0.99655837

 $00:28:51.445 \longrightarrow 00:28:52.404$ We hope you'll join us

NOTE Confidence: 0.99655837

 $00{:}28{:}52{.}404 \dashrightarrow 00{:}28{:}53{.}445$ next time to learn more

NOTE Confidence: 0.99655837

 $00{:}28{:}53.445 \dashrightarrow 00{:}28{:}54.904$ about the fight against cancer.

NOTE Confidence: 0.9579517

00:28:55.205 --> 00:28:56.885 Funding for Yale Cancer Answers

NOTE Confidence: 0.9579517

 $00{:}28{:}56{.}885 \dashrightarrow 00{:}28{:}58{.}565$ is provided by Smilow Cancer

NOTE Confidence: 0.9579517

00:28:58.565 --> 00:28:59.065 Hospital.