## WEBVTT

 $00:00:00.000 \longrightarrow 00:00:03.228$  Funding for Yale Cancer Answers is

NOTE Confidence: 0.813568291818182

 $00{:}00{:}03.228 \dashrightarrow 00{:}00{:}06.280$  provided by Smilow Cancer Hospital.

NOTE Confidence: 0.813568291818182

 $00:00:06.280 \longrightarrow 00:00:08.520$  Welcome to Yale Cancer Answers

NOTE Confidence: 0.813568291818182

 $00:00:08.520 \longrightarrow 00:00:10.312$  with Doctor Anees Chappar.

NOTE Confidence: 0.813568291818182

00:00:10.320 --> 00:00:12.235 Yale Cancer Answers features the

NOTE Confidence: 0.813568291818182

 $00:00:12.235 \longrightarrow 00:00:14.150$  latest information on cancer care

NOTE Confidence: 0.813568291818182

00:00:14.208 --> 00:00:15.716 by welcoming oncologists and

NOTE Confidence: 0.813568291818182

 $00{:}00{:}15.716 \longrightarrow 00{:}00{:}17.978$  specialists who are on the forefront

NOTE Confidence: 0.813568291818182

00:00:18.039 --> 00:00:19.779 of the battle to fight cancer.

NOTE Confidence: 0.813568291818182

00:00:19.780 --> 00:00:22.072 This week, it's a conversation about

NOTE Confidence: 0.813568291818182

 $00:00:22.072 \longrightarrow 00:00:24.299$  colorectal cancer with Doctor Laura Baum.

NOTE Confidence: 0.813568291818182

 $00:00:24.300 \dashrightarrow 00:00:26.298$  Dr. Baum is an assistant professor

NOTE Confidence: 0.813568291818182

 $00{:}00{:}26.298 \dashrightarrow 00{:}00{:}28.026$  of medicine and medical oncology

NOTE Confidence: 0.813568291818182

 $00:00:28.026 \longrightarrow 00:00:30.000$  at the Yale School of Medicine,

NOTE Confidence: 0.813568291818182

 $00:00:30.000 \longrightarrow 00:00:32.184$  where Doctor Chagpar is a professor

 $00:00:32.184 \longrightarrow 00:00:33.276$  of surgical oncology.

NOTE Confidence: 0.914006304782609

 $00{:}00{:}34.460 \dashrightarrow 00{:}00{:}36.196$  So Laura, maybe we can start off

NOTE Confidence: 0.914006304782609

 $00:00:36.196 \longrightarrow 00:00:38.240$  by you telling us a little bit more

NOTE Confidence: 0.914006304782609

 $00:00:38.240 \longrightarrow 00:00:40.069$  about yourself and what it is you do.

NOTE Confidence: 0.817931477142857

 $00:00:40.680 \longrightarrow 00:00:43.739$  I'm a medical oncologist and

NOTE Confidence: 0.817931477142857

00:00:43.740 --> 00:00:47.040 I'm also trained in palliative care.

NOTE Confidence: 0.817931477142857

 $00{:}00{:}47.040 \dashrightarrow 00{:}00{:}50.184$  That means that initially I did an

NOTE Confidence: 0.817931477142857

 $00{:}00{:}50.184 \dashrightarrow 00{:}00{:}52.671$  internal medicine residency and then I

NOTE Confidence: 0.817931477142857

 $00:00:52.671 \longrightarrow 00:00:55.638$  did a fellowship in palliative care as

NOTE Confidence: 0.817931477142857

 $00:00:55.638 \longrightarrow 00:00:58.320$  well as in medical oncology and hematology.

NOTE Confidence: 0.817931477142857

 $00:00:58.320 \longrightarrow 00:01:03.400$  So I came here to Yale to serve in

NOTE Confidence: 0.817931477142857

 $00:01:03.400 \longrightarrow 00:01:05.320$  the clinic taking care of patients

NOTE Confidence: 0.817931477142857

 $00:01:05.320 \longrightarrow 00:01:08.330$  with gastrointestinal cancers,

NOTE Confidence: 0.817931477142857

 $00:01:08.330 \longrightarrow 00:01:10.181$  which includes colorectal,

NOTE Confidence: 0.817931477142857

 $00:01:10.181 \longrightarrow 00:01:13.883$  the most common gastrointestinal cancer.

NOTE Confidence: 0.817931477142857 00:01:13.890 --> 00:01:14.802 In the clinic

00:01:14.802 --> 00:01:16.626 I also see palliative

NOTE Confidence: 0.817931477142857

 $00:01:16.626 \longrightarrow 00:01:18.580$  care consults in the hospital.

NOTE Confidence: 0.885245224

 $00:01:18.650 \longrightarrow 00:01:22.285$  Let's look at both of

NOTE Confidence: 0.885245224

 $00:01:22.285 \longrightarrow 00:01:24.765$  those kind of segments of your career.

NOTE Confidence: 0.885245224

 $00:01:24.770 \longrightarrow 00:01:26.420$  But let's start with colorectal

NOTE Confidence: 0.885245224

 $00:01:26.420 \longrightarrow 00:01:28.640$  cancer given that it is colorectal

NOTE Confidence: 0.885245224

 $00:01:28.640 \longrightarrow 00:01:31.620$  Cancer Awareness Month.

NOTE Confidence: 0.885245224

 $00:01:31.620 \longrightarrow 00:01:34.147$  Colorectal cancer is one of the most

NOTE Confidence: 0.885245224

 $00:01:34.147 \longrightarrow 00:01:36.486$  common cancers that we see here in the

NOTE Confidence: 0.885245224

00:01:36.486 --> 00:01:39.197 US, can you kind of give us a bit of

NOTE Confidence: 0.885245224

00:01:39.197 --> 00:01:41.260 the landscape about how many patients

NOTE Confidence: 0.885245224

 $00:01:41.260 \longrightarrow 00:01:44.310$  are diagnosed with colorectal cancer,

NOTE Confidence: 0.885245224

 $00{:}01{:}44.310 \dashrightarrow 00{:}01{:}46.529$  how many patients pass away and have

NOTE Confidence: 0.885245224

00:01:46.529 --> 00:01:48.932 we seen any trends in improvement

NOTE Confidence: 0.885245224

 $00:01:48.932 \longrightarrow 00:01:50.318$  in those statistics?

 $00:01:50.490 \longrightarrow 00:01:54.466$  I would say that colorectal cancer,

NOTE Confidence: 0.812635841428571

00:01:54.470 --> 00:01:58.638 I believe, is the 4th most common cancer in

NOTE Confidence: 0.812635841428571

 $00:01:58.638 \longrightarrow 00:02:01.630$  the US maybe it's the third.

NOTE Confidence: 0.812635841428571

 $00:02:01.630 \longrightarrow 00:02:03.855$  It's one of the most

NOTE Confidence: 0.812635841428571

 $00:02:03.855 \longrightarrow 00:02:06.080$  common cancers we do see.

NOTE Confidence: 0.812635841428571

 $00:02:06.080 \longrightarrow 00:02:08.138$  I think it's the fourth most common

NOTE Confidence: 0.812635841428571

00:02:08.138 --> 00:02:10.098 cancer and the third most common

NOTE Confidence: 0.812635841428571

 $00{:}02{:}10.098 \dashrightarrow 00{:}02{:}12.132$  cancer death in the United States.

NOTE Confidence: 0.812635841428571

 $00:02:12.140 \longrightarrow 00:02:16.064$  So the incidence meaning how many

NOTE Confidence: 0.812635841428571

 $00:02:16.064 \longrightarrow 00:02:19.190$  people get colorectal cancer

NOTE Confidence: 0.812635841428571

 $00:02:19.190 \longrightarrow 00:02:21.230$  has not significantly improved.

NOTE Confidence: 0.812635841428571

 $00:02:21.230 \longrightarrow 00:02:22.745$  In fact, we're seeing more

NOTE Confidence: 0.812635841428571

 $00:02:22.745 \longrightarrow 00:02:23.957$  younger people getting it,

NOTE Confidence: 0.812635841428571

 $00{:}02{:}23.960 \dashrightarrow 00{:}02{:}27.160$  but the treatments and how long people are

NOTE Confidence: 0.812635841428571

 $00:02:27.160 \longrightarrow 00:02:30.400$  living with colorectal cancer has improved.

 $00:02:32.050 \longrightarrow 00:02:35.396$  It's a complicated question.

 $00:02:35.400 \longrightarrow 00:02:37.518$  It's going in both directions

NOTE Confidence: 0.812635841428571

00:02:37.518 --> 00:02:39.380 all at the same time.

NOTE Confidence: 0.812635841428571

00:02:39.380 --> 00:02:40.772 But you know,

NOTE Confidence: 0.812635841428571

 $00:02:40.772 \longrightarrow 00:02:43.332$  it is definitely one of the

NOTE Confidence: 0.812635841428571

 $00:02:43.332 \longrightarrow 00:02:44.556$  most common cancers,

NOTE Confidence: 0.812635841428571

 $00:02:44.560 \longrightarrow 00:02:47.164$  one of the most common fatal

NOTE Confidence: 0.812635841428571

00:02:47.164 --> 00:02:49.840 cancers both in the United States

NOTE Confidence: 0.812635841428571

 $00:02:49.840 \longrightarrow 00:02:51.860$  just as far as numbers,

NOTE Confidence: 0.812635841428571

 $00:02:51.860 \longrightarrow 00:02:54.800$  I think about 8% of all new

NOTE Confidence: 0.812635841428571

00:02:54.800 --> 00:02:58.045 cancer cases in the United States

NOTE Confidence: 0.812635841428571

 $00{:}02{:}58.045 \dashrightarrow 00{:}03{:}00.452$  are colorectal and a similar

NOTE Confidence: 0.812635841428571

 $00:03:00.452 \longrightarrow 00:03:02.568$  about 8% of all cancer deaths.

NOTE Confidence: 0.910419957333333

 $00:03:03.070 \longrightarrow 00:03:06.562$  Yeah, I mean I think part of the reason

NOTE Confidence: 0.910419957333333

 $00:03:06.562 \longrightarrow 00:03:10.027$  why colorectal cancer perhaps is seen

NOTE Confidence: 0.910419957333333

 $00:03:10.030 \longrightarrow 00:03:14.270$  quite frequently is 2 pronged.

NOTE Confidence: 0.910419957333333

 $00:03:14.270 \longrightarrow 00:03:17.546$  First, I think that there is general awareness

 $00{:}03{:}17.546 \dashrightarrow 00{:}03{:}20.704$  of colorectal cancer and the 2nd is

NOTE Confidence: 0.910419957333333

 $00:03:20.704 \longrightarrow 00:03:23.320$  that we have screening modalities.

NOTE Confidence: 0.910419957333333

 $00:03:23.320 \longrightarrow 00:03:25.462$  So let's talk about each of

NOTE Confidence: 0.910419957333333

 $00:03:25.462 \longrightarrow 00:03:26.890$  those things in turn.

NOTE Confidence: 0.910419957333333

00:03:26.890 --> 00:03:29.564 You know, in terms of colorectal cancer,

NOTE Confidence: 0.910419957333333

 $00:03:29.570 \longrightarrow 00:03:32.468$  if people are going to be symptomatic,

NOTE Confidence: 0.910419957333333

 $00:03:32.470 \longrightarrow 00:03:34.060$  if they're going to present

NOTE Confidence: 0.910419957333333

 $00:03:34.060 \longrightarrow 00:03:34.674$  with symptoms,

NOTE Confidence: 0.910419957333333

 $00:03:34.674 \longrightarrow 00:03:36.823$  can you talk a little bit about

NOTE Confidence: 0.910419957333333

 $00:03:36.823 \longrightarrow 00:03:38.970$  what are the common symptoms that

NOTE Confidence: 0.910419957333333

00:03:38.970 --> 00:03:40.745 patients may present with that

NOTE Confidence: 0.910419957333333

 $00:03:40.812 \longrightarrow 00:03:43.158$  leads to people wondering about a

NOTE Confidence: 0.910419957333333

 $00{:}03{:}43.158 {\:{\mbox{--}}\!\!>}\ 00{:}03{:}44.722$  diagnosis of colorectal cancer?

NOTE Confidence: 0.886350766

 $00:03:45.780 \longrightarrow 00:03:47.880$  Well, I think those questions really go

NOTE Confidence: 0.886350766

 $00:03:47.880 \longrightarrow 00:03:50.396$  hand in hand because you know

 $00:03:50.400 \longrightarrow 00:03:53.808$  ideally the goal of a screening

NOTE Confidence: 0.886350766

00:03:53.808 --> 00:03:58.230 test is to find a cancer or a

NOTE Confidence: 0.886350766

00:03:58.230 --> 00:04:00.108 problem early enough that finding

NOTE Confidence: 0.886350766

 $00:04:00.108 \longrightarrow 00:04:01.818$  it earlier makes a difference,

NOTE Confidence: 0.886350766

 $00:04:01.820 \longrightarrow 00:04:03.330$  meaning that finding it earlier

NOTE Confidence: 0.886350766

 $00:04:03.330 \longrightarrow 00:04:04.236$  allows better treatment and

NOTE Confidence: 0.886350766

 $00:04:04.240 \longrightarrow 00:04:06.000$  longer survival for something

NOTE Confidence: 0.886350766

 $00:04:06.000 \longrightarrow 00:04:08.377$  that you would otherwise

NOTE Confidence: 0.886350766

 $00{:}04{:}08.377 \dashrightarrow 00{:}04{:}10.027$  not find symptomatically.

NOTE Confidence: 0.886350766

00:04:10.030 --> 00:04:12.604 So many people with colorectal cancer

NOTE Confidence: 0.886350766

00:04:12.604 --> 00:04:15.634 will not have symptoms they will

NOTE Confidence: 0.886350766

 $00:04:15.634 \longrightarrow 00:04:18.118$  have a screening colonoscopy or

NOTE Confidence: 0.886350766

 $00{:}04{:}18.118 \dashrightarrow 00{:}04{:}20.837$  whatever it is and that would allow

NOTE Confidence: 0.886350766

 $00{:}04{:}20.837 \dashrightarrow 00{:}04{:}22.914$  diagnosis prior to having symptoms.

NOTE Confidence: 0.886350766

 $00:04:22.914 \longrightarrow 00:04:25.834$  If colorectal cancer is diagnosed

NOTE Confidence: 0.886350766

 $00:04:25.834 \longrightarrow 00:04:27.586$  based on symptoms,

 $00:04:27.590 \longrightarrow 00:04:31.550$  the most common is bleeding in the stool,

NOTE Confidence: 0.886350766

 $00:04:31.550 \longrightarrow 00:04:36.032$  so either red or black blood in the stool.

NOTE Confidence: 0.886350766

 $00:04:36.040 \longrightarrow 00:04:38.458$  That can present as overt like

NOTE Confidence: 0.886350766

 $00:04:38.458 \longrightarrow 00:04:41.204$  visible blood or as anemia.

NOTE Confidence: 0.886350766

 $00:04:41.204 \longrightarrow 00:04:43.472$  That may be the primary care doctor

NOTE Confidence: 0.886350766

 $00:04:43.472 \longrightarrow 00:04:45.728$  or somebody notices the patient has

NOTE Confidence: 0.886350766

00:04:45.728 --> 00:04:47.608 iron deficiency anemia even though

NOTE Confidence: 0.886350766

 $00:04:47.608 \longrightarrow 00:04:49.679$  they're not menstruating or they're

NOTE Confidence: 0.886350766

 $00:04:49.679 \longrightarrow 00:04:52.187$  not bleeding from another known issue.

NOTE Confidence: 0.886350766

 $00:04:52.190 \longrightarrow 00:04:53.884$  And I think that would be the

NOTE Confidence: 0.886350766

 $00:04:53.884 \longrightarrow 00:04:55.310$  most common way it presents.

NOTE Confidence: 0.886350766

00:04:55.310 --> 00:04:56.022 You know,

NOTE Confidence: 0.886350766

 $00{:}04{:}56.022 \dashrightarrow 00{:}04{:}58.870$  it can present in more serious ways upfront.

NOTE Confidence: 0.886350766

00:04:58.870 --> 00:05:01.150 It can present as an obstruction

NOTE Confidence: 0.886350766

 $00:05:01.150 \longrightarrow 00:05:02.290$  of the colon.

 $00:05:02.290 \longrightarrow 00:05:06.224$  It can present with more advanced disease

NOTE Confidence: 0.886350766

 $00:05:06.224 \longrightarrow 00:05:08.230$  as symptoms outside of the colon,

NOTE Confidence: 0.886350766

 $00:05:08.230 \longrightarrow 00:05:09.421$  if it's spread,

NOTE Confidence: 0.886350766

00:05:09.421 --> 00:05:11.803 it can present with weight loss.

 $00{:}05{:}12.690 \dashrightarrow 00{:}05{:}15.186$  If people are starting to lose

NOTE Confidence: 0.886350766

 $00{:}05{:}15.186 \to 00{:}05{:}17.146$  weight from their cancer diagnosis.

NOTE Confidence: 0.886350766

 $00:05:17.150 \longrightarrow 00:05:19.934$  But ideally early colorectal cancer is

NOTE Confidence: 0.886350766

 $00:05:19.934 \longrightarrow 00:05:22.190$  either asymptomatic or diagnosed with

NOTE Confidence: 0.886350766

 $00:05:22.190 \longrightarrow 00:05:25.284$  a small amount of blood

 $00:05:25.822 \longrightarrow 00:05:27.950$  found on some kind of screening exam

NOTE Confidence: 0.886350766

 $00:05:28.006 \longrightarrow 00:05:30.070$  or noticed by the patient or a doctor.

 $00:05:30.643 \longrightarrow 00:05:32.620$  So certainly if this is going to

NOTE Confidence: 0.917462044

 $00{:}05{:}32.630 \dashrightarrow 00{:}05{:}35.045$  be symptomatic, these are symptoms that a

NOTE Confidence: 0.917462044

 $00:05:35.045 \longrightarrow 00:05:38.048$  lot of people are not going to ignore, right.

NOTE Confidence: 0.917462044

 $00{:}05{:}38.048 \dashrightarrow 00{:}05{:}40.834$  So if you certainly have blood in

NOTE Confidence: 0.917462044

 $00:05:40.834 \longrightarrow 00:05:43.576$  your stool or you find that

NOTE Confidence: 0.917462044

00:05:43.576 --> 00:05:45.886 you cannot pass stool, that you're

00:05:45.886 --> 00:05:47.926 having some bloating and obstruction,

NOTE Confidence: 0.917462044

 $00:05:47.930 \longrightarrow 00:05:51.689$  maybe you have weight loss or jaundice,

NOTE Confidence: 0.917462044

 $00:05:51.690 \longrightarrow 00:05:53.478$  those are things that oftentimes will

NOTE Confidence: 0.917462044

00:05:53.478 --> 00:05:55.670 prompt you to go and see a doctor.

NOTE Confidence: 0.917462044

00:05:55.670 --> 00:05:57.000 But as you say, Laura,

NOTE Confidence: 0.917462044

00:05:57.000 --> 00:06:00.220 it's ideal if colorectal cancer is picked

NOTE Confidence: 0.917462044

 $00:06:00.220 \longrightarrow 00:06:03.862$  up early with a screening test and we

NOTE Confidence: 0.917462044

 $00:06:03.862 \longrightarrow 00:06:07.280$  have so many screening tests now available.

NOTE Confidence: 0.917462044

00:06:07.280 --> 00:06:09.176 But that brings me to the next question,

NOTE Confidence: 0.917462044

 $00:06:09.180 \longrightarrow 00:06:11.030$  which is

NOTE Confidence: 0.917462044

 $00{:}06{:}11.030 \dashrightarrow 00{:}06{:}13.810$  in terms of colorectal screening,

NOTE Confidence: 0.917462044

 $00:06:13.810 \longrightarrow 00:06:17.167$  given the fact that we have so many options,

NOTE Confidence: 0.917462044

00:06:17.170 --> 00:06:20.050 fecal occult blood tests,

NOTE Confidence: 0.917462044

00:06:20.050 --> 00:06:23.310 DNA tests like Cologuard, you know,

NOTE Confidence: 0.917462044

00:06:23.310 --> 00:06:25.082 sigmoidoscopy, colonoscopy,

NOTE Confidence: 0.917462044

 $00:06:25.082 \longrightarrow 00:06:28.626$  virtual colonoscopy, barium enema,

 $00{:}06{:}28.630 \dashrightarrow 00{:}06{:}30.790$  I mean we can go on and on.

NOTE Confidence: 0.917462044

 $00:06:30.790 \longrightarrow 00:06:34.038$  There are so many options in terms of

NOTE Confidence: 0.917462044

 $00:06:34.038 \longrightarrow 00:06:36.326$  colorectal screening and different intervals

NOTE Confidence: 0.917462044

 $00:06:36.326 \longrightarrow 00:06:39.128$  at which these are each recommended.

 $00:06:39.712 \longrightarrow 00:06:41.458$  It can get kind of confusing.

NOTE Confidence: 0.917462044

 $00:06:41.460 \longrightarrow 00:06:44.592$  Can you layout kind

NOTE Confidence: 0.917462044

00:06:44.592 --> 00:06:46.680 of the screening guidelines?

NOTE Confidence: 0.917462044

 $00:06:46.680 \longrightarrow 00:06:48.156$  Who should get screened?

NOTE Confidence: 0.917462044

 $00:06:48.156 \longrightarrow 00:06:50.001$  When should they start screening

NOTE Confidence: 0.917462044

 $00:06:50.001 \longrightarrow 00:06:51.870$  with what and how frequently?

NOTE Confidence: 0.834974655

00:06:52.180 --> 00:06:54.294 Sure. And I will just say to

NOTE Confidence: 0.834974655

00:06:54.294 --> 00:06:57.230 your earlier point,

NOTE Confidence: 0.834974655

 $00{:}06{:}57.230 \dashrightarrow 00{:}06{:}59.780$  I think people are very capable

NOTE Confidence: 0.834974655

 $00:06:59.780 \longrightarrow 00:07:02.207$  of ignoring even very serious

NOTE Confidence: 0.834974655

 $00:07:02.207 \longrightarrow 00:07:04.107$  symptoms because they're afraid.

NOTE Confidence: 0.834974655

00:07:04.107 --> 00:07:07.720 And so I would say that if you're

 $00{:}07{:}07.720 --> 00{:}07{:}10.108 \ \mathrm{having \ symptoms}$ 

NOTE Confidence: 0.834974655

00:07:10.108 --> 00:07:11.700 that you're worried about

NOTE Confidence: 0.834974655

00:07:11.700 --> 00:07:13.716 think of it as being reassuring and

NOTE Confidence: 0.834974655

00:07:13.716 --> 00:07:15.830 proactive to look into them rather than,

NOTE Confidence: 0.834974655

 $00{:}07{:}15.830 \dashrightarrow 00{:}07{:}18.140$  you know, letting them continue to develop

NOTE Confidence: 0.834974655

 $00:07:18.140 \longrightarrow 00:07:20.310$  and presenting very late because of fear.

NOTE Confidence: 0.834974655

 $00:07:20.310 \longrightarrow 00:07:21.612$  And I think that also can

NOTE Confidence: 0.834974655

00:07:21.612 --> 00:07:22.800 hold true for screening tests.

NOTE Confidence: 0.834974655

 $00:07:22.800 \longrightarrow 00:07:24.480$  Some people think that they

NOTE Confidence: 0.834974655

 $00:07:24.480 \longrightarrow 00:07:25.824$  would rather not know.

NOTE Confidence: 0.834974655

 $00:07:25.830 \longrightarrow 00:07:28.214$  But the truth is,

NOTE Confidence: 0.834974655

 $00:07:28.214 \longrightarrow 00:07:30.002$  colorectal cancer screening

NOTE Confidence: 0.834974655

 $00:07:30.002 \longrightarrow 00:07:32.957$  allows diagnosis while the cancer

NOTE Confidence: 0.834974655

00:07:32.957 --> 00:07:35.117 is curable and manageable.

NOTE Confidence: 0.834974655

 $00:07:35.120 \longrightarrow 00:07:37.997$  And the screening itself has really evolved.

 $00:07:38.000 \longrightarrow 00:07:40.492$  So I'm going to confess a little

NOTE Confidence: 0.834974655

 $00{:}07{:}40.492 \dashrightarrow 00{:}07{:}42.424$  bit of ignorance about some

NOTE Confidence: 0.834974655

 $00:07:42.424 \longrightarrow 00:07:44.394$  of the trends in screening.

NOTE Confidence: 0.834974655

00:07:44.400 --> 00:07:46.518 Before I became an oncologist,

NOTE Confidence: 0.834974655

 $00:07:46.520 \longrightarrow 00:07:48.536$  I was a primary care doctor.

NOTE Confidence: 0.834974655

 $00:07:48.540 \longrightarrow 00:07:51.580$  And so that is really in their realm.

NOTE Confidence: 0.834974655

 $00{:}07{:}51.580 \dashrightarrow 00{:}07{:}54.840$  I think most oncologists have

NOTE Confidence: 0.834974655

 $00:07:54.840 \longrightarrow 00:07:57.526$  a bias towards the colonoscopy.

NOTE Confidence: 0.834974655

00:07:57.526 --> 00:07:59.704 I think most physicians that I

NOTE Confidence: 0.834974655

 $00:07:59.704 \longrightarrow 00:08:01.960$  know use that as their sort of

NOTE Confidence: 0.834974655

 $00:08:01.960 \longrightarrow 00:08:04.200$  what they would get for themselves.

NOTE Confidence: 0.834974655

 $00:08:04.200 \longrightarrow 00:08:07.510$  It's the most evidence based

NOTE Confidence: 0.834974655

 $00:08:07.510 \longrightarrow 00:08:09.496$  colorectal cancer screening.

 $00{:}08{:}10.380 \dashrightarrow 00{:}08{:}11.700$  If it's normal,

NOTE Confidence: 0.834974655

 $00:08:11.700 \longrightarrow 00:08:14.526$  it's done approximately every 10 years.

NOTE Confidence: 0.834974655

 $00{:}08{:}14.530 \dashrightarrow 00{:}08{:}17.068$  But I think a lot of patients have some

00:08:17.718 --> 00:08:19.986 fears about the bowel prep or having

 $00:08:19.986 \longrightarrow 00:08:22.147$  the colonoscopy done and there's

NOTE Confidence: 0.834974655

 $00:08:22.147 \longrightarrow 00:08:24.793$  been this development of other options.

NOTE Confidence: 0.834974655

00:08:24.800 --> 00:08:27.465 So the most frequently discussed

NOTE Confidence: 0.834974655

 $00:08:27.465 \longrightarrow 00:08:29.597$  is the high sensitivity

NOTE Confidence: 0.834974655

 $00:08:29.600 \longrightarrow 00:08:32.448$  fecal occult blood testing.

NOTE Confidence: 0.834974655

 $00:08:32.450 \longrightarrow 00:08:34.410$  That is a yearly test.

NOTE Confidence: 0.834974655

 $00:08:34.410 \longrightarrow 00:08:36.510$  It's very similar to the fit test,

NOTE Confidence: 0.834974655

 $00:08:36.510 \longrightarrow 00:08:39.930$  which is I think also done on the stool.

NOTE Confidence: 0.886487456666667

 $00:08:42.250 \longrightarrow 00:08:44.400$  Those are both done annually

NOTE Confidence: 0.886487456666667

 $00:08:44.400 \longrightarrow 00:08:47.206$  and the key I think is that

NOTE Confidence: 0.886487456666667

00:08:47.206 --> 00:08:49.774 it has to be followed up,

NOTE Confidence: 0.886487456666667

 $00:08:49.780 \longrightarrow 00:08:53.430$  you know if it's negative it has to be done

NOTE Confidence: 0.886487456666667

 $00{:}08{:}53.430 \dashrightarrow 00{:}08{:}55.499$  the next year again and if it's positive,

NOTE Confidence: 0.886487456666667

00:08:55.500 --> 00:08:57.532 it has to be followed up with some

NOTE Confidence: 0.886487456666667

 $00:08:57.532 \longrightarrow 00:08:59.870$  kind of more direct visualizing test.

00:08:59.870 --> 00:09:02.236 So I don't remember the exact numbers,

NOTE Confidence: 0.886487456666667

 $00{:}09{:}02.240 \dashrightarrow 00{:}09{:}04.064$  but some very large percentage of

NOTE Confidence: 0.886487456666667

 $00:09:04.064 \longrightarrow 00:09:06.123$  patients who get these fit tests or

NOTE Confidence: 0.886487456666667

00:09:06.123 --> 00:09:07.950 these FBT mailed to their homes and

NOTE Confidence: 0.886487456666667

 $00:09:08.005 \longrightarrow 00:09:09.895$  do them don't necessarily follow

NOTE Confidence: 0.886487456666667

 $00:09:09.895 \longrightarrow 00:09:11.910$  through on having the colonoscopy afterwards.

NOTE Confidence: 0.886487456666667

00:09:11.910 --> 00:09:14.535 So I think it's very important to

NOTE Confidence: 0.886487456666667

 $00:09:14.535 \longrightarrow 00:09:16.380$  realize that the test only works

NOTE Confidence: 0.886487456666667

 $00{:}09{:}16.380 \dashrightarrow 00{:}09{:}18.260$  if you're going to react to the results.

00:09:20.570 --> 00:09:24.346 So both of those direct stool tests are

NOTE Confidence: 0.886487456666667

 $00:09:24.346 \longrightarrow 00:09:28.184$  annual and they require a colonoscopy if

NOTE Confidence: 0.886487456666667

00:09:28.184 --> 00:09:30.188 they're positive for blood,

NOTE Confidence: 0.886487456666667

 $00:09:30.190 \longrightarrow 00:09:31.891$  which also means if you have hemorrhoids

NOTE Confidence: 0.886487456666667

00:09:31.891 --> 00:09:33.389 or some other kind of problem,

NOTE Confidence: 0.886487456666667

 $00:09:33.390 \longrightarrow 00:09:37.340$  they're going to be less helpful as

NOTE Confidence: 0.935573216

 $00:09:37.350 \longrightarrow 00:09:39.360$  far as the virtual colonoscopy.

 $00:09:40.980 \longrightarrow 00:09:43.430$  I don't have a strong opinion.

NOTE Confidence: 0.850503637142857

 $00{:}09{:}43.430 \longrightarrow 00{:}09{:}46.158$  I know it can be comforting to people

NOTE Confidence: 0.850503637142857

 $00:09:46.158 \longrightarrow 00:09:49.250$  to not have the internal colonoscopy.

NOTE Confidence: 0.850503637142857

 $00:09:49.250 \longrightarrow 00:09:53.885$  I think it has shown to be pretty effective.

NOTE Confidence: 0.850503637142857

 $00:09:53.890 \longrightarrow 00:09:55.648$  But you know, obviously not the

NOTE Confidence: 0.850503637142857

 $00:09:55.648 \longrightarrow 00:09:57.590$  same as the direct colonoscopy.

NOTE Confidence: 0.850503637142857

00:09:57.590 --> 00:09:59.318 It doesn't allow for biopsy and

NOTE Confidence: 0.850503637142857

 $00{:}09{:}59.318 \dashrightarrow 00{:}10{:}01.250$  it doesn't allow for intervention.

NOTE Confidence: 0.850503637142857

 $00:10:01.250 \longrightarrow 00:10:04.155$  So one goal of the colonoscopy is

NOTE Confidence: 0.850503637142857

00:10:04.155 --> 00:10:06.734 early diagnosis, but another goal is

NOTE Confidence: 0.850503637142857

 $00{:}10{:}06.734 \dashrightarrow 00{:}10{:}09.218$  actually prevention, which is that

NOTE Confidence: 0.850503637142857

 $00:10:09.218 \longrightarrow 00:10:12.434$  colon cancer usually develops from polyps.

NOTE Confidence: 0.850503637142857

 $00:10:12.440 \longrightarrow 00:10:16.436$  So when a person has what's

NOTE Confidence: 0.850503637142857

 $00{:}10{:}16.436 \dashrightarrow 00{:}10{:}18.470$  called an adenoma, a colonoscopy,

NOTE Confidence: 0.850503637142857

 $00:10:18.470 \longrightarrow 00:10:20.210$  if everything is normal,

NOTE Confidence: 0.850503637142857

 $00:10:20.210 \longrightarrow 00:10:21.602$  they say everything looks normal and

 $00{:}10{:}21.602 \dashrightarrow 00{:}10{:}23.060$  you have another one in 10 years.

NOTE Confidence: 0.850503637142857

00:10:23.060 --> 00:10:24.740 But oftentimes they'll say, oh,

NOTE Confidence: 0.850503637142857 00:10:24.740 --> 00:10:25.422 we removed NOTE Confidence: 0.850503637142857

 $00:10:25.422 \longrightarrow 00:10:27.127$  3 polyps, have another colonoscopy

NOTE Confidence: 0.850503637142857

 $00{:}10{:}27.127 \dashrightarrow 00{:}10{:}29.668$  in three years or five years or

NOTE Confidence: 0.850503637142857

 $00:10:29.668 \longrightarrow 00:10:30.760$  whatever the gastroenterologist

NOTE Confidence: 0.850503637142857

00:10:30.760 --> 00:10:32.880 thinks based on their appearance,

NOTE Confidence: 0.850503637142857

 $00{:}10{:}32.880 \rightarrow 00{:}10{:}35.416$  and then you're able to also remove those.

NOTE Confidence: 0.850503637142857

 $00:10:35.420 \longrightarrow 00:10:37.366$  So it prevents and it's almost like

NOTE Confidence: 0.850503637142857

00:10:37.366 --> 00:10:39.399 taking out a precancerous lesion,

NOTE Confidence: 0.850503637142857

 $00:10:39.400 \longrightarrow 00:10:42.192$  like if you go for a skin check

NOTE Confidence: 0.850503637142857

00:10:42.192 --> 00:10:44.678 and you did that virtually,

NOTE Confidence: 0.850503637142857

 $00{:}10{:}44.680 \dashrightarrow 00{:}10{:}46.500$  they wouldn't also be able to

NOTE Confidence: 0.850503637142857

 $00{:}10{:}46.500 \dashrightarrow 00{:}10{:}48.327$  biopsy what looks suspicious

NOTE Confidence: 0.850503637142857

 $00{:}10{:}48.327 \dashrightarrow 00{:}10{:}50.301$  or to remove a precancerous sort

 $00:10:50.301 \longrightarrow 00:10:51.619$  of sun damage spot.

NOTE Confidence: 0.850503637142857

 $00:10:51.620 \longrightarrow 00:10:53.096$  It's the same with the colon.

NOTE Confidence: 0.850503637142857

00:10:53.100 --> 00:10:56.007 You want to be able to do the colonoscopy,

 $00:10:56.656 \longrightarrow 00:10:59.886$  and also do whatever biopsies or

NOTE Confidence: 0.850503637142857

00:10:59.890 --> 00:11:01.770 preventive removal of polyps is

NOTE Confidence: 0.850503637142857

00:11:01.770 --> 00:11:04.030 needed depending on what they find.

00:11:05.130 --> 00:11:07.550 I think that the benefit of

NOTE Confidence: 0.850503637142857

 $00:11:07.550 \longrightarrow 00:11:09.650$  the stool testing is that it's easy,

NOTE Confidence: 0.850503637142857

 $00:11:09.650 \longrightarrow 00:11:12.626$  it's at home, it's once a year.

NOTE Confidence: 0.850503637142857

 $00{:}11{:}12.630 \to 00{:}11{:}14.320$  The benefit of the colonoscopy

NOTE Confidence: 0.850503637142857

00:11:14.320 --> 00:11:16.010 is that it's more thorough,

NOTE Confidence: 0.850503637142857

 $00{:}11{:}16.010 \dashrightarrow 00{:}11{:}18.061$  and it really depends on what you

NOTE Confidence: 0.850503637142857

00:11:18.061 --> 00:11:19.828 feel you're capable of doing,

NOTE Confidence: 0.850503637142857

 $00:11:19.830 \longrightarrow 00:11:22.658$  and I think both are very useful.

NOTE Confidence: 0.850503637142857

 $00{:}11{:}22.660 \dashrightarrow 00{:}11{:}26.797$  As far as timing, the old recommendations

NOTE Confidence: 0.850503637142857

 $00:11:26.800 \longrightarrow 00:11:29.240$  were starting at age 50.

00:11:29.578 --> 00:11:30.930 The new recommendations from

00:11:30.930 --> 00:11:32.620 the US Preventive Task Force,

NOTE Confidence: 0.850503637142857

00:11:34.652 --> 00:11:38.040 have recently gone down to age 45,

NOTE Confidence: 0.850503637142857

 $00:11:38.040 \longrightarrow 00:11:40.574$  and that's based on the new trends

NOTE Confidence: 0.850503637142857

00:11:40.574 --> 00:11:43.040 in colon cancer occurring earlier.

NOTE Confidence: 0.850503637142857

 $00:11:43.040 \longrightarrow 00:11:45.330$  So colorectal cancer screening is

NOTE Confidence: 0.850503637142857

 $00:11:45.330 \longrightarrow 00:11:48.159$  recommended for adults beginning at age 45.

NOTE Confidence: 0.850503637142857

00:11:48.160 --> 00:11:52.751 Some guidelines say continuing until age 75,

NOTE Confidence: 0.850503637142857

 $00:11:52.751 \longrightarrow 00:11:55.817$  but really the idea is that

NOTE Confidence: 0.850503637142857

 $00:11:55.820 \longrightarrow 00:11:59.144$  it should continue until

NOTE Confidence: 0.850503637142857

00:11:59.144 --> 00:12:03.059 somebody has like a life expectancy

NOTE Confidence: 0.850503637142857

 $00:12:03.060 \longrightarrow 00:12:04.010$  let's say of 10 years.

NOTE Confidence: 0.850503637142857

00:12:04.010 --> 00:12:06.068 Because you're looking to catch these

NOTE Confidence: 0.850503637142857

 $00:12:06.068 \longrightarrow 00:12:08.084$  adenomas or these polyps early enough and

NOTE Confidence: 0.850503637142857

 $00:12:08.084 \longrightarrow 00:12:10.135$  they take supposedly about

NOTE Confidence: 0.850503637142857

 $00:12:10.135 \longrightarrow 00:12:12.179$  10 years to develop into cancer and

NOTE Confidence: 0.850503637142857

 $00:12:12.179 \longrightarrow 00:12:14.326$  that's why they do it every 10 years.

00:12:14.326 --> 00:12:15.596 So you're looking to have

NOTE Confidence: 0.850503637142857

 $00:12:15.596 \longrightarrow 00:12:17.180$  for the screening test,

NOTE Confidence: 0.850503637142857

00:12:17.180 --> 00:12:18.720 not for a diagnostic colonoscopy,

NOTE Confidence: 0.850503637142857

 $00:12:18.720 \longrightarrow 00:12:20.880$  but for a screening test without

NOTE Confidence: 0.850503637142857

 $00:12:20.880 \longrightarrow 00:12:22.515$  symptoms to do this for somebody

NOTE Confidence: 0.850503637142857

 $00:12:22.515 \longrightarrow 00:12:24.859$  who has a 10 year life expectancy.

NOTE Confidence: 0.850503637142857

 $00:12:24.860 \longrightarrow 00:12:26.756$  So we're not looking for colonoscopies

NOTE Confidence: 0.850503637142857

 $00:12:26.760 \longrightarrow 00:12:28.990$  in the very, very elderly,

NOTE Confidence: 0.850503637142857

 $00{:}12{:}28.990 \dashrightarrow 00{:}12{:}30.700$  and we're trying to start around

NOTE Confidence: 0.850503637142857

 $00{:}12{:}30.700 \dashrightarrow 00{:}12{:}32.265$  the time that colorectal cancer

NOTE Confidence: 0.850503637142857

00:12:32.265 --> 00:12:34.144 incidence is beginning, preempting it.

NOTE Confidence: 0.850503637142857

00:12:34.144 --> 00:12:36.029 So starting around age 45,

NOTE Confidence: 0.850503637142857

 $00{:}12{:}36.030 \dashrightarrow 00{:}12{:}38.462$  I will say that people who have a

NOTE Confidence: 0.850503637142857

 $00:12:38.462 \longrightarrow 00:12:40.501$  family history of colon cancer or

NOTE Confidence: 0.850503637142857

 $00{:}12{:}40.501 \dashrightarrow 00{:}12{:}42.553$  some kind of hereditary syndrome do

 $00:12:42.617 \longrightarrow 00:12:44.766$  need to start earlier than age 45.

NOTE Confidence: 0.850503637142857

 $00:12:44.770 \longrightarrow 00:12:46.681$  They need to start 10 years prior

NOTE Confidence: 0.850503637142857

 $00:12:46.681 \longrightarrow 00:12:47.500$  to their youngest

NOTE Confidence: 0.856310864166666

 $00:12:47.559 \longrightarrow 00:12:49.634$  family member. So if there's a

NOTE Confidence: 0.856310864166666

00:12:49.634 --> 00:12:51.289 family history or a syndrome,

NOTE Confidence: 0.856310864166666

00:12:51.290 --> 00:12:52.762 you know, of cancer,

NOTE Confidence: 0.856310864166666

 $00:12:52.762 \longrightarrow 00:12:54.602$  colon cancer at age 37,

NOTE Confidence: 0.856310864166666

 $00:12:54.610 \longrightarrow 00:12:57.766$  then you would start at age

NOTE Confidence: 0.856310864166666

 $00{:}12{:}57.770 \dashrightarrow 00{:}13{:}01.019$  27 and that's sort of the idea of screening

NOTE Confidence: 0.856310864166666

 $00:13:01.019 \longrightarrow 00:13:04.368$  is that you're catching something early.

NOTE Confidence: 0.856310864166666

 $00:13:04.370 \longrightarrow 00:13:05.714$  You're allowing early intervention

NOTE Confidence: 0.856310864166666

 $00:13:05.714 \longrightarrow 00:13:07.730$  to make a difference in both,

NOTE Confidence: 0.856310864166666

 $00:13:07.730 \longrightarrow 00:13:10.130$  in this case in both prevention

NOTE Confidence: 0.856310864166666

 $00:13:10.130 \longrightarrow 00:13:12.258$  and treatment and prognosis.

NOTE Confidence: 0.87804826625

00:13:12.630 --> 00:13:14.250 Yeah, such good information.

NOTE Confidence: 0.87804826625

 $00:13:14.250 \longrightarrow 00:13:17.203$  We are going to take a short

 $00:13:17.203 \longrightarrow 00:13:19.388$  break for a medical minute.

NOTE Confidence: 0.87804826625

 $00{:}13{:}19.390 \dashrightarrow 00{:}13{:}21.847$  When we come back, we'll learn more

NOTE Confidence: 0.87804826625

00:13:21.847 --> 00:13:23.800 about colorectal cancer with my guest,

NOTE Confidence: 0.834980993333333

 $00:13:23.850 \longrightarrow 00:13:24.930$  doctor Laura Baum.

NOTE Confidence: 0.783455157

 $00:13:25.600 \longrightarrow 00:13:27.605$  Funding for Yale Cancer Answers

NOTE Confidence: 0.783455157

00:13:27.605 --> 00:13:29.610 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.783455157

 $00:13:29.610 \longrightarrow 00:13:31.365$  where their cancer genetics and

NOTE Confidence: 0.783455157

 $00:13:31.365 \longrightarrow 00:13:33.616$  prevention program includes a colon cancer

NOTE Confidence: 0.783455157

 $00{:}13{:}33.616 \dashrightarrow 00{:}13{:}35.791$  genetics and prevention program that

NOTE Confidence: 0.783455157

 $00{:}13{:}35.791 \dashrightarrow 00{:}13{:}37.531$  provides comprehensive risk assessment,

NOTE Confidence: 0.783455157

00:13:37.540 --> 00:13:40.246 education, and screening.

NOTE Confidence: 0.783455157

 $00:13:40.246 \longrightarrow 00:13:43.360$  Smilowcancerhospital.org.

NOTE Confidence: 0.783455157

 $00{:}13{:}43.360 \dashrightarrow 00{:}13{:}45.165$  It's estimated that over  $240{,}000$ 

NOTE Confidence: 0.783455157

00:13:45.165 --> 00:13:47.933 men in the US will be diagnosed

NOTE Confidence: 0.783455157

 $00:13:47.933 \longrightarrow 00:13:50.158$  with prostate cancer this year.

00:13:50.160 --> 00:13:52.855 With over 3000 new cases being identified

NOTE Confidence: 0.783455157

00:13:52.860 --> 00:13:53.916 here in Connecticut,

NOTE Confidence: 0.783455157

00:13:53.916 --> 00:13:55.676 one in eight American men

NOTE Confidence: 0.783455157

00:13:55.676 --> 00:13:57.400 will develop prostate cancer

NOTE Confidence: 0.783455157

 $00:13:57.400 \longrightarrow 00:13:59.320$  in the course of his lifetime.

NOTE Confidence: 0.783455157

 $00:13:59.320 \longrightarrow 00:14:01.378$  Major advances in the detection and

NOTE Confidence: 0.783455157

 $00:14:01.378 \longrightarrow 00:14:03.120$  treatment of prostate cancer have

NOTE Confidence: 0.783455157

 $00:14:03.120 \longrightarrow 00:14:04.364$  dramatically decreased the number

NOTE Confidence: 0.783455157

 $00:14:04.364 \longrightarrow 00:14:06.620$  of men who die from the disease.

NOTE Confidence: 0.783455157

00:14:06.620 --> 00:14:08.400 Screening can be performed quickly

NOTE Confidence: 0.783455157

 $00{:}14{:}08.400 \dashrightarrow 00{:}14{:}10.205$  and easily in a physician's

NOTE Confidence: 0.783455157

 $00{:}14{:}10.205 \dashrightarrow 00{:}14{:}12.080$  office using two simple tests,

NOTE Confidence: 0.783455157

 $00{:}14{:}12.080 \dashrightarrow 00{:}14{:}14.586$  a physical exam and a blood test.

NOTE Confidence: 0.783455157

 $00{:}14{:}14.590 \dashrightarrow 00{:}14{:}17.015$  Clinical trials are currently underway

NOTE Confidence: 0.783455157

 $00:14:17.015 \longrightarrow 00:14:18.955$  at federally designated Comprehensive

NOTE Confidence: 0.783455157

 $00{:}14{:}18.955 \dashrightarrow 00{:}14{:}21.085$  cancer centers such as Yale Cancer

00:14:21.085 --> 00:14:23.250 Center and Smilow Cancer Hospital,

NOTE Confidence: 0.783455157

 $00:14:23.250 \longrightarrow 00:14:25.210$  where doctors are also using

NOTE Confidence: 0.783455157

 $00:14:25.210 \longrightarrow 00:14:26.386$  the Artemis machine,

NOTE Confidence: 0.783455157

 $00:14:26.390 \longrightarrow 00:14:28.298$  which enables targeted biopsies

NOTE Confidence: 0.783455157

 $00:14:28.298 \longrightarrow 00:14:29.729$  to be performed.

NOTE Confidence: 0.783455157

 $00:14:29.730 \longrightarrow 00:14:32.010$  More information is available

NOTE Confidence: 0.783455157

 $00:14:32.010 \longrightarrow 00:14:33.005$  at yalecancercenter.org.

NOTE Confidence: 0.783455157

 $00:14:33.005 \longrightarrow 00:14:35.555$  You're listening to Connecticut public radio.

NOTE Confidence: 0.817133153333333

 $00:14:37.140 \longrightarrow 00:14:39.198$  Welcome back to Yale Cancer Answers.

NOTE Confidence: 0.817133153333333

 $00:14:39.200 \longrightarrow 00:14:40.760$  This is doctor Anees Chagpar

NOTE Confidence: 0.817133153333333

00:14:40.760 --> 00:14:42.895 and I'm joined tonight by my guest,

NOTE Confidence: 0.817133153333333

 $00:14:42.900 \longrightarrow 00:14:44.178$  doctor Laura Baum.

NOTE Confidence: 0.817133153333333

 $00{:}14{:}44.180 \dashrightarrow 00{:}14{:}47.050$  We're talking about the care of patients

NOTE Confidence: 0.817133153333333

00:14:47.050 --> 00:14:49.627 with colorectal cancer in honor of

NOTE Confidence: 0.817133153333333

 $00:14:49.627 \longrightarrow 00:14:51.335$  Colorectal Cancer Awareness Month.

00:14:51.340 --> 00:14:52.450 And right before the break,

NOTE Confidence: 0.817133153333333

00:14:52.450 --> 00:14:54.300 Laura, you started talking about,

NOTE Confidence: 0.817133153333333

 $00:14:54.300 \longrightarrow 00:14:55.785$  we were talking about screening

NOTE Confidence: 0.817133153333333

 $00:14:55.785 \longrightarrow 00:14:57.820$  and the whole plethora of screening

NOTE Confidence: 0.817133153333333

 $00:14:57.820 \longrightarrow 00:14:59.320$  tests that are out there.

NOTE Confidence: 0.817133153333333

 $00:14:59.320 \longrightarrow 00:15:02.729$  You had mentioned that the USPSTF has

NOTE Confidence: 0.817133153333333

 $00:15:02.729 \longrightarrow 00:15:06.106$  moved the age down to 45 to start

NOTE Confidence: 0.817133153333333

 $00:15:06.106 \longrightarrow 00:15:08.398$  screening and certainly that can be

NOTE Confidence: 0.817133153333333

00:15:08.398 --> 00:15:11.153 even earlier if you have a family

NOTE Confidence: 0.817133153333333

 $00:15:11.153 \longrightarrow 00:15:13.940$  history of a colorectal cancer syndrome.

NOTE Confidence: 0.817133153333333

 $00{:}15{:}13.940 \dashrightarrow 00{:}15{:}16.635$  So you want to start screening 10

NOTE Confidence: 0.817133153333333

 $00{:}15{:}16.635 \dashrightarrow 00{:}15{:}18.776$  years younger than the youngest

NOTE Confidence: 0.817133153333333

 $00:15:18.776 \longrightarrow 00:15:21.500$  person in your family got diagnosed.

NOTE Confidence: 0.817133153333333

 $00:15:21.500 \longrightarrow 00:15:23.537$  Which leads us to the next question,

NOTE Confidence: 0.817133153333333 00:15:23.540 --> 00:15:24.400 which is, NOTE Confidence: 0.817133153333333

 $00{:}15{:}24.400 \dashrightarrow 00{:}15{:}26.554$  are there other risk factors aside

00:15:26.554 --> 00:15:29.130 from family history that put you at

NOTE Confidence: 0.817133153333333

 $00:15:29.130 \longrightarrow 00:15:30.920$  increased risk of colorectal cancer?

NOTE Confidence: 0.817133153333333

00:15:30.920 --> 00:15:33.104 So often I find that patients are

NOTE Confidence: 0.817133153333333

00:15:33.104 --> 00:15:34.940 always asking, what did I do,

 $00:15:35.736 \longrightarrow 00:15:39.200$  is this caused by smoking or alcohol,

NOTE Confidence: 0.817133153333333

00:15:39.200 --> 00:15:43.460 red meat, smoked meats, fats,

NOTE Confidence: 0.817133153333333

 $00:15:43.460 \longrightarrow 00:15:44.756$  all of those kinds of things.

NOTE Confidence: 0.817133153333333

00:15:44.760 --> 00:15:46.785 Can you talk a little bit about risk factors?

NOTE Confidence: 0.901062323636364

 $00:15:47.280 \longrightarrow 00:15:49.824$  Sure. So I think the answer

NOTE Confidence: 0.901062323636364

 $00:15:49.824 \longrightarrow 00:15:51.980$  to that question is yes.

NOTE Confidence: 0.901062323636364

00:15:51.980 --> 00:15:54.260 It's caused by everything you said,

NOTE Confidence: 0.901062323636364

 $00:15:54.260 \longrightarrow 00:15:55.640$  but the more important thing,

NOTE Confidence: 0.901062323636364

 $00:15:55.640 \longrightarrow 00:15:56.796$  I think is that

NOTE Confidence: 0.901062323636364

 $00{:}15{:}56.796 \dashrightarrow 00{:}15{:}58.898$  so often when people are facing cancer

NOTE Confidence: 0.901062323636364

00:15:58.898 --> 00:16:01.005 and they're asking what did I do?

NOTE Confidence: 0.901062323636364

 $00:16:01.010 \longrightarrow 00:16:04.475$  To me that's like an

00:16:04.475 --> 00:16:06.670 existential distress question, you know,

NOTE Confidence: 0.901062323636364

00:16:06.670 --> 00:16:08.800 a feeling of guilt and stigma,

NOTE Confidence: 0.901062323636364

 $00:16:08.800 \longrightarrow 00:16:11.056$  a sense of the unfairness of it all.

NOTE Confidence: 0.901062323636364

00:16:11.060 --> 00:16:13.517 And I will say that it is

NOTE Confidence: 0.901062323636364

 $00:16:13.517 \longrightarrow 00:16:15.819$  very unfair and unpredictable.

NOTE Confidence: 0.901062323636364

00:16:15.820 --> 00:16:19.700 There are many people who eat high fat,

NOTE Confidence: 0.901062323636364

 $00:16:19.700 \longrightarrow 00:16:20.654$  smoked meat,

NOTE Confidence: 0.901062323636364

 $00{:}16{:}20.654 \dashrightarrow 00{:}16{:}23.993$  red meat diets and drink a lot

NOTE Confidence: 0.901062323636364

 $00:16:23.993 \longrightarrow 00:16:27.211$  of alcohol and are sedentary and

NOTE Confidence: 0.901062323636364

 $00{:}16{:}27.211 \dashrightarrow 00{:}16{:}29.199$ don't develop colorectal cancer.

NOTE Confidence: 0.901062323636364

 $00{:}16{:}29.200 \dashrightarrow 00{:}16{:}31.192$  So I think it's very important

NOTE Confidence: 0.901062323636364

 $00:16:31.192 \longrightarrow 00:16:33.533$  to sort of think of this as once

NOTE Confidence: 0.901062323636364

 $00{:}16{:}33.533 \dashrightarrow 00{:}16{:}34.698$  you're facing the disease to

NOTE Confidence: 0.901062323636364

 $00:16:34.698 \longrightarrow 00:16:36.150$  think of this as something

NOTE Confidence: 0.896840084285714

 $00:16:38.270 \longrightarrow 00:16:39.929$  that's not your fault.

 $00:16:39.930 \longrightarrow 00:16:41.610$  That's not stigmatized in that sense.

NOTE Confidence: 0.896840084285714

 $00{:}16{:}41.610 \dashrightarrow 00{:}16{:}44.046$  As far as preventing colorectal cancer,

NOTE Confidence: 0.896840084285714

00:16:44.050 --> 00:16:48.369 though, it is aside from family syndromes,

NOTE Confidence: 0.896840084285714

 $00:16:48.370 \longrightarrow 00:16:51.726$  it is also associated with a lot

NOTE Confidence: 0.896840084285714

 $00:16:51.726 \longrightarrow 00:16:52.794$  of those things we just mentioned,

NOTE Confidence: 0.896840084285714

00:16:52.800 --> 00:16:55.840 particularly alcohol and obesity

NOTE Confidence: 0.896840084285714

 $00{:}16{:}55.840 {\:{\circ}{\circ}{\circ}}>00{:}16{:}58.880$  contribute to colorectal cancer.

NOTE Confidence: 0.8537232305

00:17:01.470 --> 00:17:04.011 As does you know, the concept

NOTE Confidence: 0.8537232305

 $00:17:04.011 \longrightarrow 00:17:06.913$  of a low fiber diet sort of

NOTE Confidence: 0.8537232305

00:17:06.913 --> 00:17:09.499 having a less healthy gut Biome,

NOTE Confidence: 0.8537232305

 $00{:}17{:}09.500 \dashrightarrow 00{:}17{:}11.360$  interestingly, and this isn't super

NOTE Confidence: 0.8537232305

00:17:11.360 --> 00:17:14.009 relevant to a lot of our younger patients,

NOTE Confidence: 0.8537232305

 $00:17:14.010 \longrightarrow 00:17:16.205$  but long histories of starvation

NOTE Confidence: 0.8537232305

00:17:16.205 --> 00:17:17.961 and deprivation also contribute

NOTE Confidence: 0.8537232305

 $00:17:17.961 \longrightarrow 00:17:19.650$  to colorectal cancer.

NOTE Confidence: 0.8537232305

 $00:17:19.650 \longrightarrow 00:17:22.075$  For example, survivors of the

00:17:22.075 --> 00:17:25.085 Holocaust in Nazi Germany have very

NOTE Confidence: 0.8537232305

 $00{:}17{:}25.085 \to 00{:}17{:}27.580$  high rates of colorectal cancer.

NOTE Confidence: 0.928234735

00:17:27.650 --> 00:17:29.506 You know, the other thing that you had

NOTE Confidence: 0.928234735

 $00:17:29.506 \longrightarrow 00:17:31.009$  mentioned right at the top of the show,

NOTE Confidence: 0.928234735

00:17:31.010 --> 00:17:35.138 though, was that while the incidence

NOTE Confidence: 0.928234735

00:17:35.138 --> 00:17:38.766 of colorectal cancer is quite high.

NOTE Confidence: 0.928234735

 $00:17:38.766 \longrightarrow 00:17:41.394$  we're making strides in

NOTE Confidence: 0.928234735

 $00:17:41.394 \longrightarrow 00:17:44.302$  terms of increasing longevity after

NOTE Confidence: 0.928234735

 $00:17:44.302 \longrightarrow 00:17:46.898$  a colorectal cancer diagnosis.

NOTE Confidence: 0.928234735

 $00:17:46.900 \longrightarrow 00:17:49.428$  So can you talk to us a little

NOTE Confidence: 0.928234735

 $00:17:49.428 \longrightarrow 00:17:51.597$  bit more about why that is?

NOTE Confidence: 0.928234735

 $00{:}17{:}51.600 \dashrightarrow 00{:}17{:}54.192$  I mean part of it might be that we're

NOTE Confidence: 0.928234735

 $00:17:54.192 \longrightarrow 00:17:56.243$  catching more colorectal cancers earlier

NOTE Confidence: 0.928234735

 $00:17:56.243 \longrightarrow 00:17:58.793$  with screening like we talked about,

NOTE Confidence: 0.928234735

 $00:17:58.800 \longrightarrow 00:18:02.314$  but another might be advances in treatment.

 $00:18:02.320 \longrightarrow 00:18:04.620$  So can you talk to us a little bit about

NOTE Confidence: 0.928234735

 $00:18:04.684 \longrightarrow 00:18:06.988$  where the state of the science is there?

NOTE Confidence: 0.838818968333333

00:18:07.400 --> 00:18:09.926 Yeah, it's definitely both. So catching

NOTE Confidence: 0.838818968333333

 $00:18:09.930 \longrightarrow 00:18:12.126$  cancer earlier allows for curative intent

NOTE Confidence: 0.838818968333333

 $00:18:12.126 \longrightarrow 00:18:14.697$  treatment and the state of the science

NOTE Confidence: 0.838818968333333

00:18:14.697 --> 00:18:16.797 has significantly improved there as well.

NOTE Confidence: 0.838818968333333

 $00:18:16.800 \longrightarrow 00:18:18.636$  For colon cancer

NOTE Confidence: 0.838818968333333

 $00:18:18.640 \longrightarrow 00:18:22.360$  that means surgery and likely chemotherapy

NOTE Confidence: 0.838818968333333

 $00:18:22.360 \longrightarrow 00:18:24.010$  subsequently afterward in order to make

NOTE Confidence: 0.838818968333333

 $00:18:24.010 \longrightarrow 00:18:26.097$  sure that there's a higher rate of cure.

NOTE Confidence: 0.838818968333333

00:18:26.100 --> 00:18:27.726 For rectal cancer,

NOTE Confidence: 0.838818968333333

00:18:27.726 --> 00:18:30.436 it means chemotherapy and radiation,

NOTE Confidence: 0.838818968333333

00:18:30.440 --> 00:18:32.852 sometimes even without surgery,

NOTE Confidence: 0.838818968333333

 $00:18:32.852 \longrightarrow 00:18:34.540$  but generally, you know,

NOTE Confidence: 0.838818968333333

 $00:18:34.540 \longrightarrow 00:18:35.980$  with the surgery as well and

NOTE Confidence: 0.838818968333333

 $00:18:35.980 \longrightarrow 00:18:37.358$  that has improved, right?

 $00:18:37.358 \longrightarrow 00:18:39.626$  Those cure rates of early stage

NOTE Confidence: 0.838818968333333

 $00:18:39.626 \longrightarrow 00:18:41.310$  colon and rectal cancer,

NOTE Confidence: 0.838818968333333

 $00:18:41.310 \longrightarrow 00:18:43.026$  the long term cure is improving.

NOTE Confidence: 0.838818968333333

00:18:43.030 --> 00:18:44.740 We're really perfecting the science

NOTE Confidence: 0.838818968333333

00:18:44.740 --> 00:18:46.792 thereof even now starting to think

NOTE Confidence: 0.838818968333333

00:18:46.792 --> 00:18:48.490 how do we not overtreat people?

NOTE Confidence: 0.838818968333333

 $00:18:48.490 \longrightarrow 00:18:50.778$  How do we treat somebody with an

NOTE Confidence: 0.838818968333333

 $00{:}18{:}50.778 \dashrightarrow 00{:}18{:}52.550$ earlier stage colon or rectal cancer

NOTE Confidence: 0.838818968333333

 $00:18:52.550 \longrightarrow 00:18:54.624$  in a way where they're going to

NOTE Confidence: 0.838818968333333

 $00:18:54.624 \longrightarrow 00:18:56.436$  have the best long term survivorship

NOTE Confidence: 0.838818968333333

 $00:18:56.436 \longrightarrow 00:18:58.160$  with the least complications and

NOTE Confidence: 0.838818968333333

 $00:18:58.160 \longrightarrow 00:18:59.780$  the least surgical complications,

NOTE Confidence: 0.838818968333333

 $00{:}18{:}59.780 \dashrightarrow 00{:}19{:}02.024$  the least radiation complications,

NOTE Confidence: 0.838818968333333

 $00:19:02.024 \longrightarrow 00:19:04.268$  the least chemotherapy complications.

NOTE Confidence: 0.838818968333333

 $00:19:04.270 \longrightarrow 00:19:06.320$  So that has improved significantly

 $00:19:06.320 \longrightarrow 00:19:09.395$  and then for patients who are being

NOTE Confidence: 0.838818968333333

 $00{:}19{:}09.395 \dashrightarrow 00{:}19{:}11.307$  diagnosed with advanced disease,

NOTE Confidence: 0.838818968333333

 $00:19:11.310 \longrightarrow 00:19:12.726$  there's the NCI that says

NOTE Confidence: 0.838818968333333

 $00:19:15.855 \longrightarrow 00:19:18.355$  survivorship starts from diagnosis.

NOTE Confidence: 0.838818968333333

 $00:19:18.360 \longrightarrow 00:19:20.075$  There's this concept of metastatic

NOTE Confidence: 0.838818968333333

00:19:20.075 --> 00:19:20.418 survivorship,

NOTE Confidence: 0.838818968333333

 $00:19:20.420 \longrightarrow 00:19:22.640$  which some people find controversial.

NOTE Confidence: 0.838818968333333

00:19:22.640 --> 00:19:23.600 I don't love it,

00:19:23.840 --> 00:19:26.388 having followed a lot of patients with

NOTE Confidence: 0.838818968333333

 $00:19:26.388 \longrightarrow 00:19:28.339$  metastatic disease on social media,

NOTE Confidence: 0.838818968333333

00:19:28.340 --> 00:19:29.630 I think some people like it,

NOTE Confidence: 0.838818968333333

 $00:19:29.630 \longrightarrow 00:19:30.455$  some people don't.

NOTE Confidence: 0.838818968333333

 $00:19:30.455 \longrightarrow 00:19:32.380$  But the idea is that you can

NOTE Confidence: 0.838818968333333

 $00{:}19{:}32.442 \dashrightarrow 00{:}19{:}34.197$  be living with advanced cancer

NOTE Confidence: 0.838818968333333

 $00:19:34.200 \longrightarrow 00:19:35.360$  for some amount of years,

NOTE Confidence: 0.838818968333333

 $00:19:35.360 \longrightarrow 00:19:38.678$  and that's certainly true in colon cancer.

 $00:19:38.680 \longrightarrow 00:19:40.528$  Unlike a lot of other gastrointestinal

NOTE Confidence: 0.838818968333333

00:19:40.528 --> 00:19:41.744 cancers, pancreas cancer,

NOTE Confidence: 0.838818968333333 00:19:41.744 --> 00:19:43.100 and so on, NOTE Confidence: 0.838818968333333

 $00:19:43.100 \longrightarrow 00:19:45.725$  colon cancer is becoming a disease that

NOTE Confidence: 0.838818968333333

 $00:19:45.725 \longrightarrow 00:19:48.697$  even diagnosed in stage 4 metastatic without.

NOTE Confidence: 0.838818968333333

 $00:19:48.700 \longrightarrow 00:19:49.732$  surgical options,

NOTE Confidence: 0.838818968333333

 $00:19:49.732 \longrightarrow 00:19:52.828$  people are living for several years

NOTE Confidence: 0.838818968333333

00:19:52.830 --> 00:19:55.790 making it through initial chemotherapy,

NOTE Confidence: 0.838818968333333

00:19:55.790 --> 00:19:57.803 second line chemotherapy,

NOTE Confidence: 0.838818968333333

 $00:19:57.803 \longrightarrow 00:19:59.816$  third line chemotherapy.

NOTE Confidence: 0.838818968333333

 $00:19:59.820 \longrightarrow 00:20:01.308$  Just yesterday,

NOTE Confidence: 0.838818968333333 00:20:01.308 --> 00:20:02.300 for example,

NOTE Confidence: 0.838818968333333

 $00:20:02.300 \longrightarrow 00:20:05.674$  here we were reviewing the results of

NOTE Confidence: 0.838818968333333

 $00:20:05.674 \longrightarrow 00:20:07.858$  the gastrointestinal Annual Society

NOTE Confidence: 0.838818968333333

00:20:07.858 --> 00:20:10.042 of Clinical Oncology Abstracts,

NOTE Confidence: 0.838818968333333

 $00:20:10.042 \longrightarrow 00:20:13.416$  which showed some real movement even in

00:20:13.416 --> 00:20:16.640 the third and fourth line treatments,

 $00:20:17.930 \longrightarrow 00:20:20.510$  patients living several

NOTE Confidence: 0.838818968333333

00:20:20.510 --> 00:20:22.750 years after diagnosis.

NOTE Confidence: 0.76811344

00:20:23.460 --> 00:20:25.260 So just a quick question,

NOTE Confidence: 0.76811344

 $00:20:25.260 \longrightarrow 00:20:27.432$  why don't you like the term

NOTE Confidence: 0.76811344

00:20:27.432 --> 00:20:29.268 survivorship?

NOTE Confidence: 0.793525724545455

 $00:20:29.280 \longrightarrow 00:20:31.545$  I personally know

NOTE Confidence: 0.793525724545455

 $00:20:31.545 \longrightarrow 00:20:33.810$  it's very controversial this idea

NOTE Confidence: 0.793525724545455

 $00{:}20{:}33.878 \dashrightarrow 00{:}20{:}36.230$  of calling yourself a a metastatic

NOTE Confidence: 0.793525724545455

 $00:20:36.230 \longrightarrow 00:20:38.950$  survivor or an advanced cancer survivor.

NOTE Confidence: 0.793525724545455

 $00:20:38.950 \longrightarrow 00:20:40.575$  Some people love this they

NOTE Confidence: 0.793525724545455

 $00:20:40.575 \longrightarrow 00:20:41.550$  find it empowering.

NOTE Confidence: 0.793525724545455

 $00:20:41.550 \longrightarrow 00:20:43.635$  The idea that survivorship starts

NOTE Confidence: 0.793525724545455

00:20:43.635 --> 00:20:46.165 from diagnosis and even though they

NOTE Confidence: 0.793525724545455

00:20:46.165 --> 00:20:48.415 have a terminal diagnosis they are

NOTE Confidence: 0.793525724545455

 $00{:}20{:}48.415 \dashrightarrow 00{:}20{:}50.238$  living with advanced disease and

 $00:20:50.238 \longrightarrow 00:20:52.048$  they are a cancer survivor that

NOTE Confidence: 0.793525724545455

 $00:20:52.048 \longrightarrow 00:20:53.671$  they're surviving cancer for the

NOTE Confidence: 0.793525724545455

 $00{:}20{:}53.671 \dashrightarrow 00{:}20{:}55.829$  two or three or however many years

NOTE Confidence: 0.793525724545455

 $00:20:55.829 \longrightarrow 00:20:57.929$  they're with us and I think

NOTE Confidence: 0.793525724545455

 $00:20:57.929 \longrightarrow 00:20:59.574$  some people and a lot of this is

NOTE Confidence: 0.793525724545455

 $00:20:59.574 \longrightarrow 00:21:00.960$  coming out of the breast cancer

NOTE Confidence: 0.793525724545455

 $00:21:00.960 \longrightarrow 00:21:04.632$  Twitter world feel that it's a

NOTE Confidence: 0.793525724545455

 $00{:}21{:}04.632 \dashrightarrow 00{:}21{:}07.080$  completely different experience to

NOTE Confidence: 0.793525724545455

 $00:21:07.183 \longrightarrow 00:21:09.358$  have a terminal diagnosis regardless

NOTE Confidence: 0.793525724545455

 $00:21:09.358 \longrightarrow 00:21:13.264$  of the fact that you're living longer

NOTE Confidence: 0.793525724545455

 $00:21:13.264 \longrightarrow 00:21:16.876$  with it and that it minimizes or

NOTE Confidence: 0.793525724545455

 $00:21:16.880 \longrightarrow 00:21:18.660$  doesn't fully encompass their experience.

NOTE Confidence: 0.793525724545455

 $00{:}21{:}18.660 {\:{\mbox{--}}}{\:{\mbox{-}}} 00{:}21{:}21.299$  Because even though they have quality of

NOTE Confidence: 0.793525724545455

 $00:21:21.299 \longrightarrow 00:21:24.360$  life and they're living with advanced cancer,

NOTE Confidence: 0.793525724545455

00:21:24.360 --> 00:21:26.369 they know that they are going to

 $00:21:26.369 \longrightarrow 00:21:28.713$  die from that cancer and they find

NOTE Confidence: 0.793525724545455

 $00:21:28.713 \longrightarrow 00:21:30.488$  it disingenuous to call themselves

NOTE Confidence: 0.793525724545455

00:21:30.488 --> 00:21:31.910 a cancer survivor.

NOTE Confidence: 0.793525724545455

 $00:21:31.910 \longrightarrow 00:21:34.220$  So I think both perspectives

NOTE Confidence: 0.793525724545455

 $00:21:34.220 \longrightarrow 00:21:35.606$  are really valid.

 $00:21:35.933 \longrightarrow 00:21:38.517$  It really depends on the person and the

NOTE Confidence: 0.793525724545455

 $00:21:38.517 \longrightarrow 00:21:41.245$  patient sort of centered perspective on that.

NOTE Confidence: 0.793525724545455

00:21:41.250 --> 00:21:43.530 I have personally been using the

NOTE Confidence: 0.793525724545455

 $00{:}21{:}43.530 \dashrightarrow 00{:}21{:}45.810$  term living with advanced disease.

NOTE Confidence: 0.793525724545455

 $00:21:45.810 \longrightarrow 00:21:47.710$  More than saying somebody is

NOTE Confidence: 0.793525724545455

00:21:47.710 --> 00:21:49.395 a metastatic survivor.

NOTE Confidence: 0.793525724545455

00:21:49.395 --> 00:21:52.005 There's a bunch of different terminology

NOTE Confidence: 0.793525724545455

 $00:21:52.005 \longrightarrow 00:21:55.306$  for it for people who are sort of

 $00:21:55.866 \longrightarrow 00:21:57.256$  on chemotherapy for the rest

NOTE Confidence: 0.793525724545455

 $00:21:57.256 \longrightarrow 00:21:59.322$  of their life and going to die

NOTE Confidence: 0.793525724545455

 $00:21:59.322 \longrightarrow 00:22:00.498$  of their cancer eventually.

NOTE Confidence: 0.811024203

 $00:22:00.570 \longrightarrow 00:22:02.970$  Which brings me to

 $00:22:02.970 \longrightarrow 00:22:05.370$  the next kind of topic,

NOTE Confidence: 0.811024203

 $00:22:05.370 \longrightarrow 00:22:08.810$  which is you are also trained

NOTE Confidence: 0.811024203

00:22:08.810 --> 00:22:11.850 as a palliative care physician,

NOTE Confidence: 0.811024203

 $00:22:11.850 \longrightarrow 00:22:15.600$  and I find so often that

NOTE Confidence: 0.811024203

 $00:22:15.600 \longrightarrow 00:22:17.277$  for some people,

NOTE Confidence: 0.811024203

 $00:22:17.277 \longrightarrow 00:22:20.631$  that concept of palliative care is

NOTE Confidence: 0.811024203

00:22:20.631 --> 00:22:23.438 really scary because they equate it with

NOTE Confidence: 0.946459156

 $00:22:23.450 \longrightarrow 00:22:25.920$  I'm going to die

NOTE Confidence: 0.890521559

 $00:22:25.970 \longrightarrow 00:22:30.030$  and my care team has given up hope on me.

NOTE Confidence: 0.890521559

 $00:22:30.030 \longrightarrow 00:22:32.095$  Can you kind of speak to that?

NOTE Confidence: 0.915941319166667

00:22:32.690 --> 00:22:35.917 I think a lot of people don't

NOTE Confidence: 0.915941319166667

 $00{:}22{:}35.917 \dashrightarrow 00{:}22{:}38.050$  understand what palliative care is.

NOTE Confidence: 0.915941319166667

 $00{:}22{:}38.050 \dashrightarrow 00{:}22{:}41.380$  And what we're trying to tell people is that

NOTE Confidence: 0.915941319166667

 $00:22:41.380 \longrightarrow 00:22:44.628$  when you are living with advanced disease,

NOTE Confidence: 0.915941319166667

00:22:44.630 --> 00:22:46.174 you have a lot of good years left,

 $00:22:46.180 \longrightarrow 00:22:49.820$  let's say you may still need extra support

NOTE Confidence: 0.915941319166667

 $00{:}22{:}49.820 \to 00{:}22{:}52.764$  so palliative care can start early on

NOTE Confidence: 0.915941319166667

 $00:22:52.764 \longrightarrow 00:22:55.609$  in a cancer diagnosis to help with

NOTE Confidence: 0.915941319166667

00:22:55.610 --> 00:22:57.035 prognostics, understanding their

NOTE Confidence: 0.915941319166667

 $00:22:57.035 \longrightarrow 00:22:58.460$  prognosis with treatment,

NOTE Confidence: 0.915941319166667

 $00:22:58.460 \longrightarrow 00:23:01.238$  decision making with an added layer

NOTE Confidence: 0.915941319166667

00:23:01.238 --> 00:23:03.352 of support, with spiritual support,

NOTE Confidence: 0.915941319166667

 $00:23:03.352 \longrightarrow 00:23:05.716$  with pain and symptom management or

NOTE Confidence: 0.915941319166667

 $00{:}23{:}05.716 \dashrightarrow 00{:}23{:}07.828$  palliative care can come in later and

NOTE Confidence: 0.915941319166667

 $00:23:07.828 \longrightarrow 00:23:10.230$  really be helping with end of life questions.

NOTE Confidence: 0.915941319166667

00:23:10.230 --> 00:23:12.946 Palliative care is very much a spectrum

NOTE Confidence: 0.915941319166667

00:23:12.946 --> 00:23:15.390 it's given with cancer treatment,

NOTE Confidence: 0.915941319166667

00:23:15.390 --> 00:23:17.250 it's given you know,

NOTE Confidence: 0.915941319166667

 $00:23:17.250 \longrightarrow 00:23:20.040$  while curative intent therapies are being

NOTE Confidence: 0.915941319166667

 $00:23:20.119 \longrightarrow 00:23:24.170$  pursued if there's a lot of needs.

NOTE Confidence: 0.915941319166667

 $00:23:24.170 \longrightarrow 00:23:25.720$  So I think it's

00:23:25.720 --> 00:23:26.929 really a spectrum.

NOTE Confidence: 0.915941319166667

00:23:26.930 --> 00:23:28.278 It includes Hospice,

00:23:29.830 --> 00:23:32.050 Hospice is part of palliative care,

NOTE Confidence: 0.915941319166667

 $00:23:32.050 \longrightarrow 00:23:34.030$  but it's not the same.

NOTE Confidence: 0.915941319166667

 $00:23:34.030 \longrightarrow 00:23:36.502$  And I think a lot of patients

NOTE Confidence: 0.915941319166667

 $00{:}23{:}36.502 \dashrightarrow 00{:}23{:}38.347$  think when they hear palliative

NOTE Confidence: 0.915941319166667

 $00:23:38.347 \longrightarrow 00:23:41.028$  care that it's like a bridge to

NOTE Confidence: 0.915941319166667

 $00:23:41.104 \longrightarrow 00:23:43.828$  Hospice and that can be intimidating.

NOTE Confidence: 0.915941319166667

00:23:43.830 --> 00:23:46.692 A lot of national surveys on

NOTE Confidence: 0.915941319166667

 $00:23:46.692 \longrightarrow 00:23:48.550$  perception have shown that,

NOTE Confidence: 0.915941319166667

 $00:23:48.550 \longrightarrow 00:23:49.390$  for example,

NOTE Confidence: 0.915941319166667

 $00:23:49.390 \longrightarrow 00:23:50.230$  with Hospice,

NOTE Confidence: 0.915941319166667

 $00:23:50.230 \longrightarrow 00:23:52.309$  it's very popular and has a very

NOTE Confidence: 0.915941319166667

 $00:23:52.309 \longrightarrow 00:23:52.903$  good reputation.

NOTE Confidence: 0.915941319166667

00:23:52.910 --> 00:23:54.870 People think very favorably of

NOTE Confidence: 0.915941319166667

00:23:54.870 --> 00:23:56.438 Hospice for other people.

 $00:23:56.440 \longrightarrow 00:23:59.518$  So they have a very positive idea of it,

NOTE Confidence: 0.915941319166667

 $00:23:59.520 \longrightarrow 00:24:01.256$  but they don't think that it should

NOTE Confidence: 0.915941319166667 00:24:01.256 --> 00:24:02.000 be for them.

00:24:02.000 --> 00:24:03.784 And so I think the idea of palliative

NOTE Confidence: 0.915941319166667

NOTE Confidence: 0.915941319166667

 $00:24:03.784 \longrightarrow 00:24:05.815$  care is that it's not just end of life,

NOTE Confidence: 0.915941319166667

00:24:05.820 --> 00:24:07.432 it's not just Hospice.

NOTE Confidence: 0.915941319166667

00:24:07.432 --> 00:24:10.220 And using palliative care only as sort

NOTE Confidence: 0.915941319166667

 $00{:}24{:}10.220 \to 00{:}24{:}12.580$  of a bridge or a mini Hospice does

NOTE Confidence: 0.915941319166667

 $00{:}24{:}12.580 \dashrightarrow 00{:}24{:}15.071$  a disservice to patients who might

NOTE Confidence: 0.915941319166667

 $00:24:15.071 \longrightarrow 00:24:18.570$  benefit from it earlier on in their

NOTE Confidence: 0.915941319166667

00:24:18.570 --> 00:24:21.995 treatment or with support issues,

NOTE Confidence: 0.915941319166667

 $00:24:22.000 \longrightarrow 00:24:23.168$  that kind of thing.

 $00:24:26.550 \longrightarrow 00:24:29.320$  So for many cancer centers,

NOTE Confidence: 0.894400483333333

 $00:24:29.320 \longrightarrow 00:24:32.650$  there's this kind of move to

NOTE Confidence: 0.894400483333333

 $00:24:32.650 \longrightarrow 00:24:35.620$  integrating palliative care into the

NOTE Confidence: 0.894400483333333

 $00:24:35.620 \longrightarrow 00:24:38.257$  curative treatment realm, right.

00:24:38.257 --> 00:24:41.542 So this idea that palliative

NOTE Confidence: 0.894400483333333

00:24:41.542 --> 00:24:45.033 care can actually start at

NOTE Confidence: 0.894400483333333

 $00:24:45.033 \longrightarrow 00:24:47.603$  diagnosis perhaps as

NOTE Confidence: 0.894400483333333

 $00:24:47.603 \longrightarrow 00:24:49.408$  that extra layer of support

NOTE Confidence: 0.894400483333333

00:24:49.408 --> 00:24:51.770 maybe in a more secondary role

NOTE Confidence: 0.894400483333333

 $00:24:51.770 \longrightarrow 00:24:55.181$  to the curative oncologist that

NOTE Confidence: 0.894400483333333

 $00:24:55.181 \longrightarrow 00:24:57.047$  kind of can grow over time.

NOTE Confidence: 0.894400483333333

 $00:24:57.050 \longrightarrow 00:25:00.298$  With you having

NOTE Confidence: 0.894400483333333

 $00:25:00.298 \longrightarrow 00:25:03.106$  two hats in the same person,

NOTE Confidence: 0.894400483333333

 $00:25:03.110 \longrightarrow 00:25:06.683$  do you find that is a more seamless

NOTE Confidence: 0.894400483333333

 $00:25:06.683 \longrightarrow 00:25:09.258$  transition for you with your patients?

NOTE Confidence: 0.864254276666667 00:25:10.430 --> 00:25:13.696 Well first NOTE Confidence: 0.864254276666667

 $00{:}25{:}13.696 \dashrightarrow 00{:}25{:}15.100$  of all I would separate palliative

NOTE Confidence: 0.864254276666667

 $00:25:15.100 \longrightarrow 00:25:16.975$  care from diagnosis from palliative

NOTE Confidence: 0.864254276666667

 $00:25:16.975 \longrightarrow 00:25:18.510$  care with curative intent.

 $00:25:18.510 \longrightarrow 00:25:20.319$  I think a lot of times when we talk

NOTE Confidence: 0.864254276666667

 $00{:}25{:}20.319 {\:{\circ}{\circ}{\circ}}>00{:}25{:}22.090$  about palliative care from diagnosis,

NOTE Confidence: 0.864254276666667

 $00:25:22.090 \longrightarrow 00:25:24.304$  we do really mean for patients

NOTE Confidence: 0.864254276666667

 $00:25:24.304 \longrightarrow 00:25:25.780$  diagnosed with advanced disease

NOTE Confidence: 0.864254276666667

 $00:25:25.842 \longrightarrow 00:25:27.387$  and to allow that gradual

NOTE Confidence: 0.864254276666667

 $00:25:27.390 \longrightarrow 00:25:28.634$  transition where the cancer

NOTE Confidence: 0.864254276666667

00:25:28.634 --> 00:25:30.899 doctors play a larger role and

NOTE Confidence: 0.864254276666667

 $00:25:30.899 \longrightarrow 00:25:32.251$  eventually the palliative care

NOTE Confidence: 0.864254276666667

 $00:25:32.251 \longrightarrow 00:25:34.723$  doctor will play the larger role with

NOTE Confidence: 0.864254276666667

 $00:25:34.723 \longrightarrow 00:25:36.518$  palliative care and curative intent.

NOTE Confidence: 0.864254276666667

 $00{:}25{:}36.520 \dashrightarrow 00{:}25{:}39.535$  I think usually the goal is like a bridge,

NOTE Confidence: 0.864254276666667

 $00:25:39.540 \longrightarrow 00:25:41.444$  you know, a bridge to the cure

NOTE Confidence: 0.864254276666667

 $00:25:41.444 \longrightarrow 00:25:43.040$  or dealing with uncertainty,

NOTE Confidence: 0.864254276666667

 $00:25:43.040 \longrightarrow 00:25:44.498$  dealing with what it means to

NOTE Confidence: 0.864254276666667

 $00:25:44.498 \longrightarrow 00:25:45.781$  have a life threatening illness

NOTE Confidence: 0.864254276666667

00:25:45.781 --> 00:25:47.317 even if it's not life limiting.

 $00:25:47.320 \longrightarrow 00:25:48.552$  But to your question,

NOTE Confidence: 0.864254276666667

00:25:48.552 --> 00:25:50.908 I think with those patients who are

NOTE Confidence: 0.864254276666667

 $00:25:50.908 \longrightarrow 00:25:53.400$  getting curative intent treatment, when it

NOTE Confidence: 0.864254276666667

 $00:25:53.400 \longrightarrow 00:25:55.920$  doesn't go well,

NOTE Confidence: 0.864254276666667

 $00:25:55.920 \longrightarrow 00:25:56.772$  which happens occasionally,

NOTE Confidence: 0.864254276666667 00:25:56.772 --> 00:25:57.340 you know, NOTE Confidence: 0.864254276666667

\_\_\_\_\_

 $00{:}25{:}57.340 \dashrightarrow 00{:}25{:}59.560$  when there's a recurrence or relapse

NOTE Confidence: 0.864254276666667

 $00{:}25{:}59.560 \dashrightarrow 00{:}26{:}01.918$  some time after the presumed cure

NOTE Confidence: 0.864254276666667

 $00:26:01.918 \longrightarrow 00:26:04.339$  or when the treatment

NOTE Confidence: 0.864254276666667

 $00:26:04.339 \longrightarrow 00:26:06.279$  isn't going well.

NOTE Confidence: 0.864254276666667

 $00{:}26{:}06.280 \dashrightarrow 00{:}26{:}09.016$  I think that's just very hard for people.

NOTE Confidence: 0.864254276666667

 $00:26:09.020 \longrightarrow 00:26:11.740$  It's a big disappointment.

NOTE Confidence: 0.864254276666667

 $00:26:11.740 \longrightarrow 00:26:15.800$  It's a change in expectations.

NOTE Confidence: 0.864254276666667

 $00:26:15.800 \longrightarrow 00:26:18.560$  Uncertainty is very hard for people.

NOTE Confidence: 0.864254276666667

 $00{:}26{:}18.560 \dashrightarrow 00{:}26{:}21.432$  I try to make it a more seamless

 $00:26:21.432 \longrightarrow 00:26:23.260$  transition and to really be

NOTE Confidence: 0.864254276666667

 $00:26:23.260 \longrightarrow 00:26:24.960$  there for people through that.

NOTE Confidence: 0.864254276666667

 $00:26:24.960 \longrightarrow 00:26:29.304$  But it's not for everybody and

 $00:26:33.760 \longrightarrow 00:26:34.534$  understanding that,

 $00:26:35.308 \longrightarrow 00:26:38.071$  that is part of being human with

NOTE Confidence: 0.864254276666667

 $00:26:38.071 \longrightarrow 00:26:40.273$  them and realizing that it's not

NOTE Confidence: 0.864254276666667

 $00:26:40.273 \longrightarrow 00:26:42.503$  easy for anybody to think that

NOTE Confidence: 0.864254276666667

00:26:42.503 --> 00:26:44.621 they're achieving a cure and then

NOTE Confidence: 0.864254276666667

 $00:26:44.621 \longrightarrow 00:26:46.890$  find out that they didn't.

00:26:49.272 --> 00:26:51.862 I think having those difficult

NOTE Confidence: 0.847431978571429

 $00:26:51.862 \longrightarrow 00:26:54.648$  conversations is by definition difficult.

NOTE Confidence: 0.847431978571429

 $00:26:54.650 \longrightarrow 00:26:57.520$  And and so,

NOTE Confidence: 0.847431978571429

 $00:26:57.520 \longrightarrow 00:26:59.000$  in palliative care teams,

NOTE Confidence: 0.847431978571429

 $00:26:59.000 \longrightarrow 00:27:01.331$  there's often multiple people who

NOTE Confidence: 0.847431978571429

 $00{:}27{:}01.331 \dashrightarrow 00{:}27{:}03.833$  are well trained to have those

NOTE Confidence: 0.847431978571429

 $00:27:03.840 \longrightarrow 00:27:06.035$  conversations and deal with

NOTE Confidence: 0.847431978571429

 $00:27:06.035 \longrightarrow 00:27:08.828$  various issues that come up whether

 $00:27:08.828 \longrightarrow 00:27:11.959$  it's physical symptoms or you know

NOTE Confidence: 0.847431978571429

 $00:27:11.959 \longrightarrow 00:27:14.737$  the emotional burden or the financial

NOTE Confidence: 0.847431978571429

 $00:27:14.737 \longrightarrow 00:27:17.410$  burden or the existential spiritual

NOTE Confidence: 0.847431978571429

 $00:27:17.410 \longrightarrow 00:27:20.590$  crises that people are having.

NOTE Confidence: 0.847431978571429

 $00:27:20.590 \longrightarrow 00:27:23.342$  Can you talk a little bit

NOTE Confidence: 0.847431978571429

 $00{:}27{:}23.342 \to 00{:}27{:}26.270$  more about how that team aspect really

NOTE Confidence: 0.847431978571429

 $00:27:26.270 \longrightarrow 00:27:28.990$  helps in terms of palliative care?

NOTE Confidence: 0.847431978571429

00:27:28.990 --> 00:27:31.446 I mean you are a palliative care physician,

NOTE Confidence: 0.847431978571429

00:27:31.450 --> 00:27:32.678 but you're one person.

NOTE Confidence: 0.847431978571429

00:27:32.678 --> 00:27:34.520 I can imagine that sometimes you

NOTE Confidence: 0.847431978571429

 $00{:}27{:}34.520 {\:{\circ}{\circ}{\circ}}>00{:}27{:}36.045$  also benefit from having

NOTE Confidence: 0.847431978571429

00:27:36.045 --> 00:27:37.570 a palliative care team behind you?

NOTE Confidence: 0.89452187375

 $00:27:37.580 \longrightarrow 00:27:38.340$  Definitely.

NOTE Confidence: 0.89452187375

 $00:27:38.340 \longrightarrow 00:27:40.620$  And since I'm also working in

NOTE Confidence: 0.89452187375

 $00:27:40.620 \longrightarrow 00:27:42.379$  the outpatient setting primarily

NOTE Confidence: 0.89452187375

 $00:27:42.379 \longrightarrow 00:27:44.239$  as the medical oncologist,

00:27:44.240 --> 00:27:46.478 I will often consult my palliative

NOTE Confidence: 0.89452187375

 $00:27:46.478 \longrightarrow 00:27:48.352$  care colleague whose

NOTE Confidence: 0.89452187375

 $00:27:48.352 \longrightarrow 00:27:49.917$  focus that is because I think sometimes

NOTE Confidence: 0.89452187375

 $00:27:49.917 \longrightarrow 00:27:52.079$  even when I have the skill set,

NOTE Confidence: 0.89452187375

00:27:52.080 --> 00:27:54.156 it's helpful to have him involved.

NOTE Confidence: 0.89452187375

 $00{:}27{:}54.160 \dashrightarrow 00{:}27{:}57.460$  He's our GI palliative care oncologist.

NOTE Confidence: 0.89452187375

 $00:27:57.460 \longrightarrow 00:27:58.670$  Just because he has that

NOTE Confidence: 0.89452187375

different focus.

NOTE Confidence: 0.89452187375

 $00:27:59.830 \longrightarrow 00:28:01.510$  You sometimes see the different set of

NOTE Confidence: 0.89452187375

 $00:28:01.510 \longrightarrow 00:28:03.409$  eyes and ears in the room and somebody

NOTE Confidence: 0.89452187375

 $00:28:03.409 \longrightarrow 00:28:05.283$  to have a different kind of time frame

NOTE Confidence: 0.89452187375

 $00:28:05.283 \longrightarrow 00:28:06.900$  of what they're going to talk about.

NOTE Confidence: 0.89452187375

 $00{:}28{:}06.900 \dashrightarrow 00{:}28{:}09.384$  So not only do I use my own palliative

NOTE Confidence: 0.89452187375

00:28:09.384 --> 00:28:11.906 care consult in the outpatient setting,

NOTE Confidence: 0.89452187375

 $00:28:11.910 \longrightarrow 00:28:13.345$  when I am working with

 $00:28:13.345 \longrightarrow 00:28:14.493$  the palliative care team,

NOTE Confidence: 0.89452187375

00:28:14.500 --> 00:28:16.054 I find it very helpful that

NOTE Confidence: 0.89452187375

 $00:28:16.054 \longrightarrow 00:28:17.090$  there's a social worker,

NOTE Confidence: 0.89452187375

 $00:28:17.090 \longrightarrow 00:28:19.882$  that there's a chaplain

NOTE Confidence: 0.89452187375

 $00:28:19.882 \longrightarrow 00:28:21.976$  for spiritual distress.

NOTE Confidence: 0.89452187375

 $00:28:21.980 \longrightarrow 00:28:23.102$  At other institutions,

NOTE Confidence: 0.89452187375

00:28:23.102 --> 00:28:24.972 I think they'll have sometimes

NOTE Confidence: 0.89452187375

 $00:28:24.972 \longrightarrow 00:28:27.163$  an art therapist or various

NOTE Confidence: 0.89452187375

 $00{:}28{:}27.163 \dashrightarrow 00{:}28{:}29.221$  different people can be a part

NOTE Confidence: 0.89452187375

 $00:28:29.290 \longrightarrow 00:28:31.040$  of the palliative care team.

 $00:28:31.690 \longrightarrow 00:28:33.796$  Doctor Laura Baum is an assistant

NOTE Confidence: 0.913218333333333

 $00:28:33.796 \longrightarrow 00:28:35.625$  professor of medicine and medical

NOTE Confidence: 0.913218333333333

 $00:28:35.625 \longrightarrow 00:28:38.124$  oncology at the Yale School of Medicine.

00:28:38.130 --> 00:28:40.178 If you have questions,

NOTE Confidence: 0.913218333333333

 $00:28:40.178 \longrightarrow 00:28:42.190$  the address is canceranswers@yale.edu

NOTE Confidence: 0.913218333333333

 $00:28:42.190 \longrightarrow 00:28:45.010$  and past editions of the program

00:28:45.010 --> 00:28:47.465 are available in audio and written

NOTE Confidence: 0.913218333333333

 $00:28:47.465 \longrightarrow 00:28:48.431$  form at yale cancercenter.org.

00:28:48.431 --> 00:28:50.919 We hope you'll join us next week to

NOTE Confidence: 0.913218333333333

 $00{:}28{:}50.919 \dashrightarrow 00{:}28{:}52.812$  learn more about the fight against

NOTE Confidence: 0.913218333333333

 $00:28:52.812 \longrightarrow 00:28:54.690$  cancer here on Connecticut Public Radio.

 $00{:}28{:}54.690 {\:{\circ}{\circ}{\circ}}>00{:}28{:}57.420$  Funding for Yale Cancer Answers is

 $00{:}28{:}57.420 \dashrightarrow 00{:}29{:}00.000$  provided by Smilow Cancer Hospital.