WEBVTT

00:00:02.000 --> 00:00:03.840 Funding for Yale Cancer Answers NOTE Confidence: 0.90989405 00:00:03.840 --> 00:00:05.600 is provided by Smilow Cancer NOTE Confidence: 0.90989405 00:00:05.600 --> 00:00:06.100 Hospital. NOTE Confidence: 0.93837506 00:00:08.240 --> 00:00:10.080 Welcome to Yale Cancer Answers NOTE Confidence: 0.93837506 $00:00:10.080 \rightarrow 00:00:11.539$ with doctor Eric Winer. NOTE Confidence: 0.9924122 00:00:12.095 --> 00:00:14.195 Yale Cancer Answers features conversations NOTE Confidence: 0.9924122 $00:00:14.335 \rightarrow 00:00:16.335$ with oncologists and specialists who NOTE Confidence: 0.9924122 $00:00:16.335 \longrightarrow 00:00:17.215$ are on the forefront of NOTE Confidence: 0.9924122 $00:00:17.215 \longrightarrow 00:00:18.675$ the battle to fight cancer. NOTE Confidence: 0.9585876 00:00:19.295 --> 00:00:20.595 This week, it's a conversation NOTE Confidence: 0.9585876 $00{:}00{:}20.654 \dashrightarrow 00{:}00{:}22.415$ about prostate cancer with doctor NOTE Confidence: 0.9585876 $00:00:22.415 \longrightarrow 00:00:23.235$ Michael Leapman. NOTE Confidence: 0.9866423 00:00:23.614 --> 00:00:25.135 Doctor Leapman is an associate NOTE Confidence: 0.9866423 00:00:25.135 --> 00:00:26.680 professor of urology at the NOTE Confidence: 0.9866423 00:00:26.680 --> 00:00:27.980 Yale School of Medicine. NOTE Confidence: 0.89470696

 $00:00:28.439 \rightarrow 00:00:29.660$ Here's doctor Winer.

NOTE Confidence: 0.96638256

00:00:30.919 --> 00:00:31.960 I just want to start off

NOTE Confidence: 0.96638256

 $00:00:31.960 \longrightarrow 00:00:33.720$ by asking you how

NOTE Confidence: 0.96638256

 $00:00:33.720 \longrightarrow 00:00:35.340$ you came to be interested

NOTE Confidence: 0.96638256

 $00{:}00{:}35{.}479 \dashrightarrow 00{:}00{:}37{.}100$ in prostate cancer and

 $00:00:40.215 \longrightarrow 00:00:41.675$ what led you down this path?

NOTE Confidence: 0.9975576

00:00:41.975 --> 00:00:43.095 I've been

NOTE Confidence: 0.9975576

 $00:00:43.095 \dashrightarrow 00:00:44.854$ fascinated with prostate cancer and

NOTE Confidence: 0.9975576

 $00{:}00{:}44.854 \dashrightarrow 00{:}00{:}45.975$ was drawn to the field

NOTE Confidence: 0.9975576

00:00:45.975 --> 00:00:46.635 of urology,

NOTE Confidence: 0.9789481

 $00:00:47.335 \longrightarrow 00:00:48.635$ in medical school,

NOTE Confidence: 0.9950002

 $00:00:49.175 \longrightarrow 00:00:50.854$ rotating through surgery. And when

NOTE Confidence: 0.9950002

00:00:50.854 --> 00:00:52.295 I came upon urology, I

NOTE Confidence: 0.9950002

 $00:00:52.295 \longrightarrow 00:00:53.275$ was really fascinated

NOTE Confidence: 0.99096656

 $00{:}00{:}53.800 \dashrightarrow 00{:}00{:}54.920$ by a field that was

NOTE Confidence: 0.99096656

 $00{:}00{:}54{.}920 \dashrightarrow 00{:}00{:}56{.}760$ focused on treating patients with

NOTE Confidence: 0.99096656

- $00:00:56.760 \longrightarrow 00:00:57.260$ cancer,
- NOTE Confidence: 0.9963014
- $00{:}00{:}57.640 \dashrightarrow 00{:}00{:}59.080$ but also tasked with the role of
- NOTE Confidence: 0.9426404
- 00:01:00.680 --> 00:01:02.280 preserving or, whenever we can,
- NOTE Confidence: 0.9426404
- 00:01:02.280 --> 00:01:03.480 enhancing quality of life.
- NOTE Confidence: 0.9426404
- $00{:}01{:}03.480 \dashrightarrow 00{:}01{:}05.740$ And so that challenge of
- NOTE Confidence: 0.99916965
- $00{:}01{:}06{.}200 \dashrightarrow 00{:}01{:}07{.}500$ dealing with cancer
- NOTE Confidence: 0.9879018
- $00{:}01{:}08{.}505 \dashrightarrow 00{:}01{:}10{.}445$ and controlling it while also
- NOTE Confidence: 0.9879018
- $00:01:10.585 \longrightarrow 00:01:12.185$ helping to walk that razor's
- NOTE Confidence: 0.9879018
- 00:01:12.185 --> 00:01:13.725 edge of quality of life
- NOTE Confidence: 0.9879018
- 00:01:13.785 --> 00:01:14.825 is what got me interested
- NOTE Confidence: 0.9879018
- $00:01:14.825 \longrightarrow 00:01:16.505$ in prostate cancer. It's also
- NOTE Confidence: 0.9879018
- $00{:}01{:}16.745 \dashrightarrow 00{:}01{:}18.585$ an area where there's really
- NOTE Confidence: 0.9879018
- $00:01:18.585 \rightarrow 00:01:19.085$ intense
- NOTE Confidence: 0.9908572
- $00:01:19.465 \longrightarrow 00:01:21.410$ decision making.
- NOTE Confidence: 0.9908572
- $00{:}01{:}21{.}450 \dashrightarrow 00{:}01{:}22{.}810$ These are tough decisions to
- NOTE Confidence: 0.9908572
- $00:01:22.810 \longrightarrow 00:01:23.690$ make, and so I

- NOTE Confidence: 0.9908572
- $00{:}01{:}23.690 \dashrightarrow 00{:}01{:}25.550$ revel in that opportunity
- NOTE Confidence: 0.9908572
- $00:01:25.610 \longrightarrow 00:01:27.130$ to help connect with patients
- NOTE Confidence: 0.9908572
- $00:01:27.130 \longrightarrow 00:01:28.490$ and help them navigate that
- NOTE Confidence: 0.9908572
- $00:01:28.490 \longrightarrow 00:01:28.990$ experience.
- 00:01:31.290 --> 00:01:33.050 Before we drill down into
- NOTE Confidence: 0.99867886
- 00:01:33.050 --> 00:01:34.569 prostate cancer, maybe you could
- NOTE Confidence: 0.99867886
- $00:01:34.569 \longrightarrow 00:01:35.530$ just tell us a little
- NOTE Confidence: 0.99867886
- $00{:}01{:}35{.}530 \dashrightarrow 00{:}01{:}36{.}830$ bit about the
- NOTE Confidence: 0.99940765
- 00:01:37.185 --> 00:01:38.965 various cancers that comprise
- NOTE Confidence: 0.98180234
- 00:01:39.345 --> 00:01:40.565 urologic cancers.
- NOTE Confidence: 0.967294
- 00:01:41.025 --> 00:01:41.685 A urologist,
- NOTE Confidence: 0.98882204
- $00:01:43.104 \longrightarrow 00:01:44.625$ who is the surgeon for
- NOTE Confidence: 0.98882204
- $00:01:44.625 \longrightarrow 00:01:46.385$ the people who
- NOTE Confidence: 0.98882204
- $00:01:46.385 \rightarrow 00:01:47.285$ have these cancers,
- NOTE Confidence: 0.99109
- 00:01:48.785 --> 00:01:49.744 takes care of a number
- NOTE Confidence: 0.99109
- $00{:}01{:}49{.}744 \dashrightarrow 00{:}01{:}51{.}150$ of different kinds of cancer.

- NOTE Confidence: 0.97773975
- 00:01:52.430 --> 00:01:53.970 Urologists
- NOTE Confidence: 0.98944855
- $00:01:54.270 \longrightarrow 00:01:56.350$ are doctors who take care
- NOTE Confidence: 0.98944855
- $00:01:56.350 \longrightarrow 00:01:57.250$ of the genitourinary
- NOTE Confidence: 0.9714959
- $00{:}01{:}57{.}790 \dashrightarrow 00{:}01{:}59{.}310$ tract. So in general, if
- NOTE Confidence: 0.9714959
- $00:01:59.310 \dashrightarrow 00:02:00.910$ something makes urine or is close
- NOTE Confidence: 0.9714959
- $00:02:00.910 \longrightarrow 00:02:02.110$ to it, it really falls
- NOTE Confidence: 0.9714959
- $00{:}02{:}02{.}110 \dashrightarrow 00{:}02{:}04{.}190$ into our umbrella. So
- NOTE Confidence: 0.9714959
- $00:02:04.190 \longrightarrow 00:02:05.390$ we're the plumbers. That's
- NOTE Confidence: 0.9714959
- 00:02:05.390 --> 00:02:06.270 kind
a the way I think
- NOTE Confidence: 0.9714959
- $00:02:06.270 \longrightarrow 00:02:07.854$ about it. And so that
- NOTE Confidence: 0.9714959
- $00:02:07.854 \longrightarrow 00:02:08.355$ encompasses
- NOTE Confidence: 0.99036825
- $00{:}02{:}09{.}055 \dashrightarrow 00{:}02{:}11{.}135$ the kidneys, the ureter, which
- NOTE Confidence: 0.99036825
- $00{:}02{:}11.135 \dashrightarrow 00{:}02{:}12.415$ is the tube that drains
- NOTE Confidence: 0.99036825
- $00{:}02{:}12.415 \dashrightarrow 00{:}02{:}14.035$ the kidney, the bladder,
- NOTE Confidence: 0.98884916
- $00:02:14.975 \longrightarrow 00:02:16.735$ the prostate in men, the
- NOTE Confidence: 0.98884916

- $00:02:16.735 \longrightarrow 00:02:18.435$ penis and testicles in men.
- NOTE Confidence: 0.9569929
- $00{:}02{:}19{.}135 \dashrightarrow 00{:}02{:}20{.}669$ Urology is a small field,
- NOTE Confidence: 0.9569929
- $00:02:20.669 \longrightarrow 00:02:21.710$ but it's a really
- NOTE Confidence: 0.9569929
- $00{:}02{:}21.710 \dashrightarrow 00{:}02{:}23.330$ diverse field. And so
- NOTE Confidence: 0.83296055
- 00:02:23.630 --> 00:02:24.130 urologists also
- NOTE Confidence: 0.99845976
- $00:02:25.630 \longrightarrow 00:02:27.230$ deal with issues of urinary
- NOTE Confidence: 0.99845976
- 00:02:27.230 --> 00:02:27.730 incontinence,
- NOTE Confidence: 0.89503604
- 00:02:29.630 --> 00:02:31.810 female pelvic medicine, and urogynecology
- NOTE Confidence: 0.9566612
- $00{:}02{:}32{.}270 \dashrightarrow 00{:}02{:}33{.}230$ as well. There are also
- NOTE Confidence: 0.9566612
- $00:02:33.230 \longrightarrow 00:02:35.095$ pediatric urologists. So in the
- NOTE Confidence: 0.9566612
- $00:02:35.095 \rightarrow 00:02:36.855$ cancer world, we focus on
- NOTE Confidence: 0.9566612
- 00:02:36.855 --> 00:02:37.754 kidney cancer,
- NOTE Confidence: 0.8501594
- $00:02:38.375 \longrightarrow 00:02:39.514$ bladder and urothelial
- NOTE Confidence: 0.98130643
- 00:02:39.815 --> 00:02:42.455 cancer, prostate cancer, test
is cancer,
- NOTE Confidence: 0.98130643
- $00:02:42.455 \longrightarrow 00:02:43.355$ penile cancer.
- NOTE Confidence: 0.98326814
- $00:02:44.055 \longrightarrow 00:02:45.675$ And, of course, the most

- NOTE Confidence: 0.98326814
- $00{:}02{:}45.815 \dashrightarrow 00{:}02{:}47.415$ common of those, not that

NOTE Confidence: 0.98326814

 $00:02:47.415 \longrightarrow 00:02:48.715$ the others are

NOTE Confidence: 0.9644602

 $00:02:49.319 \longrightarrow 00:02:50.760$ so very rare or some

NOTE Confidence: 0.9644602

 $00{:}02{:}50.760 \dashrightarrow 00{:}02{:}51.639$ of the others are so

NOTE Confidence: 0.9644602

 $00:02:51.639 \longrightarrow 00:02:52.840$ very rare, but the most

NOTE Confidence: 0.9644602

 $00:02:52.840 \rightarrow 00:02:54.860$ common is indeed prostate cancer.

 $00{:}02{:}56{.}760 \dashrightarrow 00{:}02{:}58{.}120$ And how big a

NOTE Confidence: 0.9474243

 $00:02:58.120 \longrightarrow 00:02:59.660$ problem is prostate cancer?

NOTE Confidence: 0.99698144

 $00{:}03{:}00{.}120 \dashrightarrow 00{:}03{:}01{.}495$ We'll just talk about the

NOTE Confidence: 0.99698144

 $00{:}03{:}01{.}495 \dashrightarrow 00{:}03{:}03{.}275$ United States to begin with.

NOTE Confidence: 0.99825615

 $00:03:03.974 \rightarrow 00:03:05.915$ So prostate cancer is consistently

NOTE Confidence: 0.99825615

00:03:06.135 --> 00:03:07.754 the most commonly diagnosed

NOTE Confidence: 0.9963395

 $00:03:08.055 \rightarrow 00:03:10.135$ solid cancer in men, with

NOTE Confidence: 0.9963395

 $00:03:10.135 \rightarrow 00:03:11.735$ an estimated three hundred thousand

NOTE Confidence: 0.9963395

00:03:11.735 --> 00:03:12.794 cases diagnosed

NOTE Confidence: 0.9977092

 $00:03:13.415 \rightarrow 00:03:14.100$ this year.

- NOTE Confidence: 0.96426433
- $00:03:14.900 \longrightarrow 00:03:16.180$ And so it really is
- NOTE Confidence: 0.96426433
- $00{:}03{:}16.180 \dashrightarrow 00{:}03{:}17.460$ very, very common and is
- NOTE Confidence: 0.96426433
- $00:03:17.460 \longrightarrow 00:03:18.900$ probably more common than we
- NOTE Confidence: 0.96426433
- $00:03:18.900 \longrightarrow 00:03:20.200$ even diagnose it.
- NOTE Confidence: 0.9487281
- 00:03:20.660 --> 00:03:21.940 And so it is
- NOTE Confidence: 0.9487281
- $00:03:21.940 \longrightarrow 00:03:23.540$ the number one, but the
- NOTE Confidence: 0.9487281
- $00:03:23.540 \longrightarrow 00:03:24.980$ real question is what type
- NOTE Confidence: 0.9487281
- $00{:}03{:}24{.}980 \dashrightarrow 00{:}03{:}26{.}580$ of cancer is it and
- NOTE Confidence: 0.9487281
- $00:03:26.580 \longrightarrow 00:03:27.540$ is it something
- NOTE Confidence: 0.9487281
- $00:03:27.540 \longrightarrow 00:03:28.340$ we need to treat in
- NOTE Confidence: 0.9487281
- $00:03:28.340 \longrightarrow 00:03:29.540$ all people? But it is
- NOTE Confidence: 0.9487281
- 00:03:29.540 --> 00:03:31.155 a major public
- NOTE Confidence: 0.9487281
- 00:03:31.155 --> 00:03:32.595 health challenge in the United
- NOTE Confidence: 0.9487281
- 00:03:32.595 --> 00:03:33.095 States,
- NOTE Confidence: 0.99146706
- $00{:}03{:}33{.}635 \dashrightarrow 00{:}03{:}34{.}755$ and doesn't appear to be
- NOTE Confidence: 0.99146706

 $00:03:34.755 \rightarrow 00:03:36.755$ going anywhere with some modeling

NOTE Confidence: 0.99146706

 $00{:}03{:}36.755 \dashrightarrow 00{:}03{:}38.195$ studies suggesting that we were

NOTE Confidence: 0.99146706

 $00{:}03{:}38{.}195 \dashrightarrow 00{:}03{:}40{.}355$ gonna probably see more cases

NOTE Confidence: 0.99146706

 $00:03:40.355 \longrightarrow 00:03:41.095$ with time.

NOTE Confidence: 0.95724016

 $00:03:41.475 \longrightarrow 00:03:42.675$ And it is

NOTE Confidence: 0.95724016

 $00{:}03{:}42.675 \dashrightarrow 00{:}03{:}44.035$ a disease that becomes more

NOTE Confidence: 0.95724016

00:03:44.035 --> 00:03:45.315 and more common as a

NOTE Confidence: 0.95724016

 $00:03:45.315 \longrightarrow 00:03:45.900$ man gets

NOTE Confidence: 0.9881344

 $00:03:46.459 \longrightarrow 00:03:47.680$ older?

NOTE Confidence: 0.9291604

 $00:03:48.220 \rightarrow 00:03:49.579$ Yes, and my understanding is that

NOTE Confidence: 0.9291604

 $00:03:49.579 \longrightarrow 00:03:51.280$ in autopsy studies

NOTE Confidence: 0.9783619

 $00{:}03{:}51{.}980 \dashrightarrow 00{:}03{:}53{.}579$ of older men that a

NOTE Confidence: 0.9783619

00:03:53.579 - 00:03:55.099 very, very high proportion

NOTE Confidence: 0.9783619

 $00{:}03{:}55{.}099 \dashrightarrow 00{:}03{:}57{.}500$ of individuals have at least

NOTE Confidence: 0.9783619

00:03:57.500 --> 00:03:59.055 some prostate cancer.

 $00:04:02.254 \longrightarrow 00:04:03.215$ I mentioned this to a

NOTE Confidence: 0.98025924

 $00:04:03.215 \longrightarrow 00:04:04.174$ lot of my patients when

NOTE Confidence: 0.98025924

 $00{:}04{:}04{.}174 \dashrightarrow 00{:}04{:}05{.}954$ we have these discussions

NOTE Confidence: 0.96728426

 $00:04:06.734 \longrightarrow 00:04:07.855$ just how common it is

NOTE Confidence: 0.96728426

 $00{:}04{:}07{.}855 \dashrightarrow 00{:}04{:}08{.}814$ in people if you go

NOTE Confidence: 0.96728426

 $00:04:08.814 \longrightarrow 00:04:09.935$ looking for it.

NOTE Confidence: 0.96728426

 $00:04:09.935 \longrightarrow 00:04:11.055$ When they've done studies

NOTE Confidence: 0.96728426

00:04:11.055 --> 00:04:12.174 of people who pass away

NOTE Confidence: 0.96728426

 $00:04:12.174 \longrightarrow 00:04:13.215$ for another reason and they

NOTE Confidence: 0.96728426

 $00{:}04{:}13.215 \dashrightarrow 00{:}04{:}14.194$ look in their prostates,

NOTE Confidence: 0.9867333

 $00:04:15.209 \longrightarrow 00:04:16.330$ up to fifty percent of men

NOTE Confidence: 0.9867333

 $00:04:16.330 \longrightarrow 00:04:17.610$ in their eighties will have

NOTE Confidence: 0.9867333

 $00:04:17.610 \longrightarrow 00:04:19.529$ some evidence of cells that

NOTE Confidence: 0.9867333

 $00:04:19.529 \longrightarrow 00:04:20.889$ look like prostate cancer. And

NOTE Confidence: 0.9867333

 $00:04:20.889 \longrightarrow 00:04:21.770$ these are folks who passed

NOTE Confidence: 0.9867333

 $00:04:21.770 \longrightarrow 00:04:23.529$ away from another reason. So

NOTE Confidence: 0.9867333

 $00:04:23.529 \rightarrow 00:04:24.810$ it tells us it's extremely

- NOTE Confidence: 0.9867333
- $00:04:24.810 \longrightarrow 00:04:25.850$ common if we go looking
- NOTE Confidence: 0.9867333
- $00{:}04{:}25.850 \dashrightarrow 00{:}04{:}26.510$ for it.
- 00:04:28.065 --> 00:04:29.685 I guess the other relevant
- NOTE Confidence: 0.9494162
- $00:04:29.745 \longrightarrow 00:04:31.345$ statistic would be how many
- NOTE Confidence: 0.9494162
- $00:04:31.345 \rightarrow 00:04:33.025$ people die from prostate cancer
- NOTE Confidence: 0.9494162
- $00:04:33.025 \rightarrow 00:04:33.764$ every year?
- NOTE Confidence: 0.9932158
- 00:04:34.224 --> 00:04:35.664 Right, it's
- NOTE Confidence: 0.9932158
- $00:04:35.664 \rightarrow 00:04:37.505$ about thirty to thirty five
- NOTE Confidence: 0.9932158
- 00:04:37.505 --> 00:04:38.944 thousand people who die from
- NOTE Confidence: 0.9932158
- $00{:}04{:}38{.}944 \dashrightarrow 00{:}04{:}40{.}464$ prostate cancer. So even though
- NOTE Confidence: 0.9932158
- $00:04:40.464 \longrightarrow 00:04:41.365$ it's very common,
- NOTE Confidence: 0.9885281
- $00:04:41.720 \longrightarrow 00:04:42.920$ that's still a very large
- NOTE Confidence: 0.9885281
- 00:04:42.920 --> 00:04:44.460 number. It's the second leading
- NOTE Confidence: 0.9885281
- $00{:}04{:}44{.}520 \dashrightarrow 00{:}04{:}45{.}720$ cause of cancer death in
- NOTE Confidence: 0.9885281
- $00{:}04{:}45{.}720 \dashrightarrow 00{:}04{:}47{.}100$ men after lung cancer.
- NOTE Confidence: 0.8759623
- 00:04:47.480 --> 00:04:48.300 But, nonetheless,

- NOTE Confidence: 0.95062315
- $00:04:50.520 \rightarrow 00:04:52.760$ relatively small proportion of men
- NOTE Confidence: 0.95062315
- 00:04:52.760 --> 00:04:54.780 who are diagnosed with prostate
- NOTE Confidence: 0.95062315
- $00:04:54.840 \rightarrow 00:04:56.680$ cancer ultimately lose their lives
- NOTE Confidence: 0.95062315
- $00:04:56.680 \longrightarrow 00:04:58.815$ to it. So certainly well
- NOTE Confidence: 0.95062315
- $00{:}04{:}58{.}815 \dashrightarrow 00{:}04{:}59{.}634$ under half.
- $00{:}05{:}01.615 \dashrightarrow 00{:}05{:}02.914$ Most men have an excellent
- NOTE Confidence: 0.99416375
- $00:05:03.055 \rightarrow 00:05:04.895$ outcome if they're diagnosed with
- NOTE Confidence: 0.99416375
- $00:05:04.895 \longrightarrow 00:05:06.335$ prostate cancer and do very
- NOTE Confidence: 0.99416375
- $00{:}05{:}06{.}335 \dashrightarrow 00{:}05{:}07{.}235$ well with treatment.
- NOTE Confidence: 0.9664572
- 00:05:08.335 00:05:10.014 Alright, maybe you could
- NOTE Confidence: 0.9664572
- 00:05:10.014 --> 00:05:10.895 tell us a little bit
- NOTE Confidence: 0.9664572
- $00:05:10.895 \longrightarrow 00:05:12.275$ about some of the advances
- NOTE Confidence: 0.9664572
- $00:05:12.490 \longrightarrow 00:05:13.849$ in prostate cancer over the
- NOTE Confidence: 0.9664572
- $00:05:13.849 \rightarrow 00:05:14.830$ years
- NOTE Confidence: 0.96744853
- $00:05:15.610 \rightarrow 00:05:17.449$ we'll get to screening. We'll
- NOTE Confidence: 0.96744853
- $00:05:17.449 \longrightarrow 00:05:18.810$ get to some

- NOTE Confidence: 0.96744853
- $00:05:18.810 \longrightarrow 00:05:20.110$ of the decisions around
- NOTE Confidence: 0.88032436
- $00:05:20.569 \rightarrow 00:05:21.469$ early diagnosis,
- NOTE Confidence: 0.8953424
- $00:05:21.770 \longrightarrow 00:05:23.849$ but maybe first just some
- NOTE Confidence: 0.8953424
- $00{:}05{:}23.849 \dashrightarrow 00{:}05{:}24.909$ of the
- NOTE Confidence: 0.98302585
- $00{:}05{:}25{.}415 \dashrightarrow 00{:}05{:}27{.}275$ headlines in terms of advances.
- NOTE Confidence: 0.9820653
- $00{:}05{:}28.375 \dashrightarrow 00{:}05{:}29.495$ A lot has changed.
- NOTE Confidence: 0.9820653
- $00{:}05{:}29{.}495 \dashrightarrow 00{:}05{:}30{.}455$ I was on this show
- NOTE Confidence: 0.9820653
- $00{:}05{:}30{.}455 \dashrightarrow 00{:}05{:}31{.}575$ maybe five or six years
- NOTE Confidence: 0.9820653
- $00{:}05{:}31{.}575 \dashrightarrow 00{:}05{:}33{.}175$ ago, and I remember being
- NOTE Confidence: 0.9820653
- $00:05:33.175 \longrightarrow 00:05:34.214$ asked that question. And when
- NOTE Confidence: 0.9820653
- 00:05:34.214 --> 00:05:35.175 I come back today, a
- NOTE Confidence: 0.9820653
- $00{:}05{:}35{.}175 \dashrightarrow 00{:}05{:}36{.}135$ lot has changed in five
- NOTE Confidence: 0.9820653
- $00:05:36.135 \rightarrow 00:05:37.015$ or six years. And so
- NOTE Confidence: 0.9820653
- 00:05:37.015 --> 00:05:37.595 I think
- NOTE Confidence: 0.98023695
- $00:05:37.900 \longrightarrow 00:05:38.860$ both in terms of how
- NOTE Confidence: 0.98023695

 $00:05:38.860 \longrightarrow 00:05:40.380$ we treat localized disease. So

NOTE Confidence: 0.98023695

00:05:40.380 --> 00:05:41.819 when patients come and they

NOTE Confidence: 0.98023695

 $00:05:41.819 \longrightarrow 00:05:42.779$ have cancer that we think

NOTE Confidence: 0.98023695

 $00:05:42.779 \longrightarrow 00:05:43.900$ is only located in their

NOTE Confidence: 0.98023695

 $00:05:43.900 \longrightarrow 00:05:44.400$ prostate,

NOTE Confidence: 0.97815967

 $00:05:45.580 \rightarrow 00:05:46.940$ we are changing our approach.

NOTE Confidence: 0.97815967

 $00:05:46.940 \longrightarrow 00:05:48.560$ The backbones are still

NOTE Confidence: 0.97815967

 $00:05:48.779 \rightarrow 00:05:50.160$ radiation and surgery,

NOTE Confidence: 0.98126954

00:05:50.685 --> 00:05:52.125 but we have a

NOTE Confidence: 0.98126954

 $00:05:52.125 \rightarrow 00:05:54.205$ whole flourishing field called focal

NOTE Confidence: 0.98126954

 $00:05:54.205 \rightarrow 00:05:55.345$ therapy or ablation,

NOTE Confidence: 0.978673

00:05:55.805 - 00:05:57.725 where we use energy, different

NOTE Confidence: 0.978673

00:05:57.725 --> 00:05:59.345 forms of energy, to destroy

NOTE Confidence: 0.99470127

 $00:05:59.725 \longrightarrow 00:06:00.925$ parts of the tissue or

NOTE Confidence: 0.99470127

00:06:00.925 --> 00:06:01.985 the entire prostate,

NOTE Confidence: 0.9982757

 $00:06:02.925 \rightarrow 00:06:04.685$ without removing it or radiating it.

- NOTE Confidence: 0.9759196
- $00{:}06{:}05{.}720 \dashrightarrow 00{:}06{:}06{.}920$ We have a large program

NOTE Confidence: 0.9759196

 $00:06:06.920 \longrightarrow 00:06:08.600$ of ablation at Yale where

NOTE Confidence: 0.9759196

 $00:06:08.600 \rightarrow 00:06:10.440$ we offer these treatments, various

NOTE Confidence: 0.9759196

 $00:06:10.440 \longrightarrow 00:06:11.339$ forms of treatment,

NOTE Confidence: 0.9629832

 $00:06:12.440 \longrightarrow 00:06:14.680$ that aim to improve quality

NOTE Confidence: 0.9629832

 $00:06:14.680 \longrightarrow 00:06:15.960$ of life or preserve quality

NOTE Confidence: 0.9629832

00:06:15.960 --> 00:06:17.500 of life while also controlling

NOTE Confidence: 0.9629832

 $00{:}06{:}17.560 \dashrightarrow 00{:}06{:}18.220$ the cancer.

NOTE Confidence: 0.9688997

 $00{:}06{:}19.365 \dashrightarrow 00{:}06{:}21.205$ We've also made improvements in

NOTE Confidence: 0.9688997

 $00:06:21.205 \longrightarrow 00:06:21.705$ how

NOTE Confidence: 0.9553737

 $00:06:22.085 \rightarrow 00:06:23.925$ surgical prostatectomy is done with

NOTE Confidence: 0.9553737

 $00{:}06{:}23{.}925 \dashrightarrow 00{:}06{:}25{.}845$ robotics. The robotics platforms are

NOTE Confidence: 0.9553737

00:06:25.845 --> 00:06:28.185 continuously getting better,

NOTE Confidence: 0.9942673

 $00{:}06{:}28.884 \dashrightarrow 00{:}06{:}30.425$ with single port prostatectomy and

 $00{:}06{:}32.550 \dashrightarrow 00{:}06{:}33.910$ ways of approaching and removing

NOTE Confidence: 0.9942189

 $00:06:33.910 \longrightarrow 00:06:35.430$ the prostate that are less

- NOTE Confidence: 0.9942189
- $00:06:35.430 \longrightarrow 00:06:35.930$ invasive.
- NOTE Confidence: 0.98880565
- $00{:}06{:}36{.}470 \dashrightarrow 00{:}06{:}38{.}410$ So single port prostate ctomy
- NOTE Confidence: 0.9922322
- $00:06:38.790 \rightarrow 00:06:41.050$ means you're essentially inserting
- NOTE Confidence: 0.99491304
- $00:06:42.390 \longrightarrow 00:06:43.990$ some sort of device into
- NOTE Confidence: 0.99491304
- $00:06:43.990 \longrightarrow 00:06:44.730$ one area?
- NOTE Confidence: 0.9892356
- 00:06:45.095 --> 00:06:46.295 Yeah. Well, it's a robotic
- NOTE Confidence: 0.9892356
- 00:06:46.295 --> 00:06:47.755 device. So robotic prostatectomy
- NOTE Confidence: 0.99595773
- 00:06:48.055 00:06:48.715 has been,
- NOTE Confidence: 0.93069094
- 00:06:49.335 --> 00:06:51.015 you know, a big
- NOTE Confidence: 0.93069094
- $00:06:51.015 \longrightarrow 00:06:51.975$ change in the field
- NOTE Confidence: 0.93069094
- $00:06:51.975 \longrightarrow 00:06:52.935$ over the past ten or
- NOTE Confidence: 0.93069094
- $00{:}06{:}52{.}935 \dashrightarrow 00{:}06{:}54{.}395$ fifteen years. But the typical
- NOTE Confidence: 0.93069094
- $00:06:54.455 \rightarrow 00:06:56.775$ robotic platform involved putting five
- NOTE Confidence: 0.93069094
- 00:06:56.775 --> 00:06:58.315 cameras in a laparoscopic
- NOTE Confidence: 0.8678456
- $00{:}06{:}58.615 \dashrightarrow 00{:}07{:}00.820$ configurations. Five little key holes in
- NOTE Confidence: 0.8678456

- $00:07:00.820 \longrightarrow 00:07:01.480$ the belly.
- NOTE Confidence: 0.96052504
- $00{:}07{:}02.260 \dashrightarrow 00{:}07{:}03.540$ There is a surgical device
- NOTE Confidence: 0.96052504
- $00:07:03.540 \longrightarrow 00:07:05.300$ that actually uses one
- NOTE Confidence: 0.96052504
- $00{:}07{:}05{.}300 \dashrightarrow 00{:}07{:}06{.}660$ incision and then all the
- NOTE Confidence: 0.96052504
- $00{:}07{:}06.660 \dashrightarrow 00{:}07{:}08.520$ instruments fan out from one
- NOTE Confidence: 0.96052504
- $00{:}07{:}08.580 \dashrightarrow 00{:}07{:}10.020$ incision.
- NOTE Confidence: 0.96052504
- 00:07:10.020 --> 00:07:10.900 And how big is that
- NOTE Confidence: 0.96052504
- 00:07:10.900 --> 00:07:11.400 incision?
- NOTE Confidence: 0.9686394
- 00:07:11.700 --> 00:07:12.980 The incision is about five
- NOTE Confidence: 0.9686394
- 00:07:12.980 --> 00:07:14.180 centimeters. So it's a little
- NOTE Confidence: 0.9686394
- $00:07:14.180 \longrightarrow 00:07:15.160$ bigger than
- NOTE Confidence: 0.9479268
- $00{:}07{:}15{.}574 \dashrightarrow 00{:}07{:}16{.}535$ one of
- NOTE Confidence: 0.9479268
- 00:07:16.535 --> 00:07:17.735 the small incisions but it
- NOTE Confidence: 0.9479268
- $00:07:17.735 \longrightarrow 00:07:19.514$ isn't in one area.
- NOTE Confidence: 0.93710756
- $00{:}07{:}20{.}294 \dashrightarrow 00{:}07{:}21{.}574$ So it allows us
- NOTE Confidence: 0.93710756
- $00:07:21.574 \rightarrow 00:07:22.775$ in general to get into

- NOTE Confidence: 0.93710756
- $00:07:22.775 \longrightarrow 00:07:23.675$ smaller spaces,
- NOTE Confidence: 0.9563503
- $00{:}07{:}24.615 \dashrightarrow 00{:}07{:}25.655$ and so it's used in
- NOTE Confidence: 0.9563503
- 00:07:25.655 --> 00:07:26.775 the prostate but it's used
- NOTE Confidence: 0.9563503
- $00:07:26.775 \rightarrow 00:07:28.080$ also in other applications as well
- NOTE Confidence: 0.9563503
- $00:07:28.080 \longrightarrow 00:07:30.020$ And then you somehow
- NOTE Confidence: 0.9563503
- 00:07:30.320 --> 00:07:30.820 control
- NOTE Confidence: 0.99551964
- $00:07:31.280 \longrightarrow 00:07:33.140$ what's going on through
- NOTE Confidence: 0.9279053
- $00:07:34.720 \longrightarrow 00:07:36.400$ the robot?
- NOTE Confidence: 0.9279053
- $00:07:36.400 \longrightarrow 00:07:37.520$ Exactly, the robot,
- NOTE Confidence: 0.9279053
- $00:07:37.520 \longrightarrow 00:07:38.800$ that's in general in robotic surgery.
- NOTE Confidence: 0.9279053
- $00{:}07{:}38{.}800 \dashrightarrow 00{:}07{:}40{.}335$ Now
- NOTE Confidence: 0.9279053
- $00{:}07{:}40.335 \dashrightarrow 00{:}07{:}41.294$ we are hearing a lot
- NOTE Confidence: 0.9279053
- $00:07:41.294 \rightarrow 00:07:42.815$ about robots and AI and,
- NOTE Confidence: 0.9279053
- 00:07:42.974 --> 00:07:45.134 you know, autonomous devices, autonomous
- NOTE Confidence: 0.9279053
- $00{:}07{:}45{.}134 \dashrightarrow 00{:}07{:}45{.}634$ cars.
- NOTE Confidence: 0.9792592

 $00:07:46.095 \rightarrow 00:07:47.215$ That is not happening yet

NOTE Confidence: 0.9792592

00:07:47.215 --> 00:07:47.935 in surgery. I mean, it

NOTE Confidence: 0.9792592

 $00{:}07{:}47.935 \dashrightarrow 00{:}07{:}48.815$ may be coming down the

NOTE Confidence: 0.9792592

00:07:48.815 --> 00:07:49.694 pipe, and I think it's

NOTE Confidence: 0.9792592

 $00{:}07{:}49.694 \dashrightarrow 00{:}07{:}50.815$ very likely that there will

NOTE Confidence: 0.9792592

00:07:50.815 -> 00:07:53.294 be truly autonomous surgery

NOTE Confidence: 0.9792592

 $00{:}07{:}53.294 \dashrightarrow 00{:}07{:}54.035$ or robot

NOTE Confidence: 0.96035326

00:07:54.800 --> 00:07:56.639 assisted surgery. But right now,

NOTE Confidence: 0.96035326

 $00{:}07{:}56.639 \dashrightarrow 00{:}07{:}57.759$ there's nothing like that. So

NOTE Confidence: 0.96035326

 $00{:}07{:}57.759 \dashrightarrow 00{:}07{:}59.120$ when someone has a robotic

NOTE Confidence: 0.96035326

 $00:07:59.120 \longrightarrow 00:08:01.199$ surgery, we are still driving

NOTE Confidence: 0.96035326

 $00:08:01.199 \dashrightarrow 00:08:02.800$ the instruments but it allows

NOTE Confidence: 0.96035326

 $00{:}08{:}02{.}800 \dashrightarrow 00{:}08{:}03{.}599$ us to get into a

NOTE Confidence: 0.96035326

 $00:08:03.599 \rightarrow 00:08:04.419$ small space,

NOTE Confidence: 0.99821496

 $00:08:04.800 \dashrightarrow 00:08:06.080$ without making a big opening.

NOTE Confidence: 0.99821496

 $00:08:06.080 \longrightarrow 00:08:06.580$ Fundamentally,

NOTE Confidence: 0.9914564 $00:08:06.880 \longrightarrow 00:08:07.759$ that's what it's doing. It's NOTE Confidence: 0.9914564 $00:08:07.759 \longrightarrow 00:08:08.720$ allowing us to get into NOTE Confidence: 0.9914564 $00:08:08.720 \longrightarrow 00:08:10.075$ a small space and also NOTE Confidence: 0.9914564 $00:08:10.075 \longrightarrow 00:08:11.195$ moving in ways that the NOTE Confidence: 0.9914564 $00{:}08{:}11.195 \dashrightarrow 00{:}08{:}12.895$ human hands can't really rotate NOTE Confidence: 0.9914564 $00:08:12.955 \rightarrow 00:08:14.335$ three hundred sixty degrees, NOTE Confidence: 0.9947313 $00:08:15.275 \rightarrow 00:08:16.415$ and get in tight spaces. NOTE Confidence: 0.9550634 00:08:16.955 --> 00:08:18.395 So it gives you NOTE Confidence: 0.9550634 $00:08:18.395 \rightarrow 00:08:19.215$ more dexterity? NOTE Confidence: 0.9556037 00:08:19.595 --> 00:08:21.435 That's right. But 00:08:22.875 --> 00:08:23.915 if I were coming to NOTE Confidence: 0.9990514 $00:08:23.915 \longrightarrow 00:08:25.510$ you with prostate cancer, I NOTE Confidence: 0.9990514 00:08:25.510 --> 00:08:27.050 don't have to worry that NOTE Confidence: 0.95293367 $00:08:27.510 \longrightarrow 00:08:29.210$ the OR is gonna be NOTE Confidence: 0.95293367 $00:08:29.270 \rightarrow 00:08:30.630$ empty and there's just gonna NOTE Confidence: 0.95293367

 $00:08:30.630 \longrightarrow 00:08:32.870$ be a robotic device and

- NOTE Confidence: 0.95293367
- 00:08:32.870 > 00:08:34.390 some computer telling it what
- NOTE Confidence: 0.95293367
- 00:08:34.390 --> 00:08:36.230 to do? NOTE Confidence: 0.95293367
- 00:08:36.230 --> 00:08:37.670 No, we're still doing this, but
- NOTE Confidence: 0.95293367
- $00:08:39.030 \longrightarrow 00:08:40.654$ that may change.
- NOTE Confidence: 0.95293367
- 00:08:40.654 --> 00:08:41.455 I mean, at some point,
- NOTE Confidence: 0.95293367
- $00:08:41.455 \longrightarrow 00:08:42.255$ you know, if you look there are
- $00{:}08{:}44.775 \dashrightarrow 00{:}08{:}46.095$ AI platforms that
- NOTE Confidence: 0.975288
- 00:08:46.095 --> 00:08:47.295 can drive a car
- NOTE Confidence: 0.975288
- $00:08:47.295 \longrightarrow 00:08:48.255$ from your house to the
- NOTE Confidence: 0.975288
- $00:08:48.255 \longrightarrow 00:08:48.755$ hospital.
- NOTE Confidence: 0.98705786
- $00:08:49.135 \longrightarrow 00:08:50.415$ There's a lot of complex
- NOTE Confidence: 0.98705786
- $00{:}08{:}50.415 \dashrightarrow 00{:}08{:}51.855$ information that those systems are
- NOTE Confidence: 0.98705786
- $00:08:51.855 \rightarrow 00:08:53.295$ navigating, but there's nothing like
- NOTE Confidence: 0.98705786
- $00:08:53.295 \longrightarrow 00:08:54.495$ that going on right now.
- NOTE Confidence: 0.98705786
- 00:08:54.495 --> 00:08:56.059 It's all done by a
- NOTE Confidence: 0.9349524
- 00:08:56.500 --> 00:08:57.620 very large human
- NOTE Confidence: 0.9349524

- 00:08:57.620 --> 00:08:59.080 team still. Y
- NOTE Confidence: 0.9569287
- 00:08:59.780 --> 00:09:00.179 And,
- NOTE Confidence: 0.96508557
- 00:09:00.900 --> 00:09:02.260 oftentimes, men are making a
- NOTE Confidence: 0.96508557
- $00:09:02.260 \rightarrow 00:09:04.040$ choice between surgery and radiation.
- NOTE Confidence: 0.96508557
- $00{:}09{:}04.260 \dashrightarrow 00{:}09{:}05.460$ What does that choice
- NOTE Confidence: 0.96508557
- $00:09:05.460 \longrightarrow 00:09:06.900$ look like?
- NOTE Confidence: 0.96508557
- $00{:}09{:}06{.}900 \dashrightarrow 00{:}09{:}08{.}280$ We're fortunate to have
- NOTE Confidence: 0.9716043
- $00:09:08.785 \longrightarrow 00:09:10.945$ multiple very effective treatments for
- NOTE Confidence: 0.9716043
- 00:09:10.945 --> 00:09:12.705 prostate cancer. And so surgical
- NOTE Confidence: 0.9716043
- 00:09:12.705 --> 00:09:14.145 removal of the prostate
- NOTE Confidence: 0.9716043
- $00:09:14.145 \longrightarrow 00:09:15.425$ is one, but one that
- NOTE Confidence: 0.9716043
- $00:09:15.425 \longrightarrow 00:09:17.345$ is also very effective is
- NOTE Confidence: 0.9716043
- $00:09:17.345 \longrightarrow 00:09:18.645$ radiation to the prostate.
- 00:09:20.705 -> 00:09:22.304 And radiation can be given by
- NOTE Confidence: 0.97641474
- $00{:}09{:}22.304 \dashrightarrow 00{:}09{:}23.745$ itself or sometimes with a
- NOTE Confidence: 0.97641474
- 00:09:23.745 --> 00:09:25.339 course of hormone medication
- NOTE Confidence: 0.9974426

 $00:09:25.720 \rightarrow 00:09:27.579$ to decrease testosterone levels.

NOTE Confidence: 0.988452

 $00{:}09{:}29{.}079 \dashrightarrow 00{:}09{:}30{.}679$ And so the decision about

NOTE Confidence: 0.988452

 $00:09:30.679 \longrightarrow 00:09:31.880$ where to go is often

NOTE Confidence: 0.988452

 $00:09:31.880 \longrightarrow 00:09:33.000$ a complicated one.

NOTE Confidence: 0.98639226

 $00{:}09{:}33{.}720 \dashrightarrow 00{:}09{:}35{.}420$ The surgery is more invasive

NOTE Confidence: 0.98639226

 $00:09:35.480 \longrightarrow 00:09:36.600$ because it is a surgical

NOTE Confidence: 0.98639226

 $00:09:36.600 \dashrightarrow 00:09:38.679$ intervention. The radiation offers

NOTE Confidence: 0.98639226

 $00:09:38.679 \longrightarrow 00:09:40.125$ the advantage that no one

NOTE Confidence: 0.98639226

 $00:09:40.205 \rightarrow 00:09:41.565$ touches you. There's no hospitalization.

NOTE Confidence: 0.96830773

 $00{:}09{:}43.725 \dashrightarrow 00{:}09{:}45.085$ And so the pros

NOTE Confidence: 0.96830773

 $00:09:45.085 \longrightarrow 00:09:46.625$ and cons really relate to

NOTE Confidence: 0.96830773

00:09:46.765 --> 00:09:48.205 undergoing a surgery if people

NOTE Confidence: 0.96830773

 $00{:}09{:}48.205 \dashrightarrow 00{:}09{:}48.945$ want to.

00:09:50.525 --> 00:09:52.285 But both deliver a

NOTE Confidence: 0.9688947

00:09:52.285 -> 00:09:53.405 very good outcome and both

NOTE Confidence: 0.9688947

 $00:09:53.405 \rightarrow 00:09:54.285$ have a good chance

NOTE Confidence: 0.9688947

- $00:09:54.285 \rightarrow 00:09:56.480$ of controlling localized prostate cancer.
- NOTE Confidence: 0.9688947
- $00{:}09{:}56{.}699 \dashrightarrow 00{:}09{:}58{.}300$ And is one at all
- NOTE Confidence: 0.9688947
- $00:09:58.300 \longrightarrow 00:09:59.820$ better than the other?
- NOTE Confidence: 0.9688947
- $00{:}09{:}59{.}820 \dashrightarrow 00{:}10{:}01{.}179$ We don't think so. There's never
- NOTE Confidence: 0.9688947
- $00{:}10{:}01{.}179 \dashrightarrow 00{:}10{:}02{.}059$ been a head to head
- NOTE Confidence: 0.9688947
- $00:10:02.059 \rightarrow 00:10:04.160$ study that has compared radiation
- NOTE Confidence: 0.9688947
- $00:10:04.220 \longrightarrow 00:10:04.959$ to surgery
- NOTE Confidence: 0.983613
- $00:10:05.339 \longrightarrow 00:10:06.300$ for the type of cancers
- NOTE Confidence: 0.983613
- $00{:}10{:}06{.}300 \dashrightarrow 00{:}10{:}07{.}440$ that we treat now adays.
- NOTE Confidence: 0.97945505
- $00{:}10{:}08.620 \dashrightarrow 00{:}10{:}10{.}184$ But from the
- NOTE Confidence: 0.97945505
- $00:10:10.184 \rightarrow 00:10:11.945$ retrospective studies, people who've been
- NOTE Confidence: 0.97945505
- $00:10:11.945 \longrightarrow 00:10:13.304$ treated in the past, they
- NOTE Confidence: 0.97945505
- $00:10:13.304 \longrightarrow 00:10:14.304$ seem to come out more
- NOTE Confidence: 0.97945505
- $00:10:14.304 \longrightarrow 00:10:15.304$ or less the same. There
- NOTE Confidence: 0.97945505
- $00:10:15.304 \longrightarrow 00:10:16.745$ are some relative advantages to
- NOTE Confidence: 0.97945505
- 00:10:16.745 00:10:18.345 one and disadvantages to others.

- NOTE Confidence: 0.97945505
- $00{:}10{:}18{.}345 \dashrightarrow 00{:}10{:}19{.}785$ When we do surgery, we
- NOTE Confidence: 0.97945505
- 00:10:19.785 --> 00:10:21.225 remove the entire prostate and
- NOTE Confidence: 0.97945505
- $00:10:21.225 \longrightarrow 00:10:22.105$ we can get a sense
- NOTE Confidence: 0.97945505
- $00:10:22.105 \longrightarrow 00:10:23.145$ of what is truly in
- NOTE Confidence: 0.97945505
- $00{:}10{:}23.145 \dashrightarrow 00{:}10{:}24.585$ there rather than just getting
- NOTE Confidence: 0.97945505
- $00{:}10{:}24.585 \dashrightarrow 00{:}10{:}26.020$ a biopsy of it. And
- NOTE Confidence: 0.97945505
- $00:10:26.020 \longrightarrow 00:10:27.380$ we can selectively add more
- NOTE Confidence: 0.97945505
- $00:10:27.380 \longrightarrow 00:10:28.500$ treatment in the future if
- NOTE Confidence: 0.97945505
- $00:10:28.500 \longrightarrow 00:10:29.000$ necessary.
- NOTE Confidence: 0.9571408
- $00{:}10{:}30{.}339 \dashrightarrow 00{:}10{:}31{.}940$ Radiation has the advantage of
- NOTE Confidence: 0.9571408
- $00:10:31.940 \longrightarrow 00:10:33.140$ having less of an impact
- NOTE Confidence: 0.9571408
- $00:10:33.140 \longrightarrow 00:10:35.700$ on urinary continents, which may
- NOTE Confidence: 0.9571408
- $00{:}10{:}35{.}700 \dashrightarrow 00{:}10{:}36{.}740$ be a higher risk with
- NOTE Confidence: 0.9571408
- $00:10:36.740 \longrightarrow 00:10:37.240$ surgery.
- NOTE Confidence: 0.97413313
- $00:10:38.015 \longrightarrow 00:10:39.455$ But there are also potential
- NOTE Confidence: 0.97413313

 $00:10:39.455 \longrightarrow 00:10:40.495$ drawbacks with each of

NOTE Confidence: 0.97413313

 $00{:}10{:}40.495 \dots > 00{:}10{:}42.255$ them. So that's why I

NOTE Confidence: 0.97413313

 $00{:}10{:}42.255 \dashrightarrow 00{:}10{:}43.535$ think the main

NOTE Confidence: 0.97413313

 $00:10:43.535 \rightarrow 00:10:45.135$ thing is having that relationship

NOTE Confidence: 0.97413313

 $00:10:45.135 \longrightarrow 00:10:46.495$ with your doctor, being in

NOTE Confidence: 0.97413313

 $00{:}10{:}46.495 \dashrightarrow 00{:}10{:}47.615$ a setting where you can

NOTE Confidence: 0.97413313

 $00:10:47.615 \longrightarrow 00:10:48.654$ help make a decision that

NOTE Confidence: 0.97413313

 $00:10:48.654 \rightarrow 00:10:50.675$ is tailored to your individual

NOTE Confidence: 0.97413313

 $00{:}10{:}50{.}735 \dashrightarrow 00{:}10{:}51{.}235$ interest.

NOTE Confidence: 0.9858472

00:10:51.615 --> 00:10:52.730 A lot of folks have

NOTE Confidence: 0.9858472

 $00:10:52.730 \longrightarrow 00:10:53.610$ a strong sense of where

NOTE Confidence: 0.9858472

 $00{:}10{:}53.610 \dashrightarrow 00{:}10{:}54.490$ they would like to go.

NOTE Confidence: 0.9858472

 $00{:}10{:}54{.}490 \dashrightarrow 00{:}10{:}55{.}690$ And so I think that's

NOTE Confidence: 0.9858472

 $00{:}10{:}55.690 \dashrightarrow 00{:}10{:}57.050$ where we see ourselves as

NOTE Confidence: 0.9858472

 $00{:}10{:}57{.}050 \dashrightarrow 00{:}10{:}59{.}149$ as really facilitating that decision.

NOTE Confidence: 0.9829038

 $00{:}10{:}59{.}850 \dashrightarrow 00{:}11{:}01{.}769$ And before we take a

- NOTE Confidence: 0.9829038
- 00:11:01.769 --> 00:11:03.129 break, maybe we just spend
- NOTE Confidence: 0.9829038
- $00{:}11{:}03.129 \dashrightarrow 00{:}11{:}04.250$ a couple of minutes talking
- NOTE Confidence: 0.9829038
- $00{:}11{:}04.250 \dashrightarrow 00{:}11{:}05.870$ about some of the other
- NOTE Confidence: 0.9988279
- 00:11:06.785 --> 00:11:07.845 unintended consequences
- NOTE Confidence: 0.99055874
- $00{:}11{:}08.225 \dashrightarrow 00{:}11{:}09.745$ of either prostate surgery or
- NOTE Confidence: 0.99055874
- $00:11:09.745 \longrightarrow 00:11:10.644$ prostate radiation,
- NOTE Confidence: 0.99456465
- 00:11:11.184 --> 00:11:12.304 the kinds of side effects
- NOTE Confidence: 0.99456465
- 00:11:12.304 --> 00:11:13.425 that I think many men
- NOTE Confidence: 0.99456465
- $00:11:13.425 \longrightarrow 00:11:15.264$ are very concerned about.
- NOTE Confidence: 0.99456465
- $00{:}11{:}15{.}264 \dashrightarrow 00{:}11{:}17{.}345$ So there's incontinence. There's also
- NOTE Confidence: 0.99456465
- $00:11:17.345 \longrightarrow 00:11:18.404$ sexual dysfunction.
- NOTE Confidence: 0.9747752
- 00:11:18.880 --> 00:11:19.839 Those are the
- NOTE Confidence: 0.9747752
- 00:11:19.839 --> 00:11:20.720 big two. Those are the
- NOTE Confidence: 0.9747752
- 00:11:20.720 --> 00:11:22.160 big two because the prostate
- NOTE Confidence: 0.9747752
- $00:11:22.160 \longrightarrow 00:11:24.100$ sits attached to the bladder.
- NOTE Confidence: 0.9747752

- $00:11:24.240 \longrightarrow 00:11:25.920$ When a person
- NOTE Confidence: 0.9747752
- $00{:}11{:}25{.}920 \dashrightarrow 00{:}11{:}27{.}519$ urinates, their urine passes from
- NOTE Confidence: 0.9747752
- $00:11:27.519 \rightarrow 00:11:29.220$ their bladder through their prostate.
- NOTE Confidence: 0.9747752
- $00:11:29.519 \longrightarrow 00:11:30.720$ So anything we do to
- NOTE Confidence: 0.9747752
- $00{:}11{:}30{.}720 \dashrightarrow 00{:}11{:}32{.}495$ that sensitive area runs
- NOTE Confidence: 0.9747752
- $00:11:32.495 \longrightarrow 00:11:34.095$ the risk of affecting urinary
- NOTE Confidence: 0.9747752
- 00:11:34.095 --> 00:11:36.015 control and sexual function. The
- NOTE Confidence: 0.9747752
- $00:11:36.015 \longrightarrow 00:11:37.154$ nerves for erection of
- NOTE Confidence: 0.9159612
- $00{:}11{:}37{.}455 \dashrightarrow 00{:}11{:}39{.}235$ course are right underneath the prostate.
- NOTE Confidence: 0.9159612
- 00:11:39.375 --> 00:11:40.255 So it's
- NOTE Confidence: 0.9159612
- $00:11:40.255 \longrightarrow 00:11:41.475$ in a sensitive spot.
- NOTE Confidence: 0.9581212
- $00:11:42.415 \longrightarrow 00:11:43.774$ Those are risks even with
- NOTE Confidence: 0.9581212
- $00:11:43.774 \rightarrow 00:11:45.774$ expert surgery or expert radiation.
- NOTE Confidence: 0.9581212
- $00:11:45.774 \longrightarrow 00:11:46.815$ There is a risk that
- NOTE Confidence: 0.9581212
- $00:11:46.815 \longrightarrow 00:11:48.829$ urinary health could be worse.
- NOTE Confidence: 0.95242363
- 00:11:49.209 --> 00:11:51.209 And after surgery, it can

- NOTE Confidence: 0.95242363
- 00:11:51.209 --> 00:11:53.050 lead to urinary leakage. So
- NOTE Confidence: 0.95242363
- 00:11:53.050 --> 00:11:54.569 laughing, when you laugh, cough,
- NOTE Confidence: 0.95242363
- 00:11:54.569 --> 00:11:56.170 or sneeze, people could leak,
- NOTE Confidence: 0.95242363
- $00:11:56.170 \longrightarrow 00:11:57.529$ dribble urine for a period
- NOTE Confidence: 0.95242363
- $00:11:57.529 \longrightarrow 00:11:58.889$ of time, or in some
- NOTE Confidence: 0.95242363
- $00:11:58.889 \rightarrow 00:11:59.790$ cases permanently.
- NOTE Confidence: 0.9977967
- $00:12:00.809 \longrightarrow 00:12:02.089$ And erections can be more
- NOTE Confidence: 0.9977967
- $00:12:02.089 \longrightarrow 00:12:02.589$ difficult.
- NOTE Confidence: 0.97573143
- $00:12:03.625 \longrightarrow 00:12:04.985$ And is that something that
- NOTE Confidence: 0.97573143
- $00:12:04.985 \longrightarrow 00:12:06.345$ gets better over time too?
- NOTE Confidence: 0.97573143
- $00:12:06.345 \longrightarrow 00:12:08.524$ After surgery,
- NOTE Confidence: 0.97573143
- $00{:}12{:}08{.}745 \dashrightarrow 00{:}12{:}10.665$ most people improve, but in
- NOTE Confidence: 0.97573143
- 00:12:10.665 --> 00:12:11.865 some cases, it can be
- NOTE Confidence: 0.97573143
- 00:12:11.865 --> 00:12:14.264 permanent or can require assistance
- NOTE Confidence: 0.97573143
- $00{:}12{:}14.264 \dashrightarrow 00{:}12{:}15.304$ where someone didn't need it
- NOTE Confidence: 0.97573143

00:12:15.304 --> 00:12:17.144 before. So medications like Viagra

NOTE Confidence: 0.97573143

 $00:12:17.144 \longrightarrow 00:12:19.220$ or Cialis are often needed

NOTE Confidence: 0.97573143

 $00:12:19.220 \longrightarrow 00:12:20.100$ for some people at least

NOTE Confidence: 0.97573143

 $00{:}12{:}20{.}100 \dashrightarrow 00{:}12{:}21{.}160$ for a period of time.

NOTE Confidence: 0.97883826

 $00:12:21.780 \longrightarrow 00:12:23.460$ And presumably, these are all

NOTE Confidence: 0.97883826

 $00{:}12{:}23.460 \dashrightarrow 00{:}12{:}24.740$ the conversations you have with NOTE Confidence: 0.97883826

00:12:24.740 --> 00:12:26.679 patients when you're counseling

NOTE Confidence: 0.9034968

 $00:12:27.220 \longrightarrow 00:12:28.679$ about these various options.

NOTE Confidence: 0.9985285

 $00{:}12{:}29{.}540 \dashrightarrow 00{:}12{:}30{.}820$ Right. Well, it's really that

NOTE Confidence: 0.9985285

 $00{:}12{:}30{.}820 \dashrightarrow 00{:}12{:}32{.}840$ balance between cancer control

NOTE Confidence: 0.96151245

 $00{:}12{:}33{.}315 \dashrightarrow 00{:}12{:}34{.}995$ and functional status. And

NOTE Confidence: 0.96151245

 $00:12:34.995 \longrightarrow 00:12:36.455$ in many cases, we do

NOTE Confidence: 0.96725786

 $00:12:36.915 \rightarrow 00:12:38.595$ bring patients safely back to

NOTE Confidence: 0.96725786

00:12:38.595 --> 00:12:39.795 where they were before. That's

NOTE Confidence: 0.96725786

00:12:39.795 --> 00:12:41.554 really our objective in any

NOTE Confidence: 0.96725786

 $00:12:41.554 \longrightarrow 00:12:43.095$ of these is to

- NOTE Confidence: 0.9993426
- $00:12:43.635 \rightarrow 00:12:46.054$ think about balancing cancer control
- NOTE Confidence: 0.9993426
- $00:12:46.275 \longrightarrow 00:12:47.015$ with preserving
- NOTE Confidence: 0.9999063
- 00:12:47.410 --> 00:12:48.230 quality of
- NOTE Confidence: 0.98907876
- $00{:}12{:}48.610 \dashrightarrow 00{:}12{:}50.130$ life.
- NOTE Confidence: 0.98907876
- $00{:}12{:}50{.}130 \dashrightarrow 00{:}12{:}51{.}330$ We're gonna take a break for
- NOTE Confidence: 0.98907876
- $00:12:51.330 \longrightarrow 00:12:52.530$ just a minute. When we
- NOTE Confidence: 0.98907876
- $00:12:52.530 \longrightarrow 00:12:53.190$ come back,
- NOTE Confidence: 0.98304546
- 00:12:53.570 --> 00:12:55.750 we're gonna focus on really
- NOTE Confidence: 0.95547014
- $00{:}12{:}56{.}290 \dashrightarrow 00{:}12{:}57{.}970$ three topics. Talk a little
- NOTE Confidence: 0.95547014
- $00:12:57.970 \longrightarrow 00:12:59.490$ bit about screening. We'll talk
- NOTE Confidence: 0.95547014
- $00{:}12{:}59{.}490 \dashrightarrow 00{:}12{:}59{.}990$ about
- NOTE Confidence: 0.9653786
- $00{:}13{:}01{.}215 \dashrightarrow 00{:}13{:}03{.}215$ the approach that increasingly is
- NOTE Confidence: 0.9653786
- $00:13:03.215 \longrightarrow 00:13:05.054$ being taken where someone is
- NOTE Confidence: 0.9653786
- $00{:}13{:}05{.}054 \dashrightarrow 00{:}13{:}07{.}135$ diagnosed with prostate cancer, and
- NOTE Confidence: 0.9653786
- $00{:}13{:}07{.}135 \dashrightarrow 00{:}13{:}08{.}815$ they may not initially undergo
- NOTE Confidence: 0.9653786

 $00:13:08.815 \rightarrow 00:13:10.275$ treatment, they may be observed.

NOTE Confidence: 0.9874744

00:13:10.655 --> 00:13:12.095 Finally, I wanna touch on

NOTE Confidence: 0.9874744

00:13:12.095 - 00:13:13.615 the whole subject of prostate

NOTE Confidence: 0.9874744

00:13:13.615 - 00:13:15.855 cancer in younger men, which

NOTE Confidence: 0.9874744

 $00{:}13{:}15.855 \dashrightarrow 00{:}13{:}17.029$ is by no means the

NOTE Confidence: 0.9874744

00:13:17.029 --> 00:13:17.850 most common

NOTE Confidence: 0.9806134

 $00:13:19.029 \longrightarrow 00:13:20.630$ age when you see prostate

NOTE Confidence: 0.9806134

 $00:13:20.630 \longrightarrow 00:13:22.809$ cancer, but, it still happens.

NOTE Confidence: 0.9806134

 $00{:}13{:}23{.}110 \dashrightarrow 00{:}13{:}24{.}870$ So when we come back,

NOTE Confidence: 0.9806134

 $00{:}13{:}24.870 \dashrightarrow 00{:}13{:}27.050$ I'll continue this conversation with

NOTE Confidence: 0.90001154

00:13:27.429 --> 00:13:29.050 our guest, doctor Michael Leapman.

NOTE Confidence: 0.98591274

 $00{:}13{:}29{.}475 \dashrightarrow 00{:}13{:}31{.}154$ Funding for Yale Cancer Answers

NOTE Confidence: 0.98591274

00:13:31.154 --> 00:13:33.095 comes from Smilow Cancer Hospital,

NOTE Confidence: 0.98591274

 $00{:}13{:}33{.}394 \dashrightarrow 00{:}13{:}35{.}154$ where their liver cancer program

NOTE Confidence: 0.98591274

 $00{:}13{:}35{.}154 \dashrightarrow 00{:}13{:}37{.}554$ provides continued care following treatment

NOTE Confidence: 0.98591274

 $00:13:37.554 \rightarrow 00:13:39.475$ to manage underlying liver disease

- NOTE Confidence: 0.98591274
- $00:13:39.475 \rightarrow 00:13:41.415$ and monitor for possible recurrence
- NOTE Confidence: 0.98591274
- $00:13:41.475 \longrightarrow 00:13:42.214$ of cancer.
- NOTE Confidence: 0.9681377
- $00:13:42.860 \rightarrow 00:13:43.920$ More at smilowcancerhospital
- NOTE Confidence: 0.9942237
- $00:13:44.940 \rightarrow 00:13:45.600$ dot org.
- NOTE Confidence: 0.9734884
- 00:13:47.820 --> 00:13:49.019 Breast cancer is one of
- NOTE Confidence: 0.9734884
- $00{:}13{:}49{.}019 \dashrightarrow 00{:}13{:}50{.}459$ the most common cancers in
- NOTE Confidence: 0.9734884
- $00:13:50.459 \rightarrow 00:13:52.880$ women. In Connecticut alone, approximately
- NOTE Confidence: 0.9734884
- $00{:}13{:}53.019 \dashrightarrow 00{:}13{:}54.300$ three thousand five hundred women
- NOTE Confidence: 0.9734884
- $00:13:54.300 \longrightarrow 00:13:55.740$ will be diagnosed with breast
- NOTE Confidence: 0.9734884
- $00:13:55.740 \longrightarrow 00:13:57.615$ cancer this year, but there
- NOTE Confidence: 0.9734884
- $00:13:57.615 \rightarrow 00:13:59.215$ is hope thanks to earlier
- NOTE Confidence: 0.9734884
- $00{:}13{:}59{.}215 \dashrightarrow 00{:}14{:}01{.}375$ detection, non invasive treatments, and
- NOTE Confidence: 0.9734884
- $00:14:01.375 \rightarrow 00:14:03.135$ the development of novel therapies
- NOTE Confidence: 0.9734884
- 00:14:03.135 --> 00:14:04.355 to fight breast cancer.
- NOTE Confidence: 0.9939809
- $00{:}14{:}04.895 \dashrightarrow 00{:}14{:}06.495$ Women should schedule a baseline
- NOTE Confidence: 0.9939809

- 00:14:06.495 --> 00:14:08.415 mammogram beginning at age forty
- NOTE Confidence: 0.9939809
- $00{:}14{:}08{.}415 \dashrightarrow 00{:}14{:}09{.}615$ or earlier if they have
- NOTE Confidence: 0.9939809
- $00{:}14{:}09{.}615 \dashrightarrow 00{:}14{:}11{.}455$ risk factors associated with the
- NOTE Confidence: 0.9939809
- 00:14:11.455 --> 00:14:11.955 disease.
- NOTE Confidence: 0.98855275
- $00{:}14{:}12.570 \dashrightarrow 00{:}14{:}14.650$ With screening, early detection, and
- NOTE Confidence: 0.98855275
- 00:14:14.650 00:14:16.570 a healthy lifestyle, breast cancer
- NOTE Confidence: 0.98855275
- $00{:}14{:}16{.}570 \dashrightarrow 00{:}14{:}17{.}390$ can be defeated.
- NOTE Confidence: 0.93470526
- 00:14:18.010 --> 00:14:19.770 Clinical trials are currently underway
- NOTE Confidence: 0.93470526
- $00{:}14{:}19{.}770 \dashrightarrow 00{:}14{:}22{.}330$ at federally designated comprehensive cancer
- NOTE Confidence: 0.93470526
- 00:14:22.330 --> 00:14:24.250 centers, such as Yale Cancer
- NOTE Confidence: 0.93470526
- 00:14:24.250 --> 00:14:25.850 Center and Smilow Cancer
- NOTE Confidence: 0.93470526
- 00:14:25.850 --> 00:14:26.350 Hospital,
- NOTE Confidence: 0.99693835
- $00{:}14{:}26.785 \dashrightarrow 00{:}14{:}28.465$ to make innovative new treatments
- NOTE Confidence: 0.99693835
- $00:14:28.465 \longrightarrow 00:14:29.525$ available to patients.
- NOTE Confidence: 0.9490883
- 00:14:30.065 --> 00:14:31.365 Digital breast tomosynthesis
- NOTE Confidence: 0.98964846
- $00:14:31.905 \rightarrow 00:14:33.665$ or three d mammography is

- NOTE Confidence: 0.98964846
- 00:14:33.665 --> 00:14:36.085 also transforming breast cancer screening
- NOTE Confidence: 0.98964846
- 00:14:36.385 --> 00:14:39.285 by significantly reducing unnecessary procedures
- NOTE Confidence: 0.98964846
- $00:14:39.345 \rightarrow 00:14:40.885$ while picking up more cancers.
- NOTE Confidence: 0.9889923
- 00:14:41.670 --> 00:14:43.270 More information is available at
- NOTE Confidence: 0.9889923
- $00:14:43.270 \longrightarrow 00:14:45.050$ yale cancer center dot org.
- NOTE Confidence: 0.9889923
- $00{:}14{:}45{.}190 \dashrightarrow 00{:}14{:}46{.}870$ You're listening to Connecticut Public
- NOTE Confidence: 0.9889923
- $00{:}14{:}46.870 \dashrightarrow 00{:}14{:}47.370$ Radio.
- NOTE Confidence: 0.9496601
- $00{:}14{:}48{.}310 \dashrightarrow 00{:}14{:}49{.}910$ Good evening again. This is
- NOTE Confidence: 0.9496601
- 00:14:49.910 --> 00:14:51.510 Eric Winer with Yale Cancer
- NOTE Confidence: 0.9496601
- $00:14:51.510 \longrightarrow 00:14:53.430$ Answers, and I'm speaking to
- NOTE Confidence: 0.9496601
- 00:14:53.430 --> 00:14:55.450 our guest, doctor Michael Leapman,
- 00:14:57.575 --> 00:14:59.515 associate professor of urology
- NOTE Confidence: 0.9905448
- 00:15:00.055 --> 00:15:00.555 at
- NOTE Confidence: 0.93795973
- 00:15:00.935 --> 00:15:01.835 Yale University.
- NOTE Confidence: 0.9253149
- 00:15:03.335 --> 00:15:05.175 So I wanna move on
- NOTE Confidence: 0.9253149
- $00{:}15{:}05{.}175 \dashrightarrow 00{:}15{:}06{.}235$ and talk

- NOTE Confidence: 0.9529392
- 00:15:07.095 --> 00:15:08.375 a little bit about prostate
- NOTE Confidence: 0.9529392
- $00:15:08.375 \rightarrow 00:15:08.875$ screening.
- NOTE Confidence: 0.89289594
- $00{:}15{:}09{.}990 \dashrightarrow 00{:}15{:}10{.}730$ Of course,
- NOTE Confidence: 0.9835191
- $00{:}15{:}11{.}190 \dashrightarrow 00{:}15{:}12{.}090$ cancer screening,
- NOTE Confidence: 0.98320764
- $00:15:12.950 \rightarrow 00:15:15.050$ generally speaking, is very important.
- NOTE Confidence: 0.98320764
- $00:15:15.190 \longrightarrow 00:15:17.370$ We ideally want to diagnose
- NOTE Confidence: 0.98320764
- $00:15:17.430 \longrightarrow 00:15:17.930$ patients
- NOTE Confidence: 0.9845279
- 00:15:19.030 --> 00:15:20.230 most of the time with
- NOTE Confidence: 0.9845279
- $00{:}15{:}20{.}230 \dashrightarrow 00{:}15{:}21{.}930$ the earliest possible cancer.
- NOTE Confidence: 0.94060373
- $00:15:23.355 \longrightarrow 00:15:24.795$ Screening is available in a
- NOTE Confidence: 0.94060373
- $00{:}15{:}24.795 \dashrightarrow 00{:}15{:}25.995$ number of a reas. And I
- NOTE Confidence: 0.94060373
- $00{:}15{:}25{.}995 \dashrightarrow 00{:}15{:}26{.}655$ think that
- NOTE Confidence: 0.7049428
- $00{:}15{:}27.035 \dashrightarrow 00{:}15{:}27.535$ perhaps,
- NOTE Confidence: 0.9992439
- $00{:}15{:}28{.}235 \dashrightarrow 00{:}15{:}29{.}595$ in the area of prostate
- NOTE Confidence: 0.9992439
- 00:15:29.595 --> 00:15:31.595 cancer, there's both more data
- NOTE Confidence: 0.9992439

 $00:15:31.595 \longrightarrow 00:15:32.895$ than in some other areas.

NOTE Confidence: 0.97029614

00:15:33.595 --> 00:15:35.755 There's also perhaps every bit

NOTE Confidence: 0.97029614

 $00{:}15{:}35{.}755 \dashrightarrow 00{:}15{:}37{.}275$ as much controversy as there

NOTE Confidence: 0.97029614

 $00:15:37.275 \longrightarrow 00:15:37.740$ is in other areas.

NOTE Confidence: 0.9917308

00:15:41.100 --> 00:15:41.600 Michael,

NOTE Confidence: 0.9845432

 $00{:}15{:}42{.}300 \dashrightarrow 00{:}15{:}43{.}040$ thoughts about

NOTE Confidence: 0.9759349

00:15:43.500 --> 00:15:44.800 prostate cancer screening.

NOTE Confidence: 0.99835855

 $00:15:45.180 \longrightarrow 00:15:46.480$ When did it all start?

 $00:15:48.060 \rightarrow 00:15:49.440$ It's an enduring

NOTE Confidence: 0.9863252

00:15:50.024 --> 00:15:51.704 topic that really hasn't

NOTE Confidence: 0.9863252

 $00:15:51.704 \longrightarrow 00:15:52.985$ been settled, but I think

NOTE Confidence: 0.9863252

 $00:15:52.985 \longrightarrow 00:15:54.425$ this really goes back about

NOTE Confidence: 0.9863252

 $00{:}15{:}54{.}425 \dashrightarrow 00{:}15{:}55{.}245$ thirty years

NOTE Confidence: 0.99174

00:15:55.865 --> 00:15:57.944 to the early nineteen nineties

NOTE Confidence: 0.99174

 $00{:}15{:}57{.}944 \dashrightarrow 00{:}15{:}58{.}444$ with

NOTE Confidence: 0.97877014

 $00{:}15{:}59{.}144 \dashrightarrow 00{:}16{:}01{.}065$ the isolation and advent of

NOTE Confidence: 0.97877014

- 00:16:01.065 --> 00:16:02.904 PSA. And PSA is a
- NOTE Confidence: 0.95745724
- 00:16:04.010 --> 00:16:05.290 blood test. It's a protein
- NOTE Confidence: 0.95745724
- $00:16:05.290 \longrightarrow 00:16:06.970$ that is made by prostate
- NOTE Confidence: 0.95745724
- $00{:}16{:}06{.}970 \dashrightarrow 00{:}16{:}08{.}970$ cells. So cancerous cells and
- NOTE Confidence: 0.95745724
- $00{:}16{:}08{.}970 \dashrightarrow 00{:}16{:}10{.}170$ non cancerous cells of the
- NOTE Confidence: 0.95745724
- 00:16:10.170 --> 00:16:10.670 prostate
- NOTE Confidence: 0.9315737
- 00:16:10.970 --> 00:16:12.030 make this protein.
- NOTE Confidence: 0.94436646
- $00{:}16{:}13.050 \dashrightarrow 00{:}16{:}14.570$ And it is stands
- NOTE Confidence: 0.94436646
- $00{:}16{:}14.570 \dashrightarrow 00{:}16{:}16.270$ for prostate specific antigen.
- NOTE Confidence: 0.9681737
- 00:16:17.144 --> 00:16:18.985 And so scientists in the
- NOTE Confidence: 0.9681737
- $00:16:19.225 \longrightarrow 00:16:20.445$ early seventies
- NOTE Confidence: 0.9681737
- $00:16:20.505 \longrightarrow 00:16:22.024$ were able to identify this
- NOTE Confidence: 0.9681737
- $00{:}16{:}22.024 \dashrightarrow 00{:}16{:}22.845$ in the blood
- NOTE Confidence: 0.965095
- $00:16:23.305 \longrightarrow 00:16:25.144$ and really began to become
- NOTE Confidence: 0.965095
- 00:16:25.144 --> 00:16:26.665 a biomarker or a test
- NOTE Confidence: 0.965095
- $00:16:26.665 \rightarrow 00:16:28.425$ that we would order beginning

- NOTE Confidence: 0.965095
- $00{:}16{:}28{.}425 \dashrightarrow 00{:}16{:}29{.}545$ in the early
- NOTE Confidence: 0.965095
- $00:16:29.545 \longrightarrow 00:16:30.445$ nineteen nineties.
- NOTE Confidence: 0.97400874
- $00{:}16{:}30{.}860 \dashrightarrow 00{:}16{:}31{.}820$ And it was found that
- NOTE Confidence: 0.97400874
- $00:16:31.820 \longrightarrow 00:16:32.780$ that was a pretty good
- NOTE Confidence: 0.97400874
- $00{:}16{:}32.780 \dashrightarrow 00{:}16{:}34.060$ marker for prostate cancer.
- NOTE Confidence: 0.97400874
- 00:16:34.300 --> 00:16:35.340 If I can just interrupt
- NOTE Confidence: 0.97400874
- $00:16:35.340 \longrightarrow 00:16:36.540$ you for a second, that's
- NOTE Confidence: 0.97400874
- $00{:}16{:}36{.}540 \dashrightarrow 00{:}16{:}38{.}060$ also the same test that's
- NOTE Confidence: 0.97400874
- $00{:}16{:}38.060 \dashrightarrow 00{:}16{:}39.120$ used at times
- NOTE Confidence: 0.9407103
- $00:16:39.500 \longrightarrow 00:16:40.700$ when we're taking care of
- NOTE Confidence: 0.9407103
- $00{:}16{:}40.700 \dashrightarrow 00{:}16{:}42.780$ patients who have advanced prostate
- NOTE Confidence: 0.9407103
- $00:16:42.780 \longrightarrow 00:16:44.640$ cancer or for that matter,
- NOTE Confidence: 0.9578611
- $00{:}16{:}45.105 \dashrightarrow 00{:}16{:}46.565$ screening them for recurrence.
- NOTE Confidence: 0.9712757
- $00{:}16{:}47.185 \dashrightarrow 00{:}16{:}48.225$ And it it is used
- NOTE Confidence: 0.9712757
- $00:16:48.225 \longrightarrow 00:16:49.584$ in those situations as well
- NOTE Confidence: 0.9712757

- $00{:}16{:}49{.}584 \dashrightarrow 00{:}16{:}50{.}865$ in people who have
- NOTE Confidence: 0.9712757
- 00:16:50.945 --> 00:16:52.464 already been treated
- NOTE Confidence: 0.9712757
- $00:16:52.464 \longrightarrow 00:16:54.225$ for prostate cancer.
- NOTE Confidence: 0.9712757
- $00:16:54.225 \rightarrow 00:16:55.425$ That's right, it's the same test.
- NOTE Confidence: 0.9712757
- 00:16:55.425 --> 00:16:56.464 PSA has been on the
- NOTE Confidence: 0.9712757
- $00:16:56.464 \longrightarrow 00:16:57.985$ scene for over thirty
- NOTE Confidence: 0.9712757
- 00:16:57.985 --> 00:16:59.024 years. It is an
- NOTE Confidence: 0.9712757
- 00:16:59.024 --> 00:17:00.329 amazing test if you really
- NOTE Confidence: 0.9712757
- $00{:}17{:}00{.}329 \dashrightarrow 00{:}17{:}01{.}209$ think about it, and it
- NOTE Confidence: 0.9712757
- 00:17:01.209 --> 00:17:01.949 has transformed
- NOTE Confidence: 0.9822454
- $00{:}17{:}02{.}970 \dashrightarrow 00{:}17{:}05{.}210$ how we diagnose prostate cancer,
- NOTE Confidence: 0.9822454
- $00{:}17{:}05{.}210 \dashrightarrow 00{:}17{:}06{.}490$ how we treat prostate cancer,
- NOTE Confidence: 0.9822454
- $00{:}17{:}06{.}490 \dashrightarrow 00{:}17{:}07{.}609$ and it has really shifted
- NOTE Confidence: 0.9822454
- $00{:}17{:}07{.}609 \dashrightarrow 00{:}17{:}09{.}369$ the lives and trajectory of
- NOTE Confidence: 0.9822454
- $00:17:09.369 \longrightarrow 00:17:10.970$ the disease for probably
- NOTE Confidence: 0.9822454
- $00:17:10.970 \longrightarrow 00:17:12.429$ millions and millions of people.

- NOTE Confidence: 0.9587252
- $00:17:12.970 \longrightarrow 00:17:14.655$ The issue is that PSA

NOTE Confidence: 0.9587252

00:17:14.655 --> 00:17:16.655 levels can be elevated in

NOTE Confidence: 0.9587252

00:17:16.655 --> 00:17:17.855 people who don't have prostate

NOTE Confidence: 0.9587252

 $00{:}17{:}17{.}855 \dashrightarrow 00{:}17{:}19{.}235$ cancer and in some cases,

NOTE Confidence: 0.9587252

 $00:17:19.375 \rightarrow 00:17:20.735$ they're not elevated in people who do.

 $00:17:21.695 \rightarrow 00:17:22.735$ But overall, it's a pretty

NOTE Confidence: 0.9799347

 $00:17:22.735 \longrightarrow 00:17:23.395$ good test.

NOTE Confidence: 0.94677114

 $00{:}17{:}27{.}375 \dashrightarrow 00{:}17{:}28{.}575$ And in the nineteen nineties when

NOTE Confidence: 0.94677114

 $00{:}17{:}28.575 \dashrightarrow 00{:}17{:}30.440$ it was really performed

NOTE Confidence: 0.94677114

 $00:17:30.440 \longrightarrow 00:17:32.440$ in mass, essentially people

NOTE Confidence: 0.94677114

 $00:17:32.440 \longrightarrow 00:17:33.559$ were going to their doctors,

NOTE Confidence: 0.94677114

00:17:33.559 --> 00:17:34.940 getting PSA screened,

NOTE Confidence: 0.9675897

 $00{:}17{:}35{.}480 \dashrightarrow 00{:}17{:}36{.}520$ and if the numbers were

NOTE Confidence: 0.9675897

 $00{:}17{:}36{.}520 \dashrightarrow 00{:}17{:}38{.}680$ elevated, being monitored or being

NOTE Confidence: 0.9675897

 $00{:}17{:}38.680 \dashrightarrow 00{:}17{:}40.520$ evaluated further. So screening really

NOTE Confidence: 0.9675897

 $00:17:40.520 \longrightarrow 00:17:41.800$ has been that PSA blood

- NOTE Confidence: 0.9675897
- $00{:}17{:}41.800 \dashrightarrow 00{:}17{:}43.400$ test. And the question has
- NOTE Confidence: 0.9675897
- 00:17:43.400 --> 00:17:44.760 been, well, we know PSA
- NOTE Confidence: 0.9675897
- $00:17:44.760 \longrightarrow 00:17:45.980$ is very good at finding
- NOTE Confidence: 0.9512204
- $00{:}17{:}46.335 \dashrightarrow 00{:}17{:}48.115$ these early stage prostate cancers.
- NOTE Confidence: 0.99419785
- $00{:}17{:}48{.}494 \dashrightarrow 00{:}17{:}49{.}695$ But will it lead to
- NOTE Confidence: 0.99419785
- 00:17:49.695 --> 00:17:50.195 people
- NOTE Confidence: 0.97152823
- 00:17:50.494 --> 00:17:52.015 living longer? Will it reduce
- NOTE Confidence: 0.97152823
- $00{:}17{:}52.015 \dashrightarrow 00{:}17{:}52.975$ the risk of dying from
- NOTE Confidence: 0.97152823
- $00:17:52.975 \longrightarrow 00:17:54.174$ prostate cancer? That has been
- NOTE Confidence: 0.97152823
- $00:17:54.174 \longrightarrow 00:17:55.775$ the fundamental question that people
- NOTE Confidence: 0.97152823
- 00:17:55.775 00:17:57.054 have been wrestling with and
- NOTE Confidence: 0.97152823
- $00{:}17{:}57{.}054 \dashrightarrow 00{:}17{:}58{.}335$ has been evaluated in a
- NOTE Confidence: 0.97152823
- 00:17:58.335 --> 00:18:00.095 number of clinical trials over
- NOTE Confidence: 0.97152823
- $00{:}18{:}00{.}095 \dashrightarrow 00{:}18{:}00{.}674$ the years.
- NOTE Confidence: 0.9915258
- 00:18:00.980 --> 00:18:01.859 And if I can ask
- NOTE Confidence: 0.9915258

- $00:18:01.859 \rightarrow 00:18:03.540$ you, the people who have
- NOTE Confidence: 0.9915258
- 00:18:03.540 --> 00:18:04.600 prostate cancer
- NOTE Confidence: 0.99568015
- $00:18:05.300 \longrightarrow 00:18:06.840$ and don't have an elevated
- NOTE Confidence: 0.99568015
- 00:18:06.980 --> 00:18:07.480 PSA,
- NOTE Confidence: 0.9680661
- $00{:}18{:}08.660 \dashrightarrow 00{:}18{:}09.859$ how common is that, and
- NOTE Confidence: 0.9680661
- $00:18:09.859 \rightarrow 00:18:11.800$ are those cancers any different?
- NOTE Confidence: 0.97087634
- $00:18:12.340 \longrightarrow 00:18:13.220$ You know, it seems to
- NOTE Confidence: 0.97087634
- $00:18:13.220 \longrightarrow 00:18:14.580$ be the minority. So it's
- NOTE Confidence: 0.97087634
- $00{:}18{:}14{.}580 \dashrightarrow 00{:}18{:}15{.}619$ not very common that we
- NOTE Confidence: 0.97087634
- $00:18:15.619 \rightarrow 00:18:17.275$ see it. Most people, it is elevated.
- $00{:}18{:}18{.}555 \dashrightarrow 00{:}18{:}20{.}475$ In some cases, after treatment, after
- NOTE Confidence: 0.97087634
- 00:18:20.475 --> 00:18:21.695 many rounds of treatment,
- NOTE Confidence: 0.9644468
- 00:18:22.315 --> 00:18:24.075 PSA stops being produced by
- NOTE Confidence: 0.9644468
- $00:18:24.075 \longrightarrow 00:18:25.515$ prostate cancer cells. And so
- NOTE Confidence: 0.9644468
- 00:18:25.515 --> 00:18:26.555 at some point when the
- NOTE Confidence: 0.9644468
- $00{:}18{:}26.555 \dashrightarrow 00{:}18{:}28.315$ cells are not responsive to
- NOTE Confidence: 0.9644468

- $00:18:28.315 \rightarrow 00:18:29.535$ and rogens or test osterone,
- NOTE Confidence: 0.9267784
- 00:18:30.315 --> 00:18:31.295 you may see
- NOTE Confidence: 0.97780097
- $00:18:31.890 \rightarrow 00:18:33.750$ growth of prostate cancer without
- NOTE Confidence: 0.97780097
- $00{:}18{:}33{.}810 \dashrightarrow 00{:}18{:}34{.}930$ a rise in PSA. But
- NOTE Confidence: 0.97780097
- $00{:}18{:}34{.}930 \dashrightarrow 00{:}18{:}36{.}950$ overall, it remains preserved
- NOTE Confidence: 0.97780097
- 00:18:37.090 --> 00:18:38.130 even after people have been
- NOTE Confidence: 0.97780097
- 00:18:38.130 --> 00:18:39.570 treated for prostate cancer. So
- NOTE Confidence: 0.97780097
- $00:18:39.570 \longrightarrow 00:18:40.770$ it's a useful marker for
- NOTE Confidence: 0.97780097
- 00:18:40.770 $-\!\!>$ 00:18:42.150 people who have been treated
- NOTE Confidence: 0.97780097
- $00:18:42.290 \longrightarrow 00:18:43.030$ to know
- NOTE Confidence: 0.999666
- $00:18:43.330 \longrightarrow 00:18:44.295$ where they stand.
- NOTE Confidence: 0.9918499
- $00{:}18{:}44.855 \dashrightarrow 00{:}18{:}46.215$ What are the reasons that
- NOTE Confidence: 0.9918499
- 00:18:46.215 --> 00:18:47.035 a PSA
- NOTE Confidence: 0.99604475
- $00:18:47.415 \longrightarrow 00:18:49.015$ goes up if you don't
- NOTE Confidence: 0.99604475
- $00:18:49.015 \longrightarrow 00:18:50.155$ have prostate cancer?
- NOTE Confidence: 0.9911872
- 00:18:51.095 --> 00:18:52.075 So inflammation,

- NOTE Confidence: 0.9984554
- $00:18:52.535 \rightarrow 00:18:54.315$ infection, growth of the prostate
- NOTE Confidence: 0.97700596
- 00:18:55.255 --> 00:18:56.935 can all cause PSA to
- NOTE Confidence: 0.97700596
- $00:18:56.935 \rightarrow 00:18:58.055$ go up. And some people
- NOTE Confidence: 0.97700596
- $00:18:58.055 \rightarrow 00:18:58.795$ just genetically
- NOTE Confidence: 0.98952675
- $00:18:59.255 \longrightarrow 00:19:01.109$ are predisposed to have higher
- NOTE Confidence: 0.98952675
- $00:19:01.109 \longrightarrow 00:19:02.390$ PSAs than others. So there's
- NOTE Confidence: 0.98952675
- $00:19:02.390 \longrightarrow 00:19:04.230$ some interesting research showing that
- NOTE Confidence: 0.98952675
- 00:19:04.230 --> 00:19:05.609 you can begin adjusting
- NOTE Confidence: 0.9985255
- $00{:}19{:}05{.}990 \dashrightarrow 00{:}19{:}07{.}450$ for that genetic variation.
- NOTE Confidence: 0.9163511
- 00:19:08.150 --> 00:19:09.990 But let's say someone's having
- NOTE Confidence: 0.9163511
- $00:19:09.990 \longrightarrow 00:19:11.590$ screening and the level is
- NOTE Confidence: 0.9163511
- 00:19:11.590 --> 00:19:12.730 particularly high,
- NOTE Confidence: 0.9980033
- $00:19:13.105 \longrightarrow 00:19:14.625$ it's more likely to be
- NOTE Confidence: 0.9980033
- 00:19:14.625 --> 00:19:16.144 a cancer than one of
- NOTE Confidence: 0.9980033
- $00:19:16.144 \rightarrow 00:19:18.404$ these other benign causes?
- NOTE Confidence: 0.97789574

- 00:19:18.705 --> 00:19:20.144 That's true. And
- NOTE Confidence: 0.97789574
- $00{:}19{:}20{.}144 \dashrightarrow 00{:}19{:}21{.}184$ so I think that's
- NOTE Confidence: 0.97789574
- $00:19:21.184 \longrightarrow 00:19:22.225$ really where there's been a
- NOTE Confidence: 0.97789574
- $00:19:22.225 \longrightarrow 00:19:23.664$ a big revolution in how
- NOTE Confidence: 0.97789574
- $00{:}19{:}23.664 \dashrightarrow 00{:}19{:}24.705$ we approach this.
- NOTE Confidence: 0.97789574
- 00:19:24.705 --> 00:19:26.144 Ten, fifteen years ago,
- NOTE Confidence: 0.97789574
- $00{:}19{:}26.144 \dashrightarrow 00{:}19{:}27.105$ if someone had a high
- NOTE Confidence: 0.97789574
- 00:19:27.105 --> 00:19:28.609 PSA level, they would come
- NOTE Confidence: 0.97789574
- $00{:}19{:}28.609 \dashrightarrow 00{:}19{:}30.230$ in and get a biopsy,
- NOTE Confidence: 0.97789574
- $00{:}19{:}30{.}450 \dashrightarrow 00{:}19{:}32{.}050$ essentially a procedure where we
- NOTE Confidence: 0.97789574
- $00:19:32.050 \longrightarrow 00:19:33.090$ would take little pieces of
- NOTE Confidence: 0.97789574
- $00:19:33.090 \longrightarrow 00:19:34.050$ the prostate and see if
- NOTE Confidence: 0.97789574
- $00{:}19{:}34.050 \dashrightarrow 00{:}19{:}35.570$ there was cancer there. Our
- NOTE Confidence: 0.97789574
- 00:19:35.570 --> 00:19:36.850 approach has shifted. So if
- NOTE Confidence: 0.97789574
- 00:19:37.090 --> 00:19:38.290 a gentleman comes to see
- NOTE Confidence: 0.97789574
- $00{:}19{:}38{.}290 \dashrightarrow 00{:}19{:}39{.}250$ me and his PSA is

- NOTE Confidence: 0.97789574
- $00:19:39.250 \longrightarrow 00:19:39.750$ elevated,
- NOTE Confidence: 0.99974126
- $00:19:40.050 \longrightarrow 00:19:41.955$ we will do imaging to
- NOTE Confidence: 0.99974126
- 00:19:41.955 --> 00:19:42.455 confirm
- NOTE Confidence: 0.99177486
- $00{:}19{:}42.835 \dashrightarrow 00{:}19{:}43.875$ whether or not there's something
- NOTE Confidence: 0.99177486
- $00{:}19{:}43.875 \dashrightarrow 00{:}19{:}44.994$ there. And that has allowed
- NOTE Confidence: 0.99177486
- $00{:}19{:}44{.}994 \dashrightarrow 00{:}19{:}46{.}195$ us to avoid doing a
- NOTE Confidence: 0.99177486
- 00:19:46.195 --> 00:19:47.875 biopsy to rule out significant
- NOTE Confidence: 0.99177486
- 00:19:47.875 --> 00:19:48.915 cancer in a number of
- NOTE Confidence: 0.99177486
- $00:19:48.915 \longrightarrow 00:19:50.515$ people, which is great. If
- NOTE Confidence: 0.99177486
- $00:19:50.515 \rightarrow 00:19:51.734$ we can do something noninvasively,
- NOTE Confidence: 0.9996336
- $00{:}19{:}52{.}115 \dashrightarrow 00{:}19{:}53{.}575$ that's a big win.
- NOTE Confidence: 0.9748586
- 00:19:53.899 --> 00:19:55.259 In most
- NOTE Confidence: 0.9748586
- $00:19:55.259 \longrightarrow 00:19:56.799$ cases, it will help identify
- NOTE Confidence: 0.99967647
- $00{:}19{:}57{.}179 \dashrightarrow 00{:}19{:}57{.}679$ where
- NOTE Confidence: 0.9900587
- $00:19:57.980 \longrightarrow 00:19:59.340$ a tumor is located so
- NOTE Confidence: 0.9900587

- $00:19:59.340 \longrightarrow 00:20:00.139$ we can take a more
- NOTE Confidence: 0.9900587
- $00{:}20{:}00{.}139 \dashrightarrow 00{:}20{:}01{.}600$ accurate biopsy of it.
- NOTE Confidence: 0.9869334
- $00{:}20{:}02{.}539 \dashrightarrow 00{:}20{:}04{.}380$ So when I'm asked the
- NOTE Confidence: 0.9869334
- $00:20:04.380 \longrightarrow 00:20:04.880$ question
- NOTE Confidence: 0.9991494
- $00{:}20{:}05{.}659 \dashrightarrow 00{:}20{:}07{.}600$ by a friend or
- NOTE Confidence: 0.9966043
- 00:20:07.980 --> 00:20:08.799 an acquaintance,
- NOTE Confidence: 0.96813697
- 00:20:09.505 --> 00:20:11.365 they'll say, well, you know,
- NOTE Confidence: 0.96813697
- $00:20:11.505 \longrightarrow 00:20:12.865$ you work at Yale
- NOTE Confidence: 0.96813697
- 00:20:12.865 --> 00:20:14.385 Cancer Center. Tell me, should
- NOTE Confidence: 0.96813697
- 00:20:14.385 --> 00:20:15.924 I have prostate screening,
- NOTE Confidence: 0.9803238
- $00{:}20{:}16.544 \dashrightarrow 00{:}20{:}18.225$ and when should I start
- NOTE Confidence: 0.9803238
- $00{:}20{:}18{.}225 \dashrightarrow 00{:}20{:}19{.}205$ it, and
- NOTE Confidence: 0.99693483
- $00:20:19.744 \longrightarrow 00:20:21.105$ how often should it be
- NOTE Confidence: 0.99693483
- 00:20:21.105 --> 00:20:22.210 done? What do I
- NOTE Confidence: 0.99693483
- $00:20:22.210 \longrightarrow 00:20:23.889$ tell those people?
- NOTE Confidence: 0.99693483
- $00:20:23.889 \longrightarrow 00:20:25.009$ That's a good question.

- NOTE Confidence: 0.99693483
- 00:20:25.009 --> 00:20:26.289 And you know
- NOTE Confidence: 0.99693483
- $00{:}20{:}26{.}289 \dashrightarrow 00{:}20{:}27{.}169$ this is
- NOTE Confidence: 0.99693483
- $00:20:27.169 \longrightarrow 00:20:28.609$ always the cocktail
- NOTE Confidence: 0.99693483
- $00:20:28.609 \rightarrow 00:20:29.590$ party conversation.
- $00:20:31.970 \longrightarrow 00:20:33.009$ It really depends. You know, the
- NOTE Confidence: 0.9716609
- $00:20:33.009 \longrightarrow 00:20:34.130$ best evidence we have for
- NOTE Confidence: 0.9716609
- $00{:}20{:}34.130 \dashrightarrow 00{:}20{:}35.889$ prostate cancer screening are in
- NOTE Confidence: 0.9716609
- 00:20:35.889 --> 00:20:36.389 young
- NOTE Confidence: 0.9989359
- $00:20:37.065 \longrightarrow 00:20:38.424$ fifty five to sixty nine
- NOTE Confidence: 0.9989359
- $00:20:38.424 \longrightarrow 00:20:39.625$ year old people who are
- NOTE Confidence: 0.9989359
- $00:20:39.625 \longrightarrow 00:20:40.365$ well informed
- NOTE Confidence: 0.99978286
- 00:20:40.744 --> 00:20:41.244 about
- NOTE Confidence: 0.96883166
- $00{:}20{:}41.705 \dashrightarrow 00{:}20{:}42.845$ the risks and benefits.
- NOTE Confidence: 0.9959961
- $00{:}20{:}43.705 \dashrightarrow 00{:}20{:}44.825$ And it seems to be
- NOTE Confidence: 0.9959961
- $00{:}20{:}45.705 \dashrightarrow 00{:}20{:}47.065$ that getting a PSA test,
- NOTE Confidence: 0.9959961
- 00:20:47.065 --> 00:20:47.804 getting screened

- NOTE Confidence: 0.9773975
- $00{:}20{:}48.184 \dashrightarrow 00{:}20{:}49.385$ reduces the risk of dying
- NOTE Confidence: 0.9773975
- $00{:}20{:}49{.}385 \dashrightarrow 00{:}20{:}50{.}744$ from prostate cancer. So that's
- NOTE Confidence: 0.9773975
- $00:20:50.744 \rightarrow 00:20:51.784$ what I would tell people.
- NOTE Confidence: 0.9773975
- $00{:}20{:}51{.}784 \dashrightarrow 00{:}20{:}53{.}180$ But we've
- NOTE Confidence: 0.9773975
- $00{:}20{:}53.180 \dashrightarrow 00{:}20{:}54.320$ had a hard time interpreting
- NOTE Confidence: 0.9773975
- $00{:}20{:}54{.}380 \dashrightarrow 00{:}20{:}55{.}420$ that. So does that mean
- NOTE Confidence: 0.9773975
- $00:20:55.420 \rightarrow 00:20:56.700$ every single person at any
- NOTE Confidence: 0.9773975
- $00:20:56.700 \longrightarrow 00:20:57.820$ age should get it? Probably
- NOTE Confidence: 0.9773975
- $00:20:57.820 \longrightarrow 00:20:59.760$ not. Screening people who
- NOTE Confidence: 0.9624891
- $00{:}21{:}00{.}140 \dashrightarrow 00{:}21{:}01{.}660$ are much older or who
- NOTE Confidence: 0.9624891
- $00:21:01.660 \longrightarrow 00:21:03.420$ have serious other medical things
- NOTE Confidence: 0.9624891
- $00:21:03.420 \longrightarrow 00:21:04.455$ going on in their life
- NOTE Confidence: 0.9624891
- $00:21:04.615 \longrightarrow 00:21:05.815$ might have more risk than
- NOTE Confidence: 0.9624891
- $00{:}21{:}05{.}815 \dashrightarrow 00{:}21{:}07{.}015$ benefit because you might find a
- $00:21:08.215 \longrightarrow 00:21:09.755$ prostate cancer and treat it
- NOTE Confidence: 0.9624891
- $00:21:10.054 \rightarrow 00:21:11.575$ when it was never destined

- NOTE Confidence: 0.9624891
- $00:21:11.575 \rightarrow 00:21:13.335$ to harm that individual. And
- NOTE Confidence: 0.9624891
- $00:21:13.335 \longrightarrow 00:21:14.534$ then they
- NOTE Confidence: 0.9624891
- $00{:}21{:}14.534 \dashrightarrow 00{:}21{:}15.414$ have to deal with all
- NOTE Confidence: 0.9624891
- 00:21:15.414 --> 00:21:16.615 of the quality of life
- NOTE Confidence: 0.9624891
- $00{:}21{:}16.615 \dashrightarrow 00{:}21{:}18.615$ stuff that really they didn't
- NOTE Confidence: 0.9624891
- 00:21:18.615 --> 00:21:19.515 need to go through.
- NOTE Confidence: 0.9497989
- $00{:}21{:}21{.}040 \dashrightarrow 00{:}21{:}23{.}520$ So, in general, it's a
- NOTE Confidence: 0.9497989
- $00:21:23.520 \rightarrow 00:21:25.200$ highly personal decision.
- NOTE Confidence: 0.9497989
- $00{:}21{:}25{.}280 \dashrightarrow 00{:}21{:}26{.}400$ It's something that
- NOTE Confidence: 0.9497989
- $00{:}21{:}26{.}400 \dashrightarrow 00{:}21{:}27{.}200$ we wish we had a
- NOTE Confidence: 0.9497989
- $00:21:27.200 \longrightarrow 00:21:28.400$ snap answer for all
- NOTE Confidence: 0.9497989
- $00:21:28.400 \longrightarrow 00:21:28.900$ people,
- NOTE Confidence: 0.998936
- $00:21:29.280 \longrightarrow 00:21:30.480$ but it really is something
- NOTE Confidence: 0.998936
- 00:21:30.480 --> 00:21:31.780 that I think is best
- NOTE Confidence: 0.998936
- $00:21:31.840 \longrightarrow 00:21:32.820$ discussed with
- NOTE Confidence: 0.9603821

- $00:21:33.545 \longrightarrow 00:21:34.905$ a person and their primary
- NOTE Confidence: 0.9603821
- $00:21:34.905 \longrightarrow 00:21:35.725$ care doctor.
- NOTE Confidence: 0.9818352
- $00:21:36.345 \longrightarrow 00:21:37.385$ Of course, there's a benefit.
- NOTE Confidence: 0.9818352
- 00:21:37.385 --> 00:21:38.905 Right? Because we often find
- NOTE Confidence: 0.9818352
- $00{:}21{:}38{.}905 \dashrightarrow 00{:}21{:}40{.}825$ aggressive cancers early, and those
- NOTE Confidence: 0.9818352
- 00:21:40.825 --> 00:21:41.785 are the ones we can
- NOTE Confidence: 0.9818352
- $00{:}21{:}41.785 \dashrightarrow 00{:}21{:}43.705$ treat and cure. And so
- NOTE Confidence: 0.9818352
- 00:21:43.705 00:21:44.984 there is tremendous power here.
- NOTE Confidence: 0.9818352
- 00:21:44.984 --> 00:21:45.785 So I don't mean to
- NOTE Confidence: 0.9818352
- 00:21:45.785 --> 00:21:47.244 be cynical about it because
- NOTE Confidence: 0.9958196
- $00:21:47.670 \longrightarrow 00:21:49.110$ screening and early detection is
- NOTE Confidence: 0.9958196
- $00:21:49.110 \longrightarrow 00:21:49.850$ what is
- NOTE Confidence: 0.9997905
- $00:21:50.310 \longrightarrow 00:21:50.810$ changing
- NOTE Confidence: 0.9907409
- 00:21:51.590 -> 00:21:53.350 prostate cancer. Despite our
- NOTE Confidence: 0.9907409
- $00:21:53.350 \rightarrow 00:21:54.810$ treatments getting better and better,
- NOTE Confidence: 0.9907409
- $00:21:54.869 \longrightarrow 00:21:56.150$ we are not curing people

- NOTE Confidence: 0.9907409
- $00:21:56.150 \rightarrow 00:21:58.070$ with advanced or metastatic prostate
- NOTE Confidence: 0.9907409
- 00:21:58.070 --> 00:21:59.510 cancer. Things are getting better,
- NOTE Confidence: 0.9907409
- $00:21:59.510 \longrightarrow 00:22:00.410$ but incrementally.
- NOTE Confidence: 0.97677517
- $00:22:01.215 \longrightarrow 00:22:02.655$ We really bend the needle
- NOTE Confidence: 0.97677517
- $00{:}22{:}02.655 \dashrightarrow 00{:}22{:}04.015$ and bend the trajectory when
- NOTE Confidence: 0.97677517
- $00{:}22{:}04.015 \dashrightarrow 00{:}22{:}05.294$ we find an aggressive cancer
- NOTE Confidence: 0.97677517
- 00:22:05.294 --> 00:22:06.975 early before it spread and
- NOTE Confidence: 0.97677517
- 00:22:06.975 --> 00:22:08.255 treat it and can cure
- NOTE Confidence: 0.97677517
- $00{:}22{:}08{.}255 \dashrightarrow 00{:}22{:}09{.}294$ an individual for the rest
- NOTE Confidence: 0.97677517
- $00:22:09.294 \longrightarrow 00:22:11.554$ of their life. So imagine
- NOTE Confidence: 0.9896554
- $00:22:12.015 \longrightarrow 00:22:13.554$ you have a close friend
- NOTE Confidence: 0.9896554
- $00{:}22{:}13.695 \dashrightarrow 00{:}22{:}14.434$ or brother
- NOTE Confidence: 0.9982249
- $00:22:14.940 \longrightarrow 00:22:16.859$ who is fifty seven years
- NOTE Confidence: 0.9982249
- 00:22:16.859 --> 00:22:17.359 old,
- NOTE Confidence: 0.99536383
- $00{:}22{:}18.539 \dashrightarrow 00{:}22{:}20.220$ and says, should I have
- NOTE Confidence: 0.99536383

- $00:22:20.220 \longrightarrow 00:22:21.039$ that PSA?
- NOTE Confidence: 0.9983787
- $00:22:21.659 \longrightarrow 00:22:22.960$ It sounds to me
- NOTE Confidence: 0.92337734
- 00:22:23.580 --> 00:22:24.639 like you'd say,
- NOTE Confidence: 0.983643
- 00:22:25.100 --> 00:22:26.460 I might do it myself,
- NOTE Confidence: 0.983643
- $00{:}22{:}26.460 \dashrightarrow 00{:}22{:}27.419$ but you should talk to
- NOTE Confidence: 0.983643
- $00{:}22{:}27{.}419 \dashrightarrow 00{:}22{:}28{.}940$ your doctor because there are
- NOTE Confidence: 0.983643
- $00{:}22{:}28{.}940 \dashrightarrow 00{:}22{:}30{.}299$ pros and cons. Is that
- NOTE Confidence: 0.983643
- 00:22:30.299 --> 00:22:31.075 right?
- NOTE Confidence: 0.983643
- 00:22:31.075 --> 00:22:32.275 That's what I would
- NOTE Confidence: 0.983643
- $00:22:32.275 \longrightarrow 00:22:33.235$ say.
- NOTE Confidence: 0.983643
- 00:22:33.315 --> 00:22:34.275 I would
- NOTE Confidence: 0.983643
- $00:22:34.275 \longrightarrow 00:22:35.315$ go back to the evidence
- NOTE Confidence: 0.983643
- $00:22:35.315 \longrightarrow 00:22:36.935$ that having this test
- NOTE Confidence: 0.95215297
- $00:22:37.555 \longrightarrow 00:22:39.155$ can, overall has
- NOTE Confidence: 0.95215297
- $00{:}22{:}39{.}155 \dashrightarrow 00{:}22{:}40{.}355$ the effect of reducing the
- NOTE Confidence: 0.95215297
- 00:22:40.355 --> 00:22:41.715 risk of dying from prostate

- NOTE Confidence: 0.95215297
- 00:22:41.715 --> 00:22:42.215 cancer.
- NOTE Confidence: 0.9808594
- 00:22:42.755 --> 00:22:43.715 And I think that's
- NOTE Confidence: 0.9808594
- $00:22:43.715 \longrightarrow 00:22:44.340$ pretty clear.
- NOTE Confidence: 0.95737743
- $00:22:44.900 \longrightarrow 00:22:45.779$ And so I would encourage
- NOTE Confidence: 0.95737743
- $00:22:45.779 \longrightarrow 00:22:46.659$ those people. But I've got
- NOTE Confidence: 0.95737743
- $00{:}22{:}46.659 \dashrightarrow 00{:}22{:}48.100$ family members who I've pushed
- NOTE Confidence: 0.95737743
- $00:22:48.100 \longrightarrow 00:22:48.980$ and pushed and they
- NOTE Confidence: 0.95737743
- $00:22:48.980 \longrightarrow 00:22:49.940$ say no, and
- NOTE Confidence: 0.95737743
- $00{:}22{:}49{.}940 \dashrightarrow 00{:}22{:}50{.}900$ I have to respect that
- NOTE Confidence: 0.95737743
- 00:22:50.900 --> 00:22:52.340 because, you know, as long
- NOTE Confidence: 0.95737743
- $00{:}22{:}52{.}340 \dashrightarrow 00{:}22{:}53{.}380$ as that's
- NOTE Confidence: 0.95737743
- $00:22:53.380 \longrightarrow 00:22:54.600$ been understood, then
- NOTE Confidence: 0.9994625
- $00{:}22{:}55{.}140 \dashrightarrow 00{:}22{:}56{.}355$ people should make their decision.
- NOTE Confidence: 0.9956347
- 00:22:56.755 --> 00:22:58.035 And is it also fair
- NOTE Confidence: 0.9956347
- $00{:}22{:}58.035 \dashrightarrow 00{:}22{:}59.155$ to say that if you
- NOTE Confidence: 0.9956347

- 00:22:59.155 --> 00:23:00.595 were talking to your eighty
- NOTE Confidence: 0.9956347
- 00:23:00.595 --> 00:23:02.294 two year old great uncle,
- NOTE Confidence: 0.99952173
- $00{:}23{:}03{.}395 \dashrightarrow 00{:}23{:}05{.}015$ that you would probably suggest
- NOTE Confidence: 0.99443436
- $00{:}23{:}05{.}395 \dashrightarrow 00{:}23{:}07{.}315$ that he not continue to
- NOTE Confidence: 0.99443436
- $00:23:07.315 \longrightarrow 00:23:08.054$ have screening?
- NOTE Confidence: 0.97716796
- $00{:}23{:}08{.}515 \dashrightarrow 00{:}23{:}09{.}875$ I would, absolutely.
- NOTE Confidence: 0.97716796
- $00{:}23{:}09{.}875 \dashrightarrow 00{:}23{:}10{.}755$ And that, I think,
- NOTE Confidence: 0.97716796
- $00:23:10.755 \rightarrow 00:23:11.940$ is something that is
- NOTE Confidence: 0.97716796
- $00{:}23{:}12{.}100 \dashrightarrow 00{:}23{:}13{.}619$ really difficult to navigate, and
- NOTE Confidence: 0.97716796
- 00:23:13.619 --> 00:23:14.899 I often see people who
- NOTE Confidence: 0.97716796
- $00{:}23{:}14.899 \dashrightarrow 00{:}23{:}15.859$ are older. And the
- NOTE Confidence: 0.97716796
- 00:23:15.859 00:23:17.139 question is, well, if I've
- NOTE Confidence: 0.97716796
- 00:23:17.139 00:23:19.059 been screened for years and
- NOTE Confidence: 0.97716796
- $00:23:19.059 \rightarrow 00:23:20.419$ years, and as we get
- NOTE Confidence: 0.97716796
- $00:23:20.419 \longrightarrow 00:23:21.799$ older, when do you stop?
- NOTE Confidence: 0.97716796
- $00{:}23{:}21.859 \dashrightarrow 00{:}23{:}22.899$ And that's a hard

- NOTE Confidence: 0.97716796
- $00:23:22.899 \rightarrow 00:23:24.259$ conversation because when we when

NOTE Confidence: 0.97716796

 $00{:}23{:}24{.}259 \dashrightarrow 00{:}23{:}25{.}299$ we suggest to stop, that

NOTE Confidence: 0.97716796

 $00:23:25.299 \rightarrow 00:23:26.659$ doesn't mean that we're saying

NOTE Confidence: 0.97716796

 $00{:}23{:}26.659 \dashrightarrow 00{:}23{:}27.805$ we don't think you have

NOTE Confidence: 0.97716796

00:23:27.805 --> 00:23:29.484 a long life expectancy

NOTE Confidence: 0.97716796

 $00:23:29.484 \longrightarrow 00:23:30.605$ or that your cancer is

NOTE Confidence: 0.97716796

 $00:23:30.605 \longrightarrow 00:23:31.805$ worth finding. So there's that

NOTE Confidence: 0.97716796

 $00:23:31.805 \longrightarrow 00:23:33.425$ stigma that

NOTE Confidence: 0.98350084

00:23:33.805 --> 00:23:34.845 you don't think it's

NOTE Confidence: 0.98350084

 $00:23:34.845 \longrightarrow 00:23:36.125$ worth finding this. And it's a

 $00{:}23{:}36{.}845 \dashrightarrow 00{:}23{:}38{.}285$ difficult conversation and to try to

NOTE Confidence: 0.98350084

 $00:23:38.285 \rightarrow 00:23:39.805$ convey that it's really

NOTE Confidence: 0.98350084

 $00:23:39.805 \longrightarrow 00:23:41.005$ not that. Of course, we

NOTE Confidence: 0.98350084

 $00:23:41.005 \longrightarrow 00:23:42.225$ want you to

NOTE Confidence: 0.98474336

 $00{:}23{:}43{.}520 \dashrightarrow 00{:}23{:}44{.}480$ live a long and full

NOTE Confidence: 0.98474336

 $00:23:44.480 \longrightarrow 00:23:46.000$ life, but there's the potential

- NOTE Confidence: 0.98474336
- $00:23:46.000 \rightarrow 00:23:47.280$ for making that life worse.
- NOTE Confidence: 0.98474336
- $00{:}23{:}47{.}280 \dashrightarrow 00{:}23{:}48{.}080$ And I think that is
- NOTE Confidence: 0.98474336
- $00:23:48.080 \longrightarrow 00:23:48.660$ a centering
- NOTE Confidence: 0.97284913
- $00:23:49.280 \longrightarrow 00:23:51.200$ point that people get. But,
- NOTE Confidence: 0.97284913
- $00:23:51.520 \longrightarrow 00:23:53.119$ that's still tough. There's
- NOTE Confidence: 0.97284913
- $00{:}23{:}53{.}119 \dashrightarrow 00{:}23{:}54{.}255$ no road map for that.
- NOTE Confidence: 0.9865648
- $00:23:55.295 \rightarrow 00:23:56.335$ Unfortunately, that falls in the
- NOTE Confidence: 0.9865648
- 00:23:56.335 --> 00:23:56.975 lap of a lot of
- NOTE Confidence: 0.9865648
- 00:23:56.975 --> 00:23:58.335 our primary care doctors who
- NOTE Confidence: 0.9865648
- $00:23:58.335 \longrightarrow 00:23:59.615$ are our partners in prostate
- NOTE Confidence: 0.9865648
- $00{:}23{:}59{.}615 \dashrightarrow 00{:}24{:}00{.}975$ cancer care.
- NOTE Confidence: 0.9991148
- 00:24:02.015 --> 00:24:03.375 I had that same
- NOTE Confidence: 0.9991148
- 00:24:03.375 --> 00:24:04.355 difficult conversation
- NOTE Confidence: 0.9958251
- $00{:}24{:}04{.}734 \dashrightarrow 00{:}24{:}06{.}515$ with my mother about mammography,
- NOTE Confidence: 0.9915566
- $00{:}24{:}07{.}320 \dashrightarrow 00{:}24{:}09{.}480$ you know, and advising her
- NOTE Confidence: 0.9915566

- $00{:}24{:}09{.}480 \dashrightarrow 00{:}24{:}10{.}519$ as the son who's a
- NOTE Confidence: 0.9915566
- 00:24:10.519 --> 00:24:11.659 breast cancer doctor.
- NOTE Confidence: 0.996329
- 00:24:12.039 --> 00:24:13.240 And I can tell you
- NOTE Confidence: 0.996329
- $00{:}24{:}13{.}240 \dashrightarrow 00{:}24{:}14{.}760$ that conversation was also a
- NOTE Confidence: 0.996329
- 00:24:14.760 --> 00:24:15.580 little difficult.
- NOTE Confidence: 0.9768296
- $00:24:17.240 \longrightarrow 00:24:17.740$ So
- NOTE Confidence: 0.99806815
- $00{:}24{:}18.519 \dashrightarrow 00{:}24{:}19.019$ let's
- NOTE Confidence: 0.96537155
- 00:24:20.175 --> 00:24:21.855 shift a bit and talk
- NOTE Confidence: 0.96537155
- $00{:}24{:}21.855 \dashrightarrow 00{:}24{:}22.355$ about,
- NOTE Confidence: 0.999534
- $00:24:23.215 \longrightarrow 00:24:24.195$ not intervening.
- NOTE Confidence: 0.99673116
- $00:24:24.495 \longrightarrow 00:24:26.335$ So someone is diagnosed with
- NOTE Confidence: 0.99673116
- $00:24:26.335 \longrightarrow 00:24:27.315$ prostate cancer.
- NOTE Confidence: 0.9610283
- 00:24:27.695 00:24:28.835 They've been screened.
- NOTE Confidence: 0.9545175
- 00:24:30.255 --> 00:24:30.755 They
- NOTE Confidence: 0.9618091
- $00{:}24{:}31.775 \dashrightarrow 00{:}24{:}33.475$ have a biopsy done.
- NOTE Confidence: 0.9494243
- $00{:}24{:}34{.}290 \dashrightarrow 00{:}24{:}35{.}510$ And sometimes

- NOTE Confidence: 0.84732
- $00{:}24{:}35{.}810 \dashrightarrow 00{:}24{:}37{.}350$ I know, and increasingly,
- NOTE Confidence: 0.98495704
- $00:24:39.010 \longrightarrow 00:24:41.170$ they're advised, maybe you don't
- NOTE Confidence: 0.98495704
- $00:24:41.170 \longrightarrow 00:24:42.610$ need to do anything right
- NOTE Confidence: 0.98495704
- $00:24:42.610 \longrightarrow 00:24:44.710$ now. So what's that about?
- NOTE Confidence: 0.98495704
- 00:24:45.010 --> 00:24:46.130 That's right. And so it
- NOTE Confidence: 0.98495704
- $00{:}24{:}46{.}130 \dashrightarrow 00{:}24{:}47{.}170$ all goes back to that
- NOTE Confidence: 0.98495704
- $00:24:47.170 \longrightarrow 00:24:49.184$ understanding that
- NOTE Confidence: 0.98495704
- $00:24:49.184 \longrightarrow 00:24:50.225$ many of the cancers we
- NOTE Confidence: 0.98495704
- $00:24:50.225 \longrightarrow 00:24:51.525$ identify with screening
- NOTE Confidence: 0.99160177
- $00:24:51.904 \rightarrow 00:24:52.804$ are not aggressive.
- NOTE Confidence: 0.96225214
- $00:24:53.505 \longrightarrow 00:24:54.484$ And in particular,
- NOTE Confidence: 0.9977749
- $00:24:55.025 \longrightarrow 00:24:57.025$ you know, we find these
- NOTE Confidence: 0.9977749
- $00:24:57.025 \rightarrow 00:24:58.164$ lower grade cancers,
- NOTE Confidence: 0.98351985
- $00{:}24{:}58.625 \dashrightarrow 00{:}24{:}59.664$ when we go looking for
- NOTE Confidence: 0.98351985
- $00:24:59.664 \rightarrow 00:25:00.804$ them, when we do screening.
- NOTE Confidence: 0.99773294

 $00:25:01.500 \rightarrow 00:25:02.780$ And we have very reliable

NOTE Confidence: 0.99773294

 $00:25:02.780 \longrightarrow 00:25:03.840$ systems for identifying

NOTE Confidence: 0.99411935

 $00{:}25{:}04{.}140 \dashrightarrow 00{:}25{:}05{.}260$ which ones are aggressive and

NOTE Confidence: 0.99411935

 $00:25:05.260 \rightarrow 00:25:06.480$ which ones are not aggressive.

NOTE Confidence: 0.99411935

 $00{:}25{:}06{.}619 \dashrightarrow 00{:}25{:}07{.}820$ And so the idea is

NOTE Confidence: 0.99411935

 $00{:}25{:}07{.}820 \dashrightarrow 00{:}25{:}09{.}680$ that we can carefully monitor

NOTE Confidence: 0.98441166

 $00{:}25{:}10{.}220 \dashrightarrow 00{:}25{:}11{.}359$ those that are nonaggressive

NOTE Confidence: 0.9838855

 $00:25:12.140 \longrightarrow 00:25:13.340$ and offer treatment in the

NOTE Confidence: 0.9838855

 $00{:}25{:}13.340 \dashrightarrow 00{:}25{:}14.960$ future should something change

NOTE Confidence: 0.983208

 $00{:}25{:}15.725 \dashrightarrow 00{:}25{:}17.185$ while that window of opportunity

NOTE Confidence: 0.983208

 $00{:}25{:}17{.}244 \dashrightarrow 00{:}25{:}18{.}525$ for cure is still there.

NOTE Confidence: 0.983208

 $00:25:18.525 \longrightarrow 00:25:19.805$ And that is a protocol

NOTE Confidence: 0.983208

 $00{:}25{:}19.805 \dashrightarrow 00{:}25{:}21.345$ that we call active surveillance.

NOTE Confidence: 0.98835856

 $00{:}25{:}22{.}125 \dashrightarrow 00{:}25{:}23{.}325$ And that has also really

NOTE Confidence: 0.98835856

 $00{:}25{:}23{.}325 \dashrightarrow 00{:}25{:}25{.}005$ revolutionized our approach to prostate

NOTE Confidence: 0.98835856

 $00{:}25{:}25{.}005 \dashrightarrow 00{:}25{:}26{.}045$ cancer because I think it's

- NOTE Confidence: 0.98835856
- $00:25:26.045 \rightarrow 00:25:27.905$ allowed screening to happen
- NOTE Confidence: 0.9992249
- $00{:}25{:}28.205 \dashrightarrow 00{:}25{:}29.565$ with a better balance of
- NOTE Confidence: 0.9992249
- $00{:}25{:}29{.}565 \dashrightarrow 00{:}25{:}30{.}465$ risk and benefit.
- NOTE Confidence: 0.9997924
- 00:25:30.869 --> 00:25:31.369 So
- NOTE Confidence: 0.9978773
- $00:25:32.150 \longrightarrow 00:25:33.510$ by only treating the truly
- NOTE Confidence: 0.9978773
- $00{:}25{:}33.510 \dashrightarrow 00{:}25{:}35.670$ aggressive ones, we are reducing
- NOTE Confidence: 0.9978773
- 00:25:35.670 00:25:36.970 the risk of overtreating
- NOTE Confidence: 0.9838375
- $00:25:37.670 \longrightarrow 00:25:39.609$ the nonaggressive ones.
- NOTE Confidence: 0.9852254
- $00{:}25{:}40{.}310 \dashrightarrow 00{:}25{:}41{.}510$ Many people who start on
- NOTE Confidence: 0.9852254
- $00{:}25{:}41{.}510 \dashrightarrow 00{:}25{:}42{.}710$ active surveillance need to be
- NOTE Confidence: 0.9852254
- $00:25:42.710 \longrightarrow 00:25:44.234$ treated eventually, so up to
- NOTE Confidence: 0.9852254
- $00{:}25{:}44{.}234 \dashrightarrow 00{:}25{:}45{.}755$ fifty percent will eventually need
- NOTE Confidence: 0.9852254
- $00{:}25{:}45{.}755 \dashrightarrow 00{:}25{:}46{.}815$ some form of treatment.
- NOTE Confidence: 0.9749196
- 00:25:47.835 --> 00:25:48.715 But, yeah, I think it
- NOTE Confidence: 0.9749196
- $00:25:48.715 \longrightarrow 00:25:50.155$ has really moved the needle
- NOTE Confidence: 0.9749196

- $00:25:50.155 \longrightarrow 00:25:51.215$ in terms of reducing
- NOTE Confidence: 0.9918581
- $00{:}25{:}51{.}675 \dashrightarrow 00{:}25{:}54{.}095$ unnecessary surgery, unnecessary radiation,
- NOTE Confidence: 0.99848014
- $00{:}25{:}54{.}395 \dashrightarrow 00{:}25{:}56{.}010$ and the associated effect.
- NOTE Confidence: 0.9975688
- 00:25:57.130 --> 00:25:59.210 Sure. And I can imagine
- NOTE Confidence: 0.9975688
- $00{:}25{:}59{.}210 \dashrightarrow 00{:}26{:}00{.}570$ that that conversation is a
- NOTE Confidence: 0.9975688
- 00:26:00.570 --> 00:26:01.550 difficult conversation
- NOTE Confidence: 0.9881512
- $00{:}26{:}01{.}930 \dashrightarrow 00{:}26{:}02{.}590$ as well.
- NOTE Confidence: 0.94084275
- $00:26:02.970 \longrightarrow 00:26:04.090$ And I guess the question
- NOTE Confidence: 0.94084275
- 00:26:04.090 --> 00:26:05.790 I have is, are more
- NOTE Confidence: 0.9973354
- $00{:}26{:}06{.}170 \dashrightarrow 00{:}26{:}08{.}010$ people opting for that approach
- NOTE Confidence: 0.9973354
- $00:26:08.010 \longrightarrow 00:26:09.450$ than was the case years
- NOTE Confidence: 0.9973354
- $00:26:09.450 \longrightarrow 00:26:09.950$ ago?
- NOTE Confidence: 0.96989554
- 00:26:10.544 --> 00:26:11.904 They are. Yes. There's really
- NOTE Confidence: 0.96989554
- $00:26:11.904 \longrightarrow 00:26:13.184$ been a real change
- NOTE Confidence: 0.96989554
- $00:26:13.184 \longrightarrow 00:26:14.465$ over the past few years,
- NOTE Confidence: 0.96989554
- $00:26:14.465 \longrightarrow 00:26:15.345$ and it used to be

- NOTE Confidence: 0.96989554
- $00{:}26{:}15.345 \dashrightarrow 00{:}26{:}16.565$ where that was a difficult
- NOTE Confidence: 0.96989554
- $00{:}26{:}16.625 \dashrightarrow 00{:}26{:}18.565$ conversation and it seemed here tical
- NOTE Confidence: 0.96989554
- 00:26:18.705 --> 00:26:20.144 to say, you found prostate
- NOTE Confidence: 0.96989554
- $00:26:20.144 \rightarrow 00:26:21.184$ cancer and you're not gonna
- NOTE Confidence: 0.96989554
- $00{:}26{:}21{.}184 \dashrightarrow 00{:}26{:}22{.}140$ treat me for this.
- NOTE Confidence: 0.99898624
- 00:26:22.940 --> 00:26:23.980 But people have really come
- NOTE Confidence: 0.99898624
- $00:26:23.980 \longrightarrow 00:26:24.859$ around to it. So the
- NOTE Confidence: 0.99898624
- $00:26:24.859 \longrightarrow 00:26:26.300$ majority of people who have
- NOTE Confidence: 0.99898624
- 00:26:26.300 --> 00:26:27.920 a low risk prostate cancer
- NOTE Confidence: 0.9892717
- $00:26:28.380 \longrightarrow 00:26:29.820$ are being monitored in the
- NOTE Confidence: 0.9892717
- 00:26:29.820 --> 00:26:32.060 United States. At Yale, it's
- NOTE Confidence: 0.9892717
- $00:26:32.060 \longrightarrow 00:26:33.180$ much higher than that, near
- NOTE Confidence: 0.9892717
- $00:26:33.180 \longrightarrow 00:26:33.840$ the majority.
- NOTE Confidence: 0.99047345
- $00{:}26{:}34{.}395 \dashrightarrow 00{:}26{:}35{.}515$ And I think people have
- NOTE Confidence: 0.99047345
- $00:26:35.515 \longrightarrow 00:26:36.395$ really come around to that
- NOTE Confidence: 0.99047345

00:26:36.395 --> 00:26:37.675 idea. Believe it or not,

NOTE Confidence: 0.99047345

00:26:37.675 --> 00:26:38.635 I don't think it's

NOTE Confidence: 0.99047345

 $00:26:38.635 \longrightarrow 00:26:39.755$ as hard of a conversation

NOTE Confidence: 0.99047345

 $00:26:39.755 \longrightarrow 00:26:40.895$ as it used to be.

NOTE Confidence: 0.9757309

00:26:41.195 --> 00:26:42.715 And I think, hopefully, our

NOTE Confidence: 0.9757309

 $00{:}26{:}42.715 \dashrightarrow 00{:}26{:}44.335$ patients are understanding that,

NOTE Confidence: 0.9966768

 $00:26:44.795 \longrightarrow 00:26:46.475$ this is really grounded in

NOTE Confidence: 0.9966768

 $00:26:46.475 \rightarrow 00:26:47.675$ evidence. There have been large

NOTE Confidence: 0.9966768

 $00{:}26{:}47.675 \dashrightarrow 00{:}26{:}49.515$ trials that have randomized people

NOTE Confidence: 0.9966768

00:26:49.515 --> 00:26:51.760 to have surgery, radiation, or

NOTE Confidence: 0.9966768

 $00{:}26{:}51.760 \dashrightarrow 00{:}26{:}54.020$ carefully monitor their prostate cancer.

NOTE Confidence: 0.97277796

 $00:26:54.400 \longrightarrow 00:26:55.520$ And for up to fifteen

NOTE Confidence: 0.97277796

 $00:26:55.520 \longrightarrow 00:26:57.119$ years of follow-up, there was

NOTE Confidence: 0.97277796

 $00{:}26{:}57{.}119 \dashrightarrow 00{:}26{:}58{.}900$ no difference in survival between

NOTE Confidence: 0.97277796

00:26:58.960 --> 00:27:00.020 surgery, radiation,

NOTE Confidence: 0.999602

 $00:27:00.320 \rightarrow 00:27:01.380$ or careful monitoring

- NOTE Confidence: 0.97782475
- $00{:}27{:}01{.}840 \dashrightarrow 00{:}27{:}03{.}040$ with about a ninety nine
- NOTE Confidence: 0.97782475
- 00:27:03.040 --> 00:27:04.400 percent survival in all of
- NOTE Confidence: 0.97782475
- 00:27:04.400 --> 00:27:05.755 those groups. And I guess
- NOTE Confidence: 0.97782475
- $00{:}27{:}05{.}755 \dashrightarrow 00{:}27{:}06{.}715$ the one thing we have
- NOTE Confidence: 0.97782475
- $00{:}27{:}06.715 \dashrightarrow 00{:}27{:}07.835$ to remember is that when
- NOTE Confidence: 0.97782475
- $00{:}27{:}07{.}835 \dashrightarrow 00{:}27{:}09{.}915$ we're doing active surveillance or
- NOTE Confidence: 0.97782475
- $00:27:09.915 \longrightarrow 00:27:11.835$ careful monitoring, that does involve
- NOTE Confidence: 0.97782475
- 00:27:11.835 --> 00:27:12.335 monitoring.
- NOTE Confidence: 0.98187774
- $00{:}27{:}12.875 \dashrightarrow 00{:}27{:}14.155$ And we have to
- NOTE Confidence: 0.98187774
- $00:27:14.155 \longrightarrow 00:27:15.275$ have systems to
- NOTE Confidence: 0.98187774
- 00:27:15.275 --> 00:27:16.315 make sure that people come
- NOTE Confidence: 0.98187774
- $00{:}27{:}16.315 \dashrightarrow 00{:}27{:}18.234$ back and have that
- NOTE Confidence: 0.98187774
- $00:27:18.234 \longrightarrow 00:27:18.734$ monitoring
- NOTE Confidence: 0.9933955
- $00{:}27{:}19{.}420 \dashrightarrow 00{:}27{:}20{.}780$ to keep them from getting
- NOTE Confidence: 0.9933955
- 00:27:20.780 --> 00:27:22.080 into any kind of difficulty.
- NOTE Confidence: 0.98410654

 $00:27:22.619 \rightarrow 00:27:23.820$ That's exactly right. And that's

NOTE Confidence: 0.98410654

 $00:27:23.820 \longrightarrow 00:27:24.859$ a challenge. You know, we

NOTE Confidence: 0.98410654

 $00:27:24.859 \longrightarrow 00:27:26.140$ published a paper on that

NOTE Confidence: 0.98410654

 $00{:}27{:}26.140 \dashrightarrow 00{:}27{:}27{.}900$ last year looking at the

NOTE Confidence: 0.98410654

 $00:27:27.900 \longrightarrow 00:27:29.420$ state of monitoring in the

NOTE Confidence: 0.98410654

 $00{:}27{:}29{.}420 \dashrightarrow 00{:}27{:}31{.}100$ Medicare population, and there are

NOTE Confidence: 0.98410654

 $00{:}27{:}31{.}100 \dashrightarrow 00{:}27{:}31{.}900$ a lot of folks who

NOTE Confidence: 0.98410654

 $00{:}27{:}31{.}900 \dashrightarrow 00{:}27{:}33{.}675$ start active surveillance who do

NOTE Confidence: 0.98410654

00:27:33.675 --> 00:27:34.955 not go back for an

NOTE Confidence: 0.98410654

 $00{:}27{:}34.955 \dashrightarrow 00{:}27{:}37.055$ additional test or additional testing.

NOTE Confidence: 0.9960598

 $00:27:37.995 \longrightarrow 00:27:39.995$ And so we are leading

NOTE Confidence: 0.9960598

 $00:27:39.995 \longrightarrow 00:27:41.435$ efforts and really interested in

NOTE Confidence: 0.9960598

 $00{:}27{:}41.435 \dashrightarrow 00{:}27{:}42.475$ ways that we can make

NOTE Confidence: 0.9960598

 $00:27:42.475 \longrightarrow 00:27:43.695$ things better,

NOTE Confidence: 0.9966812

00:27:44.475 --> 00:27:45.755 to put systems in place

NOTE Confidence: 0.9966812

 $00{:}27{:}45.755 \dashrightarrow 00{:}27{:}46.895$ that promote

- NOTE Confidence: 0.83842415
- $00:27:47.195 \longrightarrow 00:27:47.695$ recall,
- NOTE Confidence: 0.9984787
- $00{:}27{:}48.450 \dashrightarrow 00{:}27{:}49.730$ and do this more
- NOTE Confidence: 0.9984787
- $00:27:49.730 \longrightarrow 00:27:50.230$ safely.
- NOTE Confidence: 0.9977936
- $00{:}27{:}50{.}850 \dashrightarrow 00{:}27{:}52{.}530$ So in our last minute,
- NOTE Confidence: 0.9977936
- 00:27:52.530 --> 00:27:53.590 if you could just
- NOTE Confidence: 0.9986137
- 00:27:54.049 --> 00:27:54.549 comment
- NOTE Confidence: 0.9975102
- $00:27:55.090 \longrightarrow 00:27:55.590$ briefly
- NOTE Confidence: 0.98916537
- 00:27:56.369 --> 00:27:58.609 about prostate cancer in younger
- NOTE Confidence: 0.98916537
- $00{:}27{:}58.609 \dashrightarrow 00{:}28{:}00.530$ individuals.
- NOTE Confidence: 0.98916537
- $00:28:00.530 \longrightarrow 00:28:02.130$ In general it's a disease of people who
- NOTE Confidence: 0.98916537
- $00:28:02.130 \longrightarrow 00:28:02.869$ get older.
- NOTE Confidence: 0.9834337
- $00{:}28{:}03{.}664 \dashrightarrow 00{:}28{:}05{.}024$ You talked about screening in
- NOTE Confidence: 0.9834337
- $00:28:05.024 \rightarrow 00:28:06.865$ people fifty five to sixty
- NOTE Confidence: 0.9834337
- 00:28:06.865 --> 00:28:07.365 nine,
- NOTE Confidence: 0.99543464
- $00{:}28{:}07{.}904 \dashrightarrow 00{:}28{:}09{.}825$ but there are occasionally younger
- NOTE Confidence: 0.99543464

 $00{:}28{:}09{.}825 \dashrightarrow 00{:}28{:}11{.}845$ people with prostate cancer. And

NOTE Confidence: 0.9685214

 $00{:}28{:}12{.}544 \dashrightarrow 00{:}28{:}13{.}825$ how common is that, or

NOTE Confidence: 0.9685214

 $00:28:13.825 \longrightarrow 00:28:15.184$ is it just so uncommon

NOTE Confidence: 0.9685214

 $00{:}28{:}15{.}184 \dashrightarrow 00{:}28{:}17{.}040$ we shouldn't even talk about it?

NOTE Confidence: 0.9685214

 $00{:}28{:}17{.}180 \dashrightarrow 00{:}28{:}18{.}380$ Absolutely. No. it is

 $00{:}28{:}19{.}260 \dashrightarrow 00{:}28{:}20{.}220$ more and more common. We

NOTE Confidence: 0.9685214

 $00:28:20.220 \longrightarrow 00:28:21.340$ are doing more screening in

NOTE Confidence: 0.9685214

00:28:21.340 --> 00:28:22.380 younger people, which I think

NOTE Confidence: 0.9685214

 $00:28:22.380 \longrightarrow 00:28:23.340$ is a good thing because

NOTE Confidence: 0.9685214

 $00:28:23.340 \longrightarrow 00:28:24.960$ we are finding aggressive cancers

NOTE Confidence: 0.9685214

 $00:28:25.020 \rightarrow 00:28:25.520$ earlier.

NOTE Confidence: 0.99081355

00:28:25.820 --> 00:28:27.180 It's a very different approach.

NOTE Confidence: 0.99081355

 $00{:}28{:}27.180 \dashrightarrow 00{:}28{:}28.460$ I think the considerations are

NOTE Confidence: 0.99081355

 $00:28:28.460 \longrightarrow 00:28:29.500$ very different for a younger

NOTE Confidence: 0.99081355

 $00{:}28{:}29{.}500 \dashrightarrow 00{:}28{:}30{.}880$ person who may be considering

NOTE Confidence: 0.99081355

00:28:31.100 --> 00:28:31.600 fertility,

NOTE Confidence: 0.99568874

- $00{:}28{:}32{.}435 \dashrightarrow 00{:}28{:}32{.}935$ who
- 00:28:34.275 --> 00:28:36.115 urinary and sexual function, the
- NOTE Confidence: 0.981987
- 00:28:36.115 --> 00:28:37.075 stakes are a little bit
- NOTE Confidence: 0.981987
- 00:28:37.075 --> 00:28:37.575 different.
- NOTE Confidence: 0.9774445
- 00:28:37.875 --> 00:28:39.395 Doctor Michael Leapman is an
- NOTE Confidence: 0.9774445
- 00:28:39.395 --> 00:28:41.155 associate professor of urology at
- NOTE Confidence: 0.9774445
- $00{:}28{:}41.155 \dashrightarrow 00{:}28{:}42.455$ the Yale School of Medicine.
- NOTE Confidence: 0.9686242
- $00:28:42.995 \longrightarrow 00:28:44.355$ If you have questions, the
- NOTE Confidence: 0.9686242
- $00:28:44.355 \longrightarrow 00:28:45.955$ address is cancer answers at
- NOTE Confidence: 0.9686242
- 00:28:45.955 --> 00:28:47.250 yale dot e d u,
- NOTE Confidence: 0.9686242
- $00{:}28{:}47{.}330 \dashrightarrow 00{:}28{:}48{.}530$ and past editions of the
- NOTE Confidence: 0.9686242
- 00:28:48.530 --> 00:28:50.310 program are available in audio
- NOTE Confidence: 0.9686242
- $00{:}28{:}50{.}370 \dashrightarrow 00{:}28{:}51{.}570$ and written form at yale
- NOTE Confidence: 0.9686242
- 00:28:51.570 00:28:53.490 cancer center dot org. We
- NOTE Confidence: 0.9686242
- 00:28:53.490 --> 00:28:54.450 hope you'll join us next
- NOTE Confidence: 0.9686242
- $00{:}28{:}54{.}450 \dashrightarrow 00{:}28{:}55{.}490$ time to learn more about
- NOTE Confidence: 0.9686242

 $00{:}28{:}55{.}490 \dashrightarrow 00{:}28{:}56{.}630$ the fight against cancer.

NOTE Confidence: 0.9350378

00:28:57.010 --> 00:28:58.770 Funding for Yale Cancer Answers

NOTE Confidence: 0.9350378

00:28:58.770 --> 00:29:00.450 is provided by Smilow Cancer

NOTE Confidence: 0.9350378

 $00{:}29{:}00{.}450 \dashrightarrow 00{:}29{:}00{.}950$ Hospital.