$00:00:00.160 \longrightarrow 00:00:01.920$ Funding for Yale Cancer Answers

NOTE Confidence: 0.9443829

 $00{:}00{:}01.920 \dashrightarrow 00{:}00{:}03.679$ is provided by Smilow Cancer

NOTE Confidence: 0.9443829

00:00:03.679 --> 00:00:04.180 Hospital.

NOTE Confidence: 0.9631407

00:00:06.160 --> 00:00:08.080 Welcome to Yale Cancer Answers

NOTE Confidence: 0.9631407

 $00:00:08.080 \longrightarrow 00:00:09.119$ with the director of the

NOTE Confidence: 0.9631407

00:00:09.119 --> 00:00:10.800 Yale Cancer Center, doctor Eric

NOTE Confidence: 0.9631407

 $00:00:10.800 \longrightarrow 00:00:11.300$ Winer.

NOTE Confidence: 0.9832591

 $00:00:11.840 \longrightarrow 00:00:14.019$ Yale Cancer Answers features conversations

NOTE Confidence: 0.9832591

 $00{:}00{:}14.240 \dashrightarrow 00{:}00{:}15.965$ with oncologists and specialists

NOTE Confidence: 0.9832591

00:00:15.965 --> 00:00:17.005 who are on the forefront

NOTE Confidence: 0.9832591

 $00{:}00{:}17.005 \dashrightarrow 00{:}00{:}17.965$ of the battle to fight

NOTE Confidence: 0.9832591

 $00:00:17.965 \longrightarrow 00:00:18.465$ cancer.

NOTE Confidence: 0.9665273

00:00:19.085 --> 00:00:20.305 This week, it's a conversation

NOTE Confidence: 0.9665273

 $00{:}00{:}20.445 {\:\dashrightarrow\:} 00{:}00{:}22.605$ about radiation on cology with doctor

NOTE Confidence: 0.9665273

00:00:22.605 --> 00:00:23.425 Peter Glazer.

NOTE Confidence: 0.95460856

 $00{:}00{:}23.885 \to 00{:}00{:}25.244$ Doctor Glazer is the Robert

 $00{:}00{:}25.244 \dashrightarrow 00{:}00{:}26.945$ E. Hunter Professor of The rapeutic

NOTE Confidence: 0.95460856

00:00:27.165 --> 00:00:27.665 Radiology

NOTE Confidence: 0.96996987

00:00:28.205 --> 00:00:30.160 and Professor of Genetics and

NOTE Confidence: 0.96996987

 $00:00:30.160 \longrightarrow 00:00:31.280$ chair of the department of

NOTE Confidence: 0.96996987

 $00{:}00{:}31.280 \longrightarrow 00{:}00{:}33.120$ the rapeutic radiology at the Yale

NOTE Confidence: 0.96996987

 $00:00:33.120 \longrightarrow 00:00:34.020$ School of Medicine.

NOTE Confidence: 0.8627474

 $00:00:34.560 \longrightarrow 00:00:35.700$ Here's doctor Winer.

NOTE Confidence: 0.96742463

00:00:36.720 --> 00:00:38.400 Can you just tell us

NOTE Confidence: 0.96742463

 $00:00:38.400 \longrightarrow 00:00:40.020$ a little bit about yourself?

NOTE Confidence: 0.96742463

 $00:00:40.159 \longrightarrow 00:00:41.680$ How is it

NOTE Confidence: 0.96742463

 $00:00:41.680 \longrightarrow 00:00:43.140$ that you came to be

NOTE Confidence: 0.96742463

 $00:00:43.200 \longrightarrow 00:00:44.500$ a radiation oncologist?

NOTE Confidence: 0.92239887

 $00{:}00{:}45.425 \to 00{:}00{:}46.545$ I'm a

NOTE Confidence: 0.92239887

 $00{:}00{:}46.545 \dashrightarrow 00{:}00{:}48.704$ physician scientist with an MD

NOTE Confidence: 0.92239887

 $00:00:48.704 \longrightarrow 00:00:50.165$ and a PhD in genetics,

 $00:00:50.625 \longrightarrow 00:00:51.604$ and as you mentioned,

NOTE Confidence: 0.90205747

 $00{:}00{:}51.985 \dashrightarrow 00{:}00{:}53.425$ my medical specialty is in

NOTE Confidence: 0.90205747

 $00:00:53.425 \longrightarrow 00:00:54.485$ radiation oncology.

 $00:00:56.145 \longrightarrow 00:00:58.245$ And my research focuses on fundamental

NOTE Confidence: 0.9828321

 $00:00:58.305 \longrightarrow 00:00:59.765$ cancer biology and

NOTE Confidence: 0.9238002

 $00{:}01{:}00.580 \dashrightarrow 00{:}01{:}01.960$ development of translational

NOTE Confidence: 0.9945344

00:01:02.260 --> 00:01:03.240 research opportunities.

 $00:01:05.459 \longrightarrow 00:01:06.580$ I got started in the

NOTE Confidence: 0.9872965

 $00:01:06.580 \longrightarrow 00:01:08.100$ field because of a strong

NOTE Confidence: 0.9872965

 $00{:}01{:}08.100 \dashrightarrow 00{:}01{:}09.640$ clinical interest in oncology,

NOTE Confidence: 0.9546375

 $00:01:10.660 \longrightarrow 00:01:11.620$ and in taking care of

NOTE Confidence: 0.9546375

 $00:01:11.620 \longrightarrow 00:01:13.140$ cancer patients, and that was

NOTE Confidence: 0.9546375

 $00:01:13.140 \longrightarrow 00:01:15.155$ coupled with a growing research

NOTE Confidence: 0.9546375

 $00:01:15.215 \longrightarrow 00:01:16.655$ interest in the field of

NOTE Confidence: 0.9546375

 $00:01:16.655 \longrightarrow 00:01:18.415$ DNA repair, which is how

NOTE Confidence: 0.9546375

 $00:01:18.415 \longrightarrow 00:01:19.795$ cells fix their DNA.

NOTE Confidence: 0.9982176

 $00:01:20.655 \longrightarrow 00:01:22.255$ And that's an important topic

 $00:01:22.255 \longrightarrow 00:01:23.395$ in the field of radiation

NOTE Confidence: 0.9982176

 $00:01:23.455 \longrightarrow 00:01:23.955$ oncology.

NOTE Confidence: 0.99171865

 $00:01:25.135 \longrightarrow 00:01:26.550$ Can you just

NOTE Confidence: 0.9995375

 $00:01:27.110 \longrightarrow 00:01:28.569$ tell us a little bit

NOTE Confidence: 0.9995375

 $00:01:28.630 \longrightarrow 00:01:29.130$ about

NOTE Confidence: 0.9548489

 $00:01:29.670 \longrightarrow 00:01:31.290$ radiation as a treatment,

NOTE Confidence: 0.9984775

 $00:01:32.870 \longrightarrow 00:01:34.390$ both in terms of how

NOTE Confidence: 0.9984775

 $00:01:34.390 \longrightarrow 00:01:35.290$ it's delivered, or

 $00{:}01{:}36.790 \dashrightarrow 00{:}01{:}38.870$ I should say the different

NOTE Confidence: 0.955898

 $00:01:38.870 \longrightarrow 00:01:39.990$ ways in which it can

NOTE Confidence: 0.955898

 $00:01:39.990 \longrightarrow 00:01:40.650$ be delivered.

NOTE Confidence: 0.9922816

 $00:01:41.685 \longrightarrow 00:01:43.524$ And then we'll explore

NOTE Confidence: 0.9922816

 $00{:}01{:}43.524 \dashrightarrow 00{:}01{:}45.145$ some other aspects of radiation.

NOTE Confidence: 0.98677063

 $00:01:45.604 \longrightarrow 00:01:47.125$ Sure. Radiation

NOTE Confidence: 0.98677063

00:01:47.125 --> 00:01:49.384 oncology is the medical specialty

NOTE Confidence: 0.9847176

 $00:01:49.844 \longrightarrow 00:01:51.444$ that uses focused x rays

 $00:01:51.444 \longrightarrow 00:01:52.424$ to treat cancer

NOTE Confidence: 0.98173666

 $00:01:52.804 \longrightarrow 00:01:53.924$ because of their ability to

NOTE Confidence: 0.98173666

 $00:01:53.924 \longrightarrow 00:01:55.145$ kill cancer cells.

NOTE Confidence: 0.978166

00:01:55.820 --> 00:01:57.580 And early medical applications of

NOTE Confidence: 0.978166

 $00:01:57.580 \longrightarrow 00:01:59.440$ radiation were based on radioactive

NOTE Confidence: 0.978166

 $00:01:59.740 \longrightarrow 00:02:01.040$ materials like radium

NOTE Confidence: 0.96877635

 $00:02:01.420 \longrightarrow 00:02:02.800$ that were discovered by

NOTE Confidence: 0.9524626

00:02:03.260 --> 00:02:05.260 Marie Curie, because early on

NOTE Confidence: 0.9524626

 $00:02:05.260 \longrightarrow 00:02:06.300$ it was found that radiation

NOTE Confidence: 0.9524626

 $00:02:06.300 \longrightarrow 00:02:07.840$ causes tumors to shrink.

NOTE Confidence: 0.9160222

 $00:02:08.715 \longrightarrow 00:02:10.395$ Later on, other isotopes like

NOTE Confidence: 0.9160222

00:02:10.395 --> 00:02:11.535 cobalt, iridium,

NOTE Confidence: 0.9465155

 $00{:}02{:}12.235 \dashrightarrow 00{:}02{:}14.235$ and others were identified and

NOTE Confidence: 0.9465155

00:02:14.235 --> 00:02:14.735 developed,

NOTE Confidence: 0.97021955

 $00:02:15.115 \longrightarrow 00:02:15.995$ and some are used for

 $00:02:15.995 \longrightarrow 00:02:17.195$ a type of treatment called

NOTE Confidence: 0.97021955

 $00:02:17.195 \longrightarrow 00:02:19.435$ brachytherapy, which involves placement of

NOTE Confidence: 0.97021955

 $00:02:19.435 \longrightarrow 00:02:19.935$ radioactive

NOTE Confidence: 0.9963696

 $00:02:20.235 \longrightarrow 00:02:20.735$ sources

NOTE Confidence: 0.97224194

 $00:02:21.659 \longrightarrow 00:02:23.099$ in close proximity to a

NOTE Confidence: 0.97224194

 $00{:}02{:}23.099 \dashrightarrow 00{:}02{:}24.939$ tumor as is frequently done

NOTE Confidence: 0.97224194

 $00:02:24.939 \longrightarrow 00:02:26.079$ for cancers of

 $00:02:27.739 \longrightarrow 00:02:28.400$ the gynecologic

NOTE Confidence: 0.8802894

 $00:02:29.819 \longrightarrow 00:02:30.959$ tract in women.

NOTE Confidence: 0.95679003

 $00:02:31.340 \longrightarrow 00:02:33.180$ So a device is actually

NOTE Confidence: 0.95679003

 $00:02:33.180 \longrightarrow 00:02:34.379$ put in and it gives

NOTE Confidence: 0.95679003

 $00:02:34.379 \longrightarrow 00:02:35.120$ off radiation

NOTE Confidence: 0.9969416

 $00:02:35.419 \longrightarrow 00:02:36.719$ while it sits

NOTE Confidence: 0.9623813

 $00{:}02{:}37.315 \dashrightarrow 00{:}02{:}39.475$ essentially near or within some body.

NOTE Confidence: 0.9623813

 $00:02:39.475 \longrightarrow 00:02:40.995$ It dwells next to the tumor.

NOTE Confidence: 0.9412079

 $00{:}02{:}44.755 \longrightarrow 00{:}02{:}46.355$ It's put in a

 $00:02:46.355 \longrightarrow 00:02:48.035$ surgical procedure, and then it's

NOTE Confidence: 0.9412079

 $00{:}02{:}48.035 \dashrightarrow 00{:}02{:}49.919$ removed after a specified time.

NOTE Confidence: 0.91906005

 $00:02:51.280 \longrightarrow 00:02:52.639$ And in some other

NOTE Confidence: 0.91906005

 $00:02:52.639 \longrightarrow 00:02:54.720$ approaches, isotopes are

NOTE Confidence: 0.91906005

 $00:02:54.720 \longrightarrow 00:02:57.139$ injected systemically for special applications

NOTE Confidence: 0.93126523

 $00{:}02{:}57.840 \dashrightarrow 00{:}02{:}59.200$ usually linked to a carrier

NOTE Confidence: 0.93126523

 $00:02:59.200 \longrightarrow 00:03:00.099$ like an antibody.

 $00:03:02.480 \longrightarrow 00:03:03.840$ When X rays were first

NOTE Confidence: 0.9497798

 $00{:}03{:}03.840 \dashrightarrow 00{:}03{:}05.025$ developed, it was known that

NOTE Confidence: 0.9497798

 $00:03:05.025 \longrightarrow 00:03:06.224$ they could be generated by

NOTE Confidence: 0.9497798

 $00:03:06.224 \longrightarrow 00:03:07.665$ cathode ray tubes, but

NOTE Confidence: 0.9497798

 $00{:}03{:}07.665 --> 00{:}03{:}08.784$ that was low energy and

NOTE Confidence: 0.9497798

 $00{:}03{:}08.784 --> 00{:}03{:}10.864$ had drawbacks. So after World

NOTE Confidence: 0.9497798

00:03:10.864 --> 00:03:12.325 War II, a major advance

NOTE Confidence: 0.9497798

 $00:03:12.385 \longrightarrow 00:03:14.165$ was the development of technology

NOTE Confidence: 0.9497798 00:03:14.385 --> 00:03:14.885 to NOTE Confidence: 0.90001875 $00:03:15.264 \longrightarrow 00:03:16.484$ accelerate electrons

NOTE Confidence: 0.9869084

 $00:03:17.510 \longrightarrow 00:03:18.870$ at high voltage into a

NOTE Confidence: 0.9869084

 $00:03:18.870 \longrightarrow 00:03:20.250$ medical target to

NOTE Confidence: 0.9133087

00:03:20.630 --> 00:03:22.150 generate high energy x rays

NOTE Confidence: 0.9133087

 $00:03:22.150 \longrightarrow 00:03:22.889$ or photons.

NOTE Confidence: 0.8574264

 $00:03:23.270 \longrightarrow 00:03:24.389$ And that was the birth

NOTE Confidence: 0.8574264

 $00:03:24.389 \longrightarrow 00:03:26.389$ of the linear accelerator or

NOTE Confidence: 0.8574264

00:03:26.389 --> 00:03:26.889 LINAC.

NOTE Confidence: 0.9344603

00:03:27.510 --> 00:03:29.270 And this allowed for treatment

NOTE Confidence: 0.9344603

 $00:03:29.270 \longrightarrow 00:03:30.470$ of deep seated tumors in

NOTE Confidence: 0.9344603

 $00:03:30.470 \longrightarrow 00:03:31.995$ the body with sparing of

NOTE Confidence: 0.9344603

 $00:03:32.155 \longrightarrow 00:03:32.655$ superficial

NOTE Confidence: 0.9975171

 $00:03:32.955 \longrightarrow 00:03:33.455$ tissues.

 $00:03:35.034 \longrightarrow 00:03:35.995$ And it seems to me that

NOTE Confidence: 0.99436325

 $00:03:35.995 \longrightarrow 00:03:37.355$ it was the case many

NOTE Confidence: 0.99436325

 $00{:}03{:}37.355 --> 00{:}03{:}38.174 \ {\rm years \ ago}$

 $00:03:38.715 \longrightarrow 00:03:41.055$ that radiation oncologists would take

NOTE Confidence: 0.8869544

00:03:41.114 --> 00:03:42.575 an x-ray,

NOTE Confidence: 0.9856625

 $00:03:42.955 \longrightarrow 00:03:44.555$ just a standard x-ray that

NOTE Confidence: 0.9856625

 $00:03:44.555 \longrightarrow 00:03:46.075$ might show, for example, in

NOTE Confidence: 0.9856625

 $00:03:46.075 \longrightarrow 00:03:46.735$ the chest

NOTE Confidence: 0.95888144

 $00:03:47.270 \longrightarrow 00:03:48.170$ a lung cancer.

NOTE Confidence: 0.9985215

 $00:03:48.870 \longrightarrow 00:03:49.370$ And

NOTE Confidence: 0.9949631

 $00:03:49.910 \longrightarrow 00:03:51.750$ in what now seems like

NOTE Confidence: 0.9949631

00:03:51.750 --> 00:03:53.690 a pretty crude manner,

NOTE Confidence: 0.9951218

 $00{:}03{:}54.069 \dashrightarrow 00{:}03{:}56.069$ they would just draw around

NOTE Confidence: 0.9951218

 $00:03:56.069 \longrightarrow 00:03:57.830$ that tumor and then aim

NOTE Confidence: 0.9951218

 $00:03:57.830 \longrightarrow 00:03:58.569$ the beam

NOTE Confidence: 0.9978577

 $00:03:59.834 \longrightarrow 00:04:01.375$ at the tumor. Is that

NOTE Confidence: 0.99432415

00:04:02.075 --> 00:04:03.614 basically right?

NOTE Confidence: 0.8962092

 $00:04:03.995 \longrightarrow 00:04:04.735$ Yes, early on

NOTE Confidence: 0.9709413

 $00{:}04{:}05.355 \dashrightarrow 00{:}04{:}07.515$ the treatment machines were

00:04:07.515 --> 00:04:09.114 were limited in

NOTE Confidence: 0.9943869

 $00:04:09.754 \longrightarrow 00:04:11.194$ their ability to move and

NOTE Confidence: 0.9943869

 $00:04:11.194 \longrightarrow 00:04:13.534$ to deliver shaped beams. So

NOTE Confidence: 0.9943869

 $00:04:13.750 \longrightarrow 00:04:15.030$ most of the treatments were

NOTE Confidence: 0.9943869

 $00:04:15.030 \longrightarrow 00:04:15.910$ from the front or the

NOTE Confidence: 0.9943869

 $00:04:15.910 \longrightarrow 00:04:17.110$ back of the patient in

NOTE Confidence: 0.9943869

 $00:04:17.110 \longrightarrow 00:04:17.770$ a simple

NOTE Confidence: 0.89462936 00:04:18.150 --> 00:04:18.650 way.

NOTE Confidence: 0.95531887

 $00:04:19.669 \longrightarrow 00:04:21.110$ And so we were guided

NOTE Confidence: 0.95531887

 $00:04:21.110 \longrightarrow 00:04:22.470$ by what we kind of

NOTE Confidence: 0.95531887

 $00:04:22.470 \longrightarrow 00:04:23.850$ refer to as two dimensional

NOTE Confidence: 0.95531887

 $00:04:23.910 \longrightarrow 00:04:25.430$ imaging, which is those plain

NOTE Confidence: 0.95531887

00:04:25.430 --> 00:04:26.490 film x rays.

NOTE Confidence: 0.96178615

 $00:04:27.029 \longrightarrow 00:04:28.150$ But, one of

NOTE Confidence: 0.96178615

 $00:04:28.150 \longrightarrow 00:04:29.130$ the major advances

 $00:04:30.015 \longrightarrow 00:04:31.695$ in field has

NOTE Confidence: 0.97297657

 $00:04:31.695 \longrightarrow 00:04:32.995$ been the use of advanced

NOTE Confidence: 0.97297657

 $00{:}04{:}33.055 \dashrightarrow 00{:}04{:}35.375$ imaging like CT scans, MRI

NOTE Confidence: 0.97297657

 $00:04:35.375 \longrightarrow 00:04:36.654$ scans, or now even PET

NOTE Confidence: 0.97297657

 $00:04:36.654 \longrightarrow 00:04:37.154$ scanning

NOTE Confidence: 0.94852924

 $00:04:37.535 \longrightarrow 00:04:39.695$ to create three-dimensional images

NOTE Confidence: 0.94852924

 $00:04:39.695 \longrightarrow 00:04:40.995$ of the tumor target.

NOTE Confidence: 0.9538291

00:04:41.375 --> 00:04:42.755 And that's coupled with

NOTE Confidence: 0.9992017

 $00{:}04{:}43.440 --> 00{:}04{:}44.180 \ \mathrm{many} \ \mathrm{technological}$

NOTE Confidence: 0.9859065

 $00:04:44.720 \longrightarrow 00:04:46.580$ advances in the linear accelerators

NOTE Confidence: 0.9859065

 $00:04:46.720 \longrightarrow 00:04:47.380$ that allow

NOTE Confidence: 0.8635429

 $00:04:48.400 \longrightarrow 00:04:50.260$ the delivery of very complex,

NOTE Confidence: 0.97732925

 $00:04:51.440 \longrightarrow 00:04:53.040$ beam arrangements that really shape

NOTE Confidence: 0.97732925

 $00:04:53.040 \longrightarrow 00:04:54.640$ the dose distribution in a

NOTE Confidence: 0.97732925

 $00{:}04{:}54.640 \dashrightarrow 00{:}04{:}55.860$ three-dimensional manner.

NOTE Confidence: 0.9817357

 $00:04:56.514 \longrightarrow 00:04:58.115$ And my sense is that

 $00:04:58.115 \longrightarrow 00:05:00.435$ by using those three-dimensional images

NOTE Confidence: 0.9817357

00:05:00.435 --> 00:05:02.275 like CT scans and with

NOTE Confidence: 0.9817357

 $00:05:02.275 \longrightarrow 00:05:04.194$ the changes in some of

NOTE Confidence: 0.9817357

00:05:04.194 --> 00:05:04.694 your,

NOTE Confidence: 0.9850942

 $00:05:05.315 \longrightarrow 00:05:07.014$ equipment that delivers radiation,

NOTE Confidence: 0.95083815

 $00:05:07.714 \longrightarrow 00:05:08.914$ two things have happened.

NOTE Confidence: 0.95083815

 $00:05:08.914 \longrightarrow 00:05:10.789$ The treatment is far more

NOTE Confidence: 0.95083815

 $00:05:10.789 \longrightarrow 00:05:11.289$ effective,

NOTE Confidence: 0.9915035

 $00:05:11.990 \longrightarrow 00:05:13.289$ and at the same time,

NOTE Confidence: 0.9915035

 $00{:}05{:}13.349 \longrightarrow 00{:}05{:}15.190$ you can spare patients a

NOTE Confidence: 0.9915035

 $00:05:15.190 \longrightarrow 00:05:16.389$ lot of the side effects

NOTE Confidence: 0.9915035

 $00:05:16.389 \longrightarrow 00:05:17.430$ that used to be pretty

NOTE Confidence: 0.9915035

 $00{:}05{:}17.430 --> 00{:}05{:}17.930 \ commonplace.$

NOTE Confidence: 0.9845463

 $00:05:18.710 \longrightarrow 00:05:20.150$ That's right. Because now we

NOTE Confidence: 0.9845463

 $00:05:20.150 \longrightarrow 00:05:21.930$ can shape the dose distribution

 $00:05:22.310 \longrightarrow 00:05:23.289$ a lot more conformally

NOTE Confidence: 0.999733

 $00:05:23.589 \longrightarrow 00:05:24.889$ to the tumor itself

NOTE Confidence: 0.969301

 $00:05:25.515 \longrightarrow 00:05:27.435$ and substantially reduce the dose

NOTE Confidence: 0.969301

 $00:05:27.435 \longrightarrow 00:05:28.735$ to surrounding tissues.

 $00{:}05{:}30.075 \dashrightarrow 00{:}05{:}32.154$ That's allowed us to deliver

NOTE Confidence: 0.93062246

 $00:05:32.154 \longrightarrow 00:05:32.815$ the treatments

NOTE Confidence: 0.961471

 $00:05:33.435 \longrightarrow 00:05:35.275$ much more safely with less

NOTE Confidence: 0.961471

 $00:05:35.275 \longrightarrow 00:05:36.015$ side effects.

NOTE Confidence: 0.98517853

 $00:05:36.714 \longrightarrow 00:05:38.235$ And in some cases, we

NOTE Confidence: 0.98517853

 $00:05:38.235 \longrightarrow 00:05:39.920$ can give a higher dose

NOTE Confidence: 0.98517853

 $00:05:39.920 \longrightarrow 00:05:41.600$ each day and reduce

NOTE Confidence: 0.98517853

 $00:05:41.600 \longrightarrow 00:05:42.580$ the number of

NOTE Confidence: 0.9677575

 $00:05:43.280 \longrightarrow 00:05:45.040$ days of treatment and that's

NOTE Confidence: 0.9677575

 $00{:}05{:}45.040 {\: --> \:} 00{:}05{:}45.520$ also a

NOTE Confidence: 0.98016626

 $00:05:45.840 \longrightarrow 00:05:47.840$ benefit to patients.

NOTE Confidence: 0.98016626

 $00:05:47.840 \longrightarrow 00:05:49.360$ Before we get into some

 $00:05:49.360 \longrightarrow 00:05:50.500$ additional advances,

NOTE Confidence: 0.9991252

 $00:05:50.985 \longrightarrow 00:05:52.505$ maybe you could just comment

NOTE Confidence: 0.9991252

 $00:05:52.505 \longrightarrow 00:05:54.665$ on some of the myths

NOTE Confidence: 0.9991252

00:05:54.665 --> 00:05:56.525 that people still carry around

NOTE Confidence: 0.88518363

 $00:05:57.225 \longrightarrow 00:05:58.125$ about radiation.

NOTE Confidence: 0.9724888

 $00:05:59.065 \longrightarrow 00:06:00.044$ You know, in

NOTE Confidence: 0.98421955

 $00:06:00.665 \longrightarrow 00:06:01.865$ not such a different way

NOTE Confidence: 0.98421955

 $00:06:01.865 \longrightarrow 00:06:02.925$ than with chemotherapy,

NOTE Confidence: 0.9968039

 $00:06:03.225 \longrightarrow 00:06:03.865$ there are a lot of

NOTE Confidence: 0.9968039

 $00:06:03.865 \longrightarrow 00:06:05.310$ patients who come see us

NOTE Confidence: 0.9991517

 $00:06:05.790 \longrightarrow 00:06:08.210$ and have preconceived notions about

NOTE Confidence: 0.96337736

 $00:06:08.830 \longrightarrow 00:06:10.190$ what these treatments are like

NOTE Confidence: 0.96337736

 $00:06:10.190 \longrightarrow 00:06:11.310$ and will come in saying,

NOTE Confidence: 0.96337736

00:06:11.310 --> 00:06:12.510 well, I'm never doing that

NOTE Confidence: 0.96337736

 $00:06:12.510 \longrightarrow 00:06:13.490$ because

NOTE Confidence: 0.9946234

 $00{:}06{:}13.950 \dashrightarrow 00{:}06{:}15.810$ you know, my great aunt received

 $00{:}06{:}15.870 \dashrightarrow 00{:}06{:}18.050$ that and had some terrible

NOTE Confidence: 0.9946234

 $00:06:18.190 \longrightarrow 00:06:18.690$ problems.

NOTE Confidence: 0.99660337

 $00:06:19.964 \longrightarrow 00:06:21.265$ What are the specific

NOTE Confidence: 0.99950325

00:06:22.205 --> 00:06:22.705 misunderstandings

NOTE Confidence: 0.99632317

 $00:06:23.085 \longrightarrow 00:06:23.904$ about radiation?

NOTE Confidence: 0.98822945

 $00:06:24.925 \longrightarrow 00:06:26.125$ Well, I think that

NOTE Confidence: 0.9745357

 $00:06:27.005 \longrightarrow 00:06:27.725$ one is,

NOTE Confidence: 0.95722365

 $00{:}06{:}28.285 \dashrightarrow 00{:}06{:}29.805$ what we're alluding to before

NOTE Confidence: 0.95722365

 $00:06:29.805 \longrightarrow 00:06:30.785$ is, you know,

NOTE Confidence: 0.9394385

 $00:06:31.165 \longrightarrow 00:06:33.325$ historically, some people may remember

NOTE Confidence: 0.939438500:06:33.325 --> 00:06:33.825 that

NOTE Confidence: 0.9797391

 $00:06:34.320 \longrightarrow 00:06:35.680$ people treated with sort of

NOTE Confidence: 0.9797391

 $00:06:35.680 \longrightarrow 00:06:37.440$ the older fashioned ways of

NOTE Confidence: 0.9797391

00:06:37.440 --> 00:06:38.980 giving radiation developed

NOTE Confidence: 0.9956814

 $00:06:39.440 \longrightarrow 00:06:40.260$ skin burns

 $00:06:41.199 \longrightarrow 00:06:41.699$ that

NOTE Confidence: 0.93189037

 $00:06:43.040 \longrightarrow 00:06:45.199$ were very challenging to treat

NOTE Confidence: 0.93189037

 $00:06:45.199 \longrightarrow 00:06:46.580$ and to heal. But

NOTE Confidence: 0.94406825

 $00:06:47.040 \longrightarrow 00:06:48.320$ the advances that we just

NOTE Confidence: 0.94406825

 $00:06:48.320 \longrightarrow 00:06:49.620$ talked about in

NOTE Confidence: 0.91923016

 $00:06:50.295 \longrightarrow 00:06:52.714$ delivery of radiation more deeply

NOTE Confidence: 0.91923016

 $00:06:52.855 \longrightarrow 00:06:54.295$ into the body and sparing

NOTE Confidence: 0.91923016

 $00:06:54.295 \longrightarrow 00:06:55.995$ the skin with shape beams,

NOTE Confidence: 0.9983781

 $00{:}06{:}57.335 \to 00{:}06{:}59.035$ has allowed us to substantially

NOTE Confidence: 0.9983852

 $00:06:59.415 \longrightarrow 00:06:59.915$ avoid

NOTE Confidence: 0.8830166

 $00:07:00.855 \longrightarrow 00:07:01.755$ the skin damage

NOTE Confidence: 0.9420005

 $00:07:02.250 \longrightarrow 00:07:02.990$ and also

NOTE Confidence: 0.9676184

 $00:07:03.370 \longrightarrow 00:07:04.830$ side effects to other

NOTE Confidence: 0.9945199

 $00:07:05.450 \longrightarrow 00:07:05.950$ tissues.

 $00:07:08.330 \longrightarrow 00:07:10.030$ And I'm not saying that doesn't sometimes

NOTE Confidence: 0.9236667

 $00:07:10.090 \longrightarrow 00:07:11.450$ happen. There

 $00:07:11.850 \longrightarrow 00:07:12.830$ can be some

NOTE Confidence: 0.94182724

00:07:13.210 --> 00:07:14.330 side effects to the skin,

NOTE Confidence: 0.94182724

 $00:07:14.330 \longrightarrow 00:07:15.690$ but it's much much

NOTE Confidence: 0.94182724

 $00:07:15.690 \longrightarrow 00:07:17.050$ less than it used to be for

 $00:07:18.235 \longrightarrow 00:07:19.354$ the skin and for

NOTE Confidence: 0.9297714

 $00:07:19.354 \longrightarrow 00:07:21.615$ that matter, other organs too.

NOTE Confidence: 0.9297714

 $00:07:23.194 \longrightarrow 00:07:24.715$ There is some

NOTE Confidence: 0.97470784

 $00:07:25.115 \longrightarrow 00:07:26.555$ effect of radiation as it

NOTE Confidence: 0.97470784

 $00:07:26.555 \longrightarrow 00:07:28.414$ passes through healthy tissue, and

NOTE Confidence: 0.97470784

 $00:07:28.555 \longrightarrow 00:07:29.995$ sometimes that can lead to

NOTE Confidence: 0.97470784

 $00:07:30.315 \longrightarrow 00:07:32.074$ some fatigue and temporary loss

NOTE Confidence: 0.97470784

 $00:07:32.074 \longrightarrow 00:07:32.655$ of energy.

NOTE Confidence: 0.95752877

 $00:07:33.530 \longrightarrow 00:07:35.610$ Sometimes, if patients are treated

NOTE Confidence: 0.95752877

 $00{:}07{:}35.610 --> 00{:}07{:}37.130$ in the area of the

NOTE Confidence: 0.95752877

 $00:07:37.130 \longrightarrow 00:07:38.330$ head and neck, they may

NOTE Confidence: 0.95752877

 $00:07:38.330 \longrightarrow 00:07:39.710$ develop dry mouth,

 $00:07:40.730 \longrightarrow 00:07:41.850$ or if they're treated in

NOTE Confidence: 0.9873238

 $00{:}07{:}41.850 --> 00{:}07{:}43.050$ the GI tract, they may

NOTE Confidence: 0.9873238

 $00:07:43.050 \longrightarrow 00:07:44.110$ have some symptoms

NOTE Confidence: 0.9692505

 $00:07:45.050 \longrightarrow 00:07:47.050$ associated with that. But, usually

NOTE Confidence: 0.9692505

 $00:07:47.050 \longrightarrow 00:07:48.750$ these symptoms fade over time.

NOTE Confidence: 0.9692505

 $00:07:49.005 \longrightarrow 00:07:49.885$ What are some of the

NOTE Confidence: 0.9692505

 $00:07:49.885 \longrightarrow 00:07:51.585$ most common uses of radiation?

NOTE Confidence: 0.98433125

00:07:52.045 --> 00:07:53.485 About sixty percent of all

NOTE Confidence: 0.98433125

00:07:53.485 --> 00:07:54.305 cancer patients

NOTE Confidence: 0.9258269

 $00{:}07{:}54.685 \dashrightarrow 00{:}07{:}56.545$ are treated with radiation and

 $00:07:57.805 \longrightarrow 00:07:59.325$ many different types of tumors

NOTE Confidence: 0.9985477

 $00:07:59.325 \longrightarrow 00:07:59.985$ are treated.

 $00:08:03.520 \longrightarrow 00:08:05.199$ One very common treatment is for

NOTE Confidence: 0.9600044

 $00:08:05.199 \longrightarrow 00:08:06.240$ cancers of the head and

NOTE Confidence: 0.9600044

 $00:08:06.240 \longrightarrow 00:08:09.039$ neck where radiation is considered

NOTE Confidence: 0.9600044

 $00:08:09.039 \longrightarrow 00:08:11.280$ a curative treatment often in

NOTE Confidence: 0.9600044

 $00:08:11.280 \longrightarrow 00:08:12.580$ combination with chemotherapy.

 $00:08:13.360 \longrightarrow 00:08:14.240$ We do a lot of

NOTE Confidence: 0.9988892

 $00{:}08{:}14.240 \dashrightarrow 00{:}08{:}16.159$ radiation treatments for breast cancer,

NOTE Confidence: 0.9988892

 $00:08:16.159 \longrightarrow 00:08:17.379$ prostate cancer,

NOTE Confidence: 0.9940846

 $00:08:18.014 \longrightarrow 00:08:18.755$ brain tumors,

NOTE Confidence: 0.95504797

 $00:08:19.775 \longrightarrow 00:08:21.535$ and, tumors of the GI

NOTE Confidence: 0.95504797

 $00:08:21.535 \longrightarrow 00:08:22.915$ tract. I mentioned

NOTE Confidence: 0.8422987

 $00:08:24.574 \longrightarrow 00:08:25.074$ gynecologic

NOTE Confidence: 0.9995365

 $00:08:25.375 \longrightarrow 00:08:25.875$ malignancies

NOTE Confidence: 0.88905346

00:08:26.414 --> 00:08:28.835 where radiation is very effective

 $00:08:30.095 \longrightarrow 00:08:31.235$ and routinely achieves

NOTE Confidence: 0.9943047

 $00:08:32.000 \longrightarrow 00:08:33.440$ curative effect in many of

NOTE Confidence: 0.9943047

 $00:08:33.440 \longrightarrow 00:08:34.179$ those scenarios.

NOTE Confidence: 0.99261093

 $00:08:34.800 \longrightarrow 00:08:36.400$ And in some cases, these are

 $00:08:37.280 \longrightarrow 00:08:39.440$ a substitute for

NOTE Confidence: 0.97567236

 $00{:}08{:}39.440 --> 00{:}08{:}41.059$ surgery, and in some cases,

NOTE Confidence: 0.97567236

 $00:08:41.120 \longrightarrow 00:08:42.880$ it's done in conjunction with

 $00:08:42.880 \longrightarrow 00:08:44.320$ surgery.

NOTE Confidence: 0.97567236

 $00:08:44.480 \longrightarrow 00:08:45.300$ Radiation

NOTE Confidence: 0.998683

 $00:08:46.005 \longrightarrow 00:08:48.184$ is particularly effective for localized

NOTE Confidence: 0.998683

 $00:08:48.325 \longrightarrow 00:08:48.825$ disease

NOTE Confidence: 0.9526823

 $00:08:49.365 \longrightarrow 00:08:50.745$ and can be an alternative

NOTE Confidence: 0.9526823

00:08:50.804 --> 00:08:52.425 to surgery in some cases,

NOTE Confidence: 0.9876934

00:08:52.965 --> 00:08:55.125 either because the individual is

NOTE Confidence: 0.9876934

 $00:08:55.125 \longrightarrow 00:08:56.745$ not medically able to undergo an

 $00:08:58.720 \longrightarrow 00:08:59.220$ operation,

NOTE Confidence: 0.9687984

 $00:09:00.320 \longrightarrow 00:09:01.059$ or because the

00:09:03.200 --> 00:09:04.720 morbidity or side effects

NOTE Confidence: 0.97721654

 $00{:}09{:}04.720 \dashrightarrow 00{:}09{:}06.480$ of getting radiation may actually be

 $00{:}09{:}07.679 \dashrightarrow 00{:}09{:}09{:}779$ more favorable than a surgical

NOTE Confidence: 0.976867

 $00:09:09.840 \longrightarrow 00:09:10.340$ intervention.

NOTE Confidence: 0.9577737

00:09:10.720 --> 00:09:12.179 Not so many years ago

NOTE Confidence: 0.9577737

 $00:09:12.320 \longrightarrow 00:09:14.445$ when someone would have cancer

NOTE Confidence: 0.9577737

 $00:09:14.445 \longrightarrow 00:09:16.285$ that unfortunately would spread to

 $00:09:16.285 \longrightarrow 00:09:17.184$ their brain,

NOTE Confidence: 0.9250838

 $00:09:18.285 \longrightarrow 00:09:19.965$ they very commonly would

NOTE Confidence: 0.9250838

00:09:20.125 --> 00:09:20.945 get radiation

NOTE Confidence: 0.96504647

 $00:09:21.885 \longrightarrow 00:09:23.645$ to the entire brain, to

NOTE Confidence: 0.96504647

 $00:09:23.645 \longrightarrow 00:09:25.184$ the whole head essentially.

NOTE Confidence: 0.9492086

 $00:09:26.399 \longrightarrow 00:09:27.059$ And increasingly

NOTE Confidence: 0.95638186

 $00:09:27.920 \longrightarrow 00:09:29.600$ over the years, it seems

NOTE Confidence: 0.95638186

 $00:09:29.600 \longrightarrow 00:09:30.879$ that that's not the case,

NOTE Confidence: 0.95638186

 $00:09:30.879 \longrightarrow 00:09:32.339$ and treatments that are

NOTE Confidence: 0.99783605

 $00:09:32.720 \longrightarrow 00:09:34.019$ referred to as either

NOTE Confidence: 0.7908092

 $00:09:34.399 \longrightarrow 00:09:35.620$ stereotactic

NOTE Confidence: 0.98678154

 $00:09:36.000 \longrightarrow 00:09:36.500$ radiosurgery

NOTE Confidence: 0.985683

00:09:36.879 --> 00:09:38.205 or gamma knife

NOTE Confidence: 0.99732584

 $00:09:38.765 \longrightarrow 00:09:40.765$ have been used and have

NOTE Confidence: 0.99732584

 $00:09:40.765 \longrightarrow 00:09:41.825$ been very effective.

NOTE Confidence: 0.99917096

 $00:09:42.205 \longrightarrow 00:09:42.925$ Can you tell us a

 $00{:}09{:}42.925 \dashrightarrow 00{:}09{:}44.865$ little bit about those treatments?

NOTE Confidence: 0.9870305

 $00:09:45.405 \longrightarrow 00:09:47.085$ Yes, you're absolutely

NOTE Confidence: 0.9870305

 $00:09:47.085 \longrightarrow 00:09:47.885$ right that

NOTE Confidence: 0.9991121

 $00:09:48.285 \longrightarrow 00:09:49.665$ years ago for

NOTE Confidence: 0.96656483

 $00:09:50.125 \longrightarrow 00:09:52.465$ metastases in the brain,

NOTE Confidence: 0.96656483

 $00:09:52.690 \longrightarrow 00:09:53.730$ treatment would be given to

NOTE Confidence: 0.96656483

 $00:09:53.730 \longrightarrow 00:09:54.610$ what we call the whole

NOTE Confidence: 0.96656483

 $00:09:54.610 \longrightarrow 00:09:56.130$ brain, which is basically the

NOTE Confidence: 0.96656483

 $00:09:56.130 \longrightarrow 00:09:56.630$ upper

NOTE Confidence: 0.95752054

 $00:09:57.090 \longrightarrow 00:09:58.610$ part of the head through

NOTE Confidence: 0.95752054

 $00{:}09{:}58.610 \dashrightarrow 00{:}10{:}00.770$ and through. But the advances

NOTE Confidence: 0.95752054

 $00:10:00.770 \longrightarrow 00:10:02.130$ that I was alluding to

NOTE Confidence: 0.95752054

 $00:10:02.130 \longrightarrow 00:10:02.790$ in terms

NOTE Confidence: 0.9142076

 $00:10:03.810 \longrightarrow 00:10:05.250$ of the technology, the treatment

NOTE Confidence: 0.9142076

 $00:10:05.250 \longrightarrow 00:10:07.350$ machines, and also specialized devices

 $00:10:07.410 \longrightarrow 00:10:08.475$ like the gamma knife,

NOTE Confidence: 0.97546625

 $00:10:09.115 \longrightarrow 00:10:11.675$ allows very focused treatment of

NOTE Confidence: 0.97546625

 $00:10:11.675 \longrightarrow 00:10:13.535$ individual metastatic lesions,

NOTE Confidence: 0.9834915

 $00:10:15.194 \longrightarrow 00:10:17.434$ with really exquisite precision that

NOTE Confidence: 0.9834915

 $00:10:17.434 \longrightarrow 00:10:17.934$ allow

NOTE Confidence: 0.91441107

00:10:18.394 --> 00:10:19.694 a good deal of sparing

NOTE Confidence: 0.98717517

 $00:10:19.995 \longrightarrow 00:10:22.415$ of the surrounding healthy brain.

NOTE Confidence: 0.99499047

 $00:10:22.850 \longrightarrow 00:10:24.210$ So now it's pretty much

NOTE Confidence: 0.99499047

 $00:10:24.210 \longrightarrow 00:10:25.750$ standard of care to

NOTE Confidence: 0.9459065

 $00:10:26.130 \longrightarrow 00:10:26.530$ treat

NOTE Confidence: 0.949018

 $00:10:27.170 \longrightarrow 00:10:29.590$ the metastatic lesions fairly aggressively,

NOTE Confidence: 0.949018

 $00:10:29.650 \longrightarrow 00:10:31.350$ but with highly focused treatment.

NOTE Confidence: 0.96002936

 $00{:}10{:}32.050 \dashrightarrow 00{:}10{:}33.410$ And the Gamma Knife actually

NOTE Confidence: 0.96002936

 $00:10:33.410 \longrightarrow 00:10:34.210$ is one of the best

NOTE Confidence: 0.96002936

 $00:10:34.210 \longrightarrow 00:10:35.490$ devices to do that for

NOTE Confidence: 0.96002936

 $00:10:35.490 \longrightarrow 00:10:37.250$ brain lesions because of its

00:10:37.490 --> 00:10:38.150 high precision.

NOTE Confidence: 0.9973461

 $00:10:38.795 \longrightarrow 00:10:40.415$ I mean, this has really

NOTE Confidence: 0.99879444

00:10:41.195 --> 00:10:41.695 transformed

NOTE Confidence: 0.9757833

 $00:10:41.995 \longrightarrow 00:10:43.455$ in many ways the treatment

NOTE Confidence: 0.9757833

 $00:10:43.515 \longrightarrow 00:10:44.875$ of cancer that has spread

NOTE Confidence: 0.9757833

 $00:10:44.875 \longrightarrow 00:10:45.695$ to the brain

NOTE Confidence: 0.97081345

 $00:10:46.155 \longrightarrow 00:10:48.495$ and has allowed people to

NOTE Confidence: 0.93759453

 $00:10:48.875 \longrightarrow 00:10:50.395$ live longer and at the

NOTE Confidence: 0.93759453

 $00:10:50.395 \longrightarrow 00:10:52.415$ same time live much better.

 $00{:}10{:}54.149 \dashrightarrow 00{:}10{:}56.309$ And it's become especially important as systemic

NOTE Confidence: 0.96311754

00:10:56.309 --> 00:10:57.529 therapies have improved.

NOTE Confidence: 0.91747177

 $00:10:58.629 \longrightarrow 00:10:59.990$ So now we are taking

 $00:11:01.670 \longrightarrow 00:11:02.490$ a more aggressive

NOTE Confidence: 0.9514476

 $00:11:02.870 \longrightarrow 00:11:05.050$ approach to trying to

NOTE Confidence: 0.9710512

 $00:11:06.069 \longrightarrow 00:11:08.089$ treat lesions in the brain

NOTE Confidence: 0.9973655

00:11:08.415 --> 00:11:10.334 when the systemic disease can

 $00:11:10.334 \longrightarrow 00:11:11.955$ be controlled by other approaches.

NOTE Confidence: 0.9815845

 $00:11:12.415 \longrightarrow 00:11:13.535$ It seems that there are

NOTE Confidence: 0.9815845

 $00:11:13.535 \longrightarrow 00:11:16.575$ even newer approaches, and you

NOTE Confidence: 0.9815845

 $00:11:16.575 \longrightarrow 00:11:17.714$ have a new machine

NOTE Confidence: 0.9997485

 $00:11:18.415 \longrightarrow 00:11:19.154$ that gives

NOTE Confidence: 0.94129336

 $00:11:19.535 \longrightarrow 00:11:20.834$ guided radiation.

NOTE Confidence: 0.9819255

00:11:21.375 --> 00:11:22.760 And maybe you can tell

NOTE Confidence: 0.9819255

 $00:11:22.760 \longrightarrow 00:11:23.720$ us a little bit about

NOTE Confidence: 0.9819255

 $00:11:23.720 \longrightarrow 00:11:24.460$ that, and what

 $00:11:25.960 \longrightarrow 00:11:27.240$ kind of guidance is used?

 $00:11:29.080 \longrightarrow 00:11:30.920$ This is along the lines of what

NOTE Confidence: 0.9830408

 $00:11:30.920 \longrightarrow 00:11:32.600$ we call image guided therapy,

NOTE Confidence: 0.9830408

 $00:11:32.600 \longrightarrow 00:11:34.200$ in which the linear

NOTE Confidence: 0.9830408

 $00:11:34.200 \longrightarrow 00:11:36.280$ accelerators have an onboard imaging

NOTE Confidence: 0.9830408

 $00:11:36.280 \longrightarrow 00:11:37.420$ device to help

NOTE Confidence: 0.8992373

 $00:11:38.735 \longrightarrow 00:11:39.635$ us evaluate

NOTE Confidence: 0.9111177

 $00:11:40.735 \longrightarrow 00:11:42.035$ and modify the treatment

 $00:11:42.775 \longrightarrow 00:11:44.095$ at the time

NOTE Confidence: 0.95318735

 $00:11:44.095 \longrightarrow 00:11:44.755$ the patient

NOTE Confidence: 0.8905596

 $00:11:46.175 \longrightarrow 00:11:47.695$ is in the machine and

NOTE Confidence: 0.8905596

00:11:47.695 --> 00:11:49.295 in some cases almost in

NOTE Confidence: 0.8905596

 $00:11:49.295 \longrightarrow 00:11:50.115$ real time.

NOTE Confidence: 0.95348525

00:11:51.160 --> 00:11:53.400 This approach started with CT

NOTE Confidence: 0.95348525

 $00:11:53.400 \longrightarrow 00:11:55.260$ scan and MR scan,

NOTE Confidence: 0.9444651

 $00:11:56.280 \longrightarrow 00:11:58.040$ included in Lenox, but this

NOTE Confidence: 0.9444651

 $00:11:58.040 \longrightarrow 00:12:00.620$ new biologically guided therapy incorporates

NOTE Confidence: 0.9444651

00:12:00.760 --> 00:12:02.360 a PET scanner or PET

NOTE Confidence: 0.9444651

 $00:12:02.360 \ --> \ 00:12:04.155$ imager in the device. NOTE Confidence:

0.9444651

00:12:04.315 --> 00:12:05.855 A PET scanner image

NOTE Confidence: 0.99297106

 $00:12:06.875 \longrightarrow 00:12:09.375$ positron emissions from radioactive tracers

NOTE Confidence: 0.8908592 00:12:10.235 --> 00:12:10.555 that NOTE Confidence: 0.97445685

00:12:11.115 --> 00:12:12.975 accumulate in the tumor when

 $00:12:13.035 \longrightarrow 00:12:13.515$ certain

NOTE Confidence: 0.9813031

00:12:13.915 --> 00:12:15.115 compounds are given to the

NOTE Confidence: 0.9813031

00:12:15.115 --> 00:12:16.800 patient ahead of time. And

NOTE Confidence: 0.9813031

 $00:12:16.800 \longrightarrow 00:12:18.880$ that allows us to account

NOTE Confidence: 0.9813031

 $00:12:18.880 \longrightarrow 00:12:20.880$ for the localization of the

NOTE Confidence: 0.9813031

00:12:20.880 --> 00:12:21.380 tumor,

NOTE Confidence: 0.96417683

 $00:12:22.480 \longrightarrow 00:12:24.240$ and also its motion within

NOTE Confidence: 0.96417683

 $00:12:24.240 \longrightarrow 00:12:25.600$ the patient, and in some

NOTE Confidence: 0.96417683

 $00{:}12{:}25.600 \dashrightarrow 00{:}12{:}27.520$ cases depending on the tracer

NOTE Confidence: 0.96417683

 $00:12:27.520 \longrightarrow 00:12:28.740$ we use on its biological

NOTE Confidence: 0.96417683

 $00:12:28.960 \longrightarrow 00:12:29.460$ properties.

NOTE Confidence: 0.985

 $00:12:30.080 \longrightarrow 00:12:31.460$ And then we can modify

NOTE Confidence: 0.89966303

00:12:32.615 --> 00:12:34.074 the treatment, beamlets,

NOTE Confidence: 0.9453735

 $00:12:34.934 \longrightarrow 00:12:36.375$ in real time based on

NOTE Confidence: 0.9453735

 $00:12:36.375 \longrightarrow 00:12:38.154$ the positron emission pattern.

NOTE Confidence: 0.9723301

00:12:39.014 --> 00:12:40.855 How much experience have

 $00:12:40.855 \longrightarrow 00:12:41.815$ you had with this so far?

NOTE Confidence: 0.9723301

00:12:41.815 --> 00:12:43.735 We've had it going

NOTE Confidence: 0.9723301

 $00:12:43.735 \longrightarrow 00:12:45.334$ for about a year, and

NOTE Confidence: 0.9839964

 $00:12:46.380 \longrightarrow 00:12:47.740$ actually, I think we have

NOTE Confidence: 0.9839964

 $00:12:47.740 \longrightarrow 00:12:49.200$ one of the largest experiences

NOTE Confidence: 0.9839964

 $00:12:49.340 \longrightarrow 00:12:50.300$ in the country with this.

NOTE Confidence: 0.9839964

 $00:12:50.300 \longrightarrow 00:12:52.240$ So we're getting more familiar

NOTE Confidence: 0.9839964

 $00:12:52.300 \longrightarrow 00:12:53.420$ with how to best

NOTE Confidence: 0.9870507

00:12:54.220 --> 00:12:56.160 incorporate this technology into

NOTE Confidence: 0.9992642

 $00:12:56.780 \longrightarrow 00:12:58.000$ our treatment of patients.

NOTE Confidence: 0.9853009

 $00:12:58.540 \longrightarrow 00:13:00.720$ So it's really

NOTE Confidence: 0.99872905

00:13:01.245 --> 00:13:02.865 taking the treatment even

NOTE Confidence: 0.999399

00:13:03.325 --> 00:13:04.765 a step further than you

NOTE Confidence: 0.999399

 $00:13:04.765 \longrightarrow 00:13:06.365$ would with just a CT

NOTE Confidence: 0.999399

 $00:13:06.365 \longrightarrow 00:13:07.265$ scan alone

 $00:13:07.725 \longrightarrow 00:13:08.545$ because with

NOTE Confidence: 0.9861991

 $00:13:09.005 \longrightarrow 00:13:10.045$ the PET part of that

NOTE Confidence: 0.9861991

00:13:10.045 --> 00:13:11.565 imaging, you can tell much

NOTE Confidence: 0.9861991

 $00:13:11.565 \longrightarrow 00:13:12.925$ more about what's going on

NOTE Confidence: 0.9861991

 $00:13:12.925 \longrightarrow 00:13:14.285$ in the tumor.

NOTE Confidence: 0.9861991

 $00:13:14.285 \longrightarrow 00:13:15.405$ It has a new dimension.

NOTE Confidence: 0.9861991

00:13:15.405 --> 00:13:17.149 Right now, it's primarily

NOTE Confidence: 0.9861991

 $00:13:17.370 \longrightarrow 00:13:19.370$ valuable for accounting for

NOTE Confidence: 0.9861991

 $00{:}13{:}19.370 \dashrightarrow 00{:}13{:}21.449$ motion, especially lesions in the

NOTE Confidence: 0.9861991

 $00:13:21.449 \longrightarrow 00:13:22.910$ lung where you have breathing,

NOTE Confidence: 0.9509913

00:13:23.850 --> 00:13:25.129 the breathing cycle that

NOTE Confidence: 0.9509913

 $00:13:25.129 \longrightarrow 00:13:26.029$ causes motion.

NOTE Confidence: 0.99434924

00:13:26.970 --> 00:13:28.649 But we think that down

NOTE Confidence: 0.99434924

 $00:13:28.649 \longrightarrow 00:13:29.610$ the road, we will have

NOTE Confidence: 0.99434924

00:13:29.610 --> 00:13:31.129 many other applications of the

NOTE Confidence: 0.99434924

 $00:13:31.129 \longrightarrow 00:13:31.629$ technology.

 $00:13:32.865 \longrightarrow 00:13:34.065$ Well, this is great. We're

NOTE Confidence: 0.99155134

 $00:13:34.065 \longrightarrow 00:13:35.265$ gonna take a break for

NOTE Confidence: 0.99155134

 $00:13:35.265 \longrightarrow 00:13:36.545$ just a minute. And when

NOTE Confidence: 0.99155134

 $00:13:36.545 \longrightarrow 00:13:37.745$ we come back, we're gonna

NOTE Confidence: 0.99155134

 $00:13:37.745 \longrightarrow 00:13:39.525$ talk a little more about

NOTE Confidence: 0.99155134

 $00:13:39.585 \longrightarrow 00:13:41.265$ how radiation works, and then

NOTE Confidence: 0.99155134

00:13:41.265 --> 00:13:42.705 we're gonna get into some

NOTE Confidence: 0.99155134

00:13:42.705 --> 00:13:44.245 of the research you've done

NOTE Confidence: 0.99155134

 $00:13:44.304 \longrightarrow 00:13:45.365$ related to that.

NOTE Confidence: 0.98519945

 $00:13:45.970 \longrightarrow 00:13:47.650$ Support for Yale Cancer Answers

NOTE Confidence: 0.98519945

 $00{:}13{:}47.650 \dashrightarrow 00{:}13{:}49.590$ comes from Smilow Cancer Hospital,

NOTE Confidence: 0.98519945

 $00{:}13{:}49.890 \dashrightarrow 00{:}13{:}51.650$ where all patients have access

NOTE Confidence: 0.98519945

00:13:51.650 --> 00:13:53.250 to cutting edge clinical trials

NOTE Confidence: 0.98519945

 $00:13:53.250 \longrightarrow 00:13:55.330$ at several convenient locations throughout

NOTE Confidence: 0.98519945

 $00:13:55.330 \longrightarrow 00:13:55.990$ the region.

00:13:56.370 --> 00:13:57.990 To learn more, visit smilowcancer

NOTE Confidence: 0.9825418

 $00:13:58.370 \longrightarrow 00:13:59.750$ hospital dot org.

NOTE Confidence: 0.98799294

 $00{:}14{:}01.904 \dashrightarrow 00{:}14{:}04.225$ The American Cancer Society estimates

NOTE Confidence: 0.98799294

 $00:14:04.225 \longrightarrow 00:14:05.345$ that nearly one hundred and

NOTE Confidence: 0.98799294

 $00:14:05.345 \longrightarrow 00:14:06.704$ fifty thousand people in the

NOTE Confidence: 0.98799294

 $00:14:06.704 \longrightarrow 00:14:08.005$ U. S. will be diagnosed

NOTE Confidence: 0.98799294

 $00{:}14{:}08.065 \dashrightarrow 00{:}14{:}10.065$ with colorectal cancer this year

NOTE Confidence: 0.98799294

 $00:14:10.065 \longrightarrow 00:14:10.565$ alone.

NOTE Confidence: 0.9882225

 $00{:}14{:}11.024 \dashrightarrow 00{:}14{:}13.265$ When detected early, colorectal cancer

NOTE Confidence: 0.9882225

 $00:14:13.265 \longrightarrow 00:14:14.945$ is easily treated and highly

NOTE Confidence: 0.9882225

 $00{:}14{:}14.945 --> 00{:}14{:}15.445 \ curable,$

NOTE Confidence: 0.9989449

 $00:14:15.860 \longrightarrow 00:14:16.900$ and men and women over

NOTE Confidence: 0.9989449

 $00:14:16.900 \longrightarrow 00:14:18.020$ the age of forty five

NOTE Confidence: 0.9989449

 $00{:}14{:}18.020 \dashrightarrow 00{:}14{:}19.400$ should have regular colonoscopies

NOTE Confidence: 0.99939996

 $00:14:19.860 \longrightarrow 00:14:21.080$ to screen for the disease.

NOTE Confidence: 0.9896938

 $00:14:21.700 \longrightarrow 00:14:23.620$ Patients with colorectal cancer have

 $00:14:23.620 \longrightarrow 00:14:25.080$ more hope than ever before,

NOTE Confidence: 0.9896938

 $00:14:25.300 \longrightarrow 00:14:26.980$ thanks to increased access to

NOTE Confidence: 0.9896938

 $00:14:26.980 \longrightarrow 00:14:29.640$ advanced therapies and specialized care.

NOTE Confidence: 0.95140123

00:14:30.075 --> 00:14:31.835 Clinical trials are currently underway

NOTE Confidence: 0.95140123

 $00:14:31.835 \longrightarrow 00:14:34.475$ at federally designated comprehensive cancer

NOTE Confidence: 0.95140123

 $00:14:34.475 \longrightarrow 00:14:36.315$ centers, such as Yale Cancer

NOTE Confidence: 0.95140123

00:14:36.315 --> 00:14:37.995 Center and Smilow Cancer

NOTE Confidence: 0.95140123

00:14:37.995 --> 00:14:38.495 Hospital,

NOTE Confidence: 0.9975308

 $00:14:38.795 \longrightarrow 00:14:40.475$ to test innovative new treatments

NOTE Confidence: 0.9975308

 $00:14:40.475 \longrightarrow 00:14:41.855$ for colorectal cancer.

NOTE Confidence: 0.9973013

 $00:14:42.380 \longrightarrow 00:14:44.459$ Tumor gene analysis has helped

NOTE Confidence: 0.9973013

 $00:14:44.459 \longrightarrow 00:14:46.720$ improve management of colorectal cancer

NOTE Confidence: 0.9973013

 $00:14:46.940 \longrightarrow 00:14:48.940$ by identifying the patients most

NOTE Confidence: 0.9973013

00:14:48.940 --> 00:14:50.800 likely to benefit from chemotherapy

NOTE Confidence: 0.97905904

 $00:14:51.420 \longrightarrow 00:14:53.899$ and newer targeted agents resulting

 $00:14:53.899 \longrightarrow 00:14:55.680$ in more patient specific treatment.

NOTE Confidence: 0.989866

 $00{:}14{:}56.445 \dashrightarrow 00{:}14{:}57.965$ More information is available at

NOTE Confidence: 0.989866

 $00:14:57.965 \longrightarrow 00:14:59.825$ yale cancer center dot org.

NOTE Confidence: 0.989866

 $00:14:59.965 \longrightarrow 00:15:01.725$ You're listening to Connecticut Public

NOTE Confidence: 0.989866

 $00:15:01.725 \longrightarrow 00:15:02.225$ Radio.

NOTE Confidence: 0.9676658

 $00:15:03.005 \longrightarrow 00:15:04.445$ Good evening again. This is

NOTE Confidence: 0.9676658

00:15:04.445 --> 00:15:06.365 Eric Winer with Yale Cancer

NOTE Confidence: 0.9676658

00:15:06.365 --> 00:15:08.705 Answers, and I'm here tonight

NOTE Confidence: 0.9676658

 $00:15:08.845 \longrightarrow 00:15:10.305$ with my guest,

NOTE Confidence: 0.9378652

00:15:10.800 --> 00:15:12.100 doctor Peter Glazer,

NOTE Confidence: 0.99806845

 $00:15:12.560 \longrightarrow 00:15:14.100$ who is a professor of

 $00{:}15{:}15.760 \dashrightarrow 00{:}15{:}17.840$ the rapeutic radiology and a professor

NOTE Confidence: 0.9869278

 $00:15:17.840 \longrightarrow 00:15:19.200$ of genetics here at Yale

NOTE Confidence: 0.9869278

 $00:15:19.200 \longrightarrow 00:15:20.740$ School of Medicine and chair

NOTE Confidence: 0.9994871

 $00:15:21.600 \longrightarrow 00:15:23.060$ of the rapeutic radiology.

NOTE Confidence: 0.9994349

 $00:15:23.680 \longrightarrow 00:15:24.960$ Can you tell us a

 $00:15:24.960 \longrightarrow 00:15:25.779$ little bit

NOTE Confidence: 0.9997471

 $00:15:26.355 \longrightarrow 00:15:26.855$ about

NOTE Confidence: 0.9997988

 $00:15:27.155 \longrightarrow 00:15:28.935$ how it is that radiation

NOTE Confidence: 0.9926603

 $00:15:29.475 \longrightarrow 00:15:31.335$ on a cellular

NOTE Confidence: 0.9926603

00:15:31.475 --> 00:15:31.975 level

NOTE Confidence: 0.9949279

 $00:15:32.275 \longrightarrow 00:15:34.035$ kills cancer cells? What does

NOTE Confidence: 0.9949279

 $00:15:34.035 \longrightarrow 00:15:35.555$ it do that makes

NOTE Confidence: 0.9949279

00:15:35.555 --> 00:15:36.455 them die?

 $00:15:38.195 \longrightarrow 00:15:38.695$ The radiation

NOTE Confidence: 0.96470606

 $00:15:39.075 \longrightarrow 00:15:40.215$ that we use

NOTE Confidence: 0.84999245

 $00:15:40.959 \longrightarrow 00:15:42.399$ clinically to treat cancer is

NOTE Confidence: 0.84999245

 $00:15:42.399 \longrightarrow 00:15:42.899$ sometimes

NOTE Confidence: 0.9944219

 $00:15:43.279 \longrightarrow 00:15:43.779$ classified

NOTE Confidence: 0.9985743

 $00:15:44.080 \longrightarrow 00:15:45.540$ as ionizing radiation

NOTE Confidence: 0.9275751

 $00:15:46.080 \longrightarrow 00:15:48.320$ to differentiate it from other

NOTE Confidence: 0.9275751

 $00:15:48.320 \longrightarrow 00:15:49.220$ forms of

 $00:15:50.959 \longrightarrow 00:15:52.880$ radiation including photons, which is

NOTE Confidence: 0.87444776

 $00:15:52.880 \longrightarrow 00:15:53.860$ visible light.

 $00:15:55.764 \longrightarrow 00:15:56.964$ And what that means is

NOTE Confidence: 0.95287067

 $00:15:56.964 \longrightarrow 00:15:59.305$ that the radiation, x-ray radiation

NOTE Confidence: 0.95287067

 $00:15:59.365 \longrightarrow 00:16:01.385$ goes into cancer cells

NOTE Confidence: 0.98957825

 $00:16:02.005 \longrightarrow 00:16:03.845$ and causes ionization of the

NOTE Confidence: 0.98957825

 $00:16:03.845 \longrightarrow 00:16:04.345$ molecules

NOTE Confidence: 0.98295987

 $00:16:04.885 \longrightarrow 00:16:06.644$ inside the cell, and that

NOTE Confidence: 0.98295987

 $00:16:06.644 \longrightarrow 00:16:07.685$ leads to a lot of

NOTE Confidence: 0.98295987

 $00{:}16{:}07.685 \dashrightarrow 00{:}16{:}09.445$ chemical reactions that damage the

NOTE Confidence: 0.98295987

00:16:09.445 --> 00:16:09.945 DNA.

NOTE Confidence: 0.8771124

00:16:10.770 --> 00:16:11.510 So fundamentally,

NOTE Confidence: 0.996021

 $00{:}16{:}11.810 \dashrightarrow 00{:}16{:}13.810$ radiation causes DNA damage in

NOTE Confidence: 0.996021

 $00{:}16{:}13.810 --> 00{:}16{:}14.710 \ {\rm cancer} \ {\rm cells}$

NOTE Confidence: 0.9020197

 $00:16:15.170 \longrightarrow 00:16:16.550$ and if we can provide

NOTE Confidence: 0.9020197

00:16:16.610 --> 00:16:18.950 sufficient damage, the cells cannot

 $00:16:20.130 \longrightarrow 00:16:22.050$ fix themselves well enough to

NOTE Confidence: 0.9882677

 $00:16:22.050 \longrightarrow 00:16:22.550$ recover

NOTE Confidence: 0.94986635

 $00:16:22.975 \longrightarrow 00:16:24.495$ and that leads to a

NOTE Confidence: 0.94986635

 $00:16:24.495 \longrightarrow 00:16:26.095$ destruction of the tumor and

NOTE Confidence: 0.94986635

 $00:16:26.335 \longrightarrow 00:16:27.235$ tumor regression.

NOTE Confidence: 0.9883442

00:16:27.935 --> 00:16:29.795 And the DNA is essentially

NOTE Confidence: 0.93754345

 $00:16:30.415 \longrightarrow 00:16:31.615$ the brain of the cancer cell?

NOTE Confidence: 0.93754345

 $00:16:31.615 \longrightarrow 00:16:33.455 \text{ Yes, DNA}$

NOTE Confidence: 0.93754345

 $00{:}16{:}33.455 \dashrightarrow 00{:}16{:}35.135$ as in all cells, has

NOTE Confidence: 0.93754345

 $00:16:35.135 \longrightarrow 00:16:36.815$ the blueprint for how a

NOTE Confidence: 0.93754345

 $00:16:36.815 \longrightarrow 00:16:37.555$ cell functions,

NOTE Confidence: 0.99932164

 $00:16:38.310 \longrightarrow 00:16:39.930$ and DNA

NOTE Confidence: 0.9841659

 $00:16:40.390 \longrightarrow 00:16:41.750$ leads to the production of

NOTE Confidence: 0.9841659

 $00:16:41.750 \longrightarrow 00:16:43.670$ downstream molecules like RNA and

NOTE Confidence: 0.9841659

 $00:16:43.670 \longrightarrow 00:16:45.270$ proteins. So if you get

NOTE Confidence: 0.9841659

 $00:16:45.270 \longrightarrow 00:16:46.890$ the DNA, then you basically

00:16:46.950 --> 00:16:48.730 block all cellular functions

NOTE Confidence: 0.9977467

 $00:16:49.110 \longrightarrow 00:16:50.070$ and the ability of the

NOTE Confidence: 0.9977467

 $00:16:50.070 \longrightarrow 00:16:50.970$ cell to survive.

NOTE Confidence: 0.9934935

 $00:16:51.430 \longrightarrow 00:16:52.870$ Now one of the things

NOTE Confidence: 0.9934935

 $00:16:52.870 \longrightarrow 00:16:53.370$ that

NOTE Confidence: 0.99040234

 $00:16:54.105 \longrightarrow 00:16:55.625$ one hears as a doctor

NOTE Confidence: 0.99040234

 $00:16:55.625 \longrightarrow 00:16:57.404$ from patients is the question,

NOTE Confidence: 0.9980239

 $00:16:57.705 \longrightarrow 00:16:59.005$ well, doesn't radiation

NOTE Confidence: 0.9844425

 $00:16:59.464 \longrightarrow 00:17:00.445$ cause cancer?

NOTE Confidence: 0.9919805

 $00:17:01.065 \longrightarrow 00:17:02.665$ And I think people are

NOTE Confidence: 0.9919805

 $00:17:02.665 \longrightarrow 00:17:03.964$ often thinking about

NOTE Confidence: 0.9630483

 $00:17:04.984 \longrightarrow 00:17:06.825$ the fact that, you know,

NOTE Confidence: 0.9630483

 $00{:}17{:}06.825 --> 00{:}17{:}07.325 \ \mathrm{repeated},$

NOTE Confidence: 0.984136

 $00:17:08.800 \longrightarrow 00:17:11.040$ imaging studies are associated with

NOTE Confidence: 0.984136

00:17:11.040 --> 00:17:12.560 a very small increased risk

 $00:17:12.560 \longrightarrow 00:17:14.420$ in cancer in certain circumstances.

NOTE Confidence: 0.977119

00:17:15.680 --> 00:17:17.119 Is that a question that

NOTE Confidence: 0.977119

 $00:17:17.119 \longrightarrow 00:17:18.560$ that all of you get

NOTE Confidence: 0.977119

 $00:17:18.560 \longrightarrow 00:17:20.160$ asked a fair amount?

NOTE Confidence: 0.977119

 $00:17:20.160 \longrightarrow 00:17:21.680$ Yes. We sometimes talk about

NOTE Confidence: 0.977119

00:17:21.680 --> 00:17:23.415 that with patients. I

NOTE Confidence: 0.977119

 $00:17:23.415 \longrightarrow 00:17:24.615$ I think that it, you

NOTE Confidence: 0.977119

00:17:24.615 --> 00:17:26.475 know, it is known that

NOTE Confidence: 0.99857396

 $00:17:26.855 \longrightarrow 00:17:28.135$ there is a link between

NOTE Confidence: 0.99857396

 $00:17:28.135 \longrightarrow 00:17:29.994$ radiation exposure and

NOTE Confidence: 0.7502995

 $00{:}17{:}30.535 \dashrightarrow 00{:}17{:}31.755$ developing malignancies.

NOTE Confidence: 0.9918907

 $00:17:32.455 \longrightarrow 00:17:33.415$ I think this is one

NOTE Confidence: 0.9918907

 $00:17:33.415 \longrightarrow 00:17:34.075$ of the

NOTE Confidence: 0.9806618

 $00:17:34.535 \longrightarrow 00:17:35.975$ key reasons that we've worked

NOTE Confidence: 0.9806618

 $00:17:35.975 \longrightarrow 00:17:37.515$ so hard to develop technologies

NOTE Confidence: 0.9806618

 $00:17:37.734 \longrightarrow 00:17:39.180$ that focus the radiation

 $00:17:40.040 \longrightarrow 00:17:41.660$ intensively on the tumor and

 $00:17:43.160 \longrightarrow 00:17:44.440$ work to spare the healthy

NOTE Confidence: 0.9967444

00:17:44.440 --> 00:17:44.940 tissue

NOTE Confidence: 0.99018466

 $00:17:45.320 \longrightarrow 00:17:46.540$ as much as we can.

NOTE Confidence: 0.9584448

00:17:47.720 --> 00:17:49.160 And, you know, we've studied

NOTE Confidence: 0.9584448

 $00:17:49.160 \longrightarrow 00:17:50.200$ this a lot in the

NOTE Confidence: 0.9584448

 $00:17:50.200 \longrightarrow 00:17:52.460$ field, and the risk of

NOTE Confidence: 0.99758375

 $00:17:53.534 \longrightarrow 00:17:54.514$ secondary malignancies

NOTE Confidence: 0.9791086

 $00:17:54.894 \longrightarrow 00:17:56.095$ is not zero, but it's

NOTE Confidence: 0.9791086

 $00:17:56.095 \longrightarrow 00:17:57.774$ very low, especially for most

NOTE Confidence: 0.9791086

 $00{:}17{:}57.774 --> 00{:}17{:}58.595 \ \mathrm{adult\ patients}.$

NOTE Confidence: 0.97777367

 $00:17:59.215 \longrightarrow 00:18:00.335$ We worry a little bit

NOTE Confidence: 0.97777367

 $00:18:00.335 \longrightarrow 00:18:01.934$ more about children, which is

NOTE Confidence: 0.97777367

 $00:18:01.934 \longrightarrow 00:18:03.294$ one of the reasons that

NOTE Confidence: 0.97777367

 $00:18:03.294 \longrightarrow 00:18:04.815$ we spend a lot

NOTE Confidence: 0.97777367

 $00:18:04.815 \longrightarrow 00:18:06.894$ of time in developing treatment

 $00{:}18{:}06.894 \dashrightarrow 00{:}18{:}08.550$ approaches for children that are

NOTE Confidence: 0.97777367

 $00:18:08.869 \longrightarrow 00:18:10.490$ very highly focused. And

NOTE Confidence: 0.99366283

 $00:18:10.950 \longrightarrow 00:18:12.250$ one of the more recent,

NOTE Confidence: 0.96687096

 $00:18:12.790 \longrightarrow 00:18:14.390$ two elements along those lines

NOTE Confidence: 0.96687096

 $00:18:14.390 \longrightarrow 00:18:15.590$ is the use of proton

NOTE Confidence: 0.96687096

 $00:18:15.590 \longrightarrow 00:18:16.330$ beam therapy,

NOTE Confidence: 0.996529

 $00:18:16.869 \longrightarrow 00:18:17.350$ which is

00:18:19.430 --> 00:18:21.190 especially valuable for treating

NOTE Confidence: 0.93894964

 $00:18:21.190 \longrightarrow 00:18:21.690$ children.

NOTE Confidence: 0.9790747

00:18:22.445 --> 00:18:22.945 And,

NOTE Confidence: 0.9902553

00:18:23.325 --> 00:18:24.765 there's gonna be a proton

NOTE Confidence: 0.9902553

 $00:18:24.765 \longrightarrow 00:18:25.665$ beam facility

NOTE Confidence: 0.99981683

00:18:26.125 --> 00:18:26.865 in Connecticut

NOTE Confidence: 0.97131664

 $00:18:27.244 \longrightarrow 00:18:29.005$ in the not distant future

NOTE Confidence: 0.97131664

 $00:18:29.005 \longrightarrow 00:18:30.625$ that we've been involved with.

NOTE Confidence: 0.97131664

 $00:18:30.685 \longrightarrow 00:18:32.305$ Protons

 $00:18:33.645 \longrightarrow 00:18:35.025$ are a type of ionizing

NOTE Confidence: 0.9501652

00:18:35.165 --> 00:18:36.925 radiation, but instead of **x**

NOTE Confidence: 0.9501652

 $00:18:36.925 \longrightarrow 00:18:37.770$ rays, they use

NOTE Confidence: 0.94872874

 $00:18:38.170 \longrightarrow 00:18:40.109$ protons, which are a subatomic

NOTE Confidence: 0.94872874

 $00:18:40.250 \longrightarrow 00:18:40.750$ particle,

NOTE Confidence: 0.86726725

 $00:18:41.530 \longrightarrow 00:18:43.470$ which a machine

NOTE Confidence: 0.86726725

 $00:18:43.530 \longrightarrow 00:18:45.230$ called a cyclotron will accelerate.

NOTE Confidence: 0.971175

 $00:18:45.930 \longrightarrow 00:18:46.910$ And the protons

NOTE Confidence: 0.9835828

 $00:18:47.450 \longrightarrow 00:18:48.970$ also enter into the tissue,

NOTE Confidence: 0.9835828

 $00:18:48.970 \longrightarrow 00:18:50.190$ but they have a special

NOTE Confidence: 0.95466405

 $00:18:50.755 \longrightarrow 00:18:51.734$ property because

NOTE Confidence: 0.95821244

00:18:52.195 --> 00:18:53.635 they're a particle with mass

NOTE Confidence: 0.95821244

00:18:53.635 --> 00:18:55.475 that they enter tissue and

NOTE Confidence: 0.95821244

00:18:55.475 --> 00:18:57.234 they stop suddenly to deposit

NOTE Confidence: 0.95821244

 $00:18:57.234 \longrightarrow 00:18:58.054$ their dose.

 $00:18:58.515 \longrightarrow 00:19:00.215$ And that lets us tailor the

 $00:19:02.770 \longrightarrow 00:19:04.869$ delivery of the ionizing radiation

NOTE Confidence: 0.87104505

 $00:19:05.490 \longrightarrow 00:19:06.309$ even better.

NOTE Confidence: 0.963572

 $00:19:06.850 \longrightarrow 00:19:07.330$ And,

NOTE Confidence: 0.97564983

 $00:19:07.970 \longrightarrow 00:19:09.090$ we think that it has

NOTE Confidence: 0.97564983

 $00:19:09.090 \longrightarrow 00:19:10.390$ some advantages.

NOTE Confidence: 0.98021406

 $00:19:10.930 \longrightarrow 00:19:13.270$ But developing proton beam facilities

NOTE Confidence: 0.98021406

 $00:19:13.330 \longrightarrow 00:19:14.609$ is not a simple endeavor.

NOTE Confidence: 0.98021406

00:19:14.609 --> 00:19:16.369 It's much more expensive and

NOTE Confidence: 0.98021406

 $00:19:16.369 \longrightarrow 00:19:17.430$ involved than

NOTE Confidence: 0.92289317

 $00{:}19{:}18.305 \dashrightarrow 00{:}19{:}19.925$ installing a regular LINAC.

NOTE Confidence: 0.970011

 $00:19:20.465 \longrightarrow 00:19:22.065$ And so there are not

NOTE Confidence: 0.970011

 $00:19:22.065 \longrightarrow 00:19:23.125$ many in the country,

NOTE Confidence: 0.95277196

 $00{:}19{:}23.905 \dashrightarrow 00{:}19{:}24.945$ and there is

NOTE Confidence: 0.95277196

00:19:24.945 --> 00:19:26.385 not one in Connecticut right

NOTE Confidence: 0.95277196

 $00:19:26.385 \longrightarrow 00:19:27.744$ now, but Yale New Haven

 $00{:}19{:}27.744 \dashrightarrow 00{:}19{:}29.365$ Health System and Hartford Health Care

NOTE Confidence: 0.94577837

 $00:19:30.080 \longrightarrow 00:19:30.900$ have partnered,

NOTE Confidence: 0.910775

 $00:19:31.600 \longrightarrow 00:19:33.359$ and we recently did the

NOTE Confidence: 0.910775

 $00:19:33.359 \longrightarrow 00:19:33.859$ groundbreaking to

00:19:35.600 --> 00:19:37.200 advance a new proton beam

NOTE Confidence: 0.96341705

 $00:19:37.200 \longrightarrow 00:19:37.700$ facility,

NOTE Confidence: 0.92682976

 $00:19:38.720 \longrightarrow 00:19:39.840$ in the center of the

NOTE Confidence: 0.92682976

 $00:19:39.840 \longrightarrow 00:19:40.980$ state that'll be

NOTE Confidence: 0.9991468

 $00:19:41.520 \longrightarrow 00:19:42.720$ a resource for all of

NOTE Confidence: 0.9991468

 $00:19:42.720 \longrightarrow 00:19:43.940$ the people in the region.

NOTE Confidence: 0.9986903

 $00:19:44.395 \longrightarrow 00:19:45.915$ And the price tag for

NOTE Confidence: 0.9986903

 $00:19:45.915 \longrightarrow 00:19:47.595$ these kinds of facilities is

NOTE Confidence: 0.9986903

 $00:19:47.595 \longrightarrow 00:19:48.255$ in the

NOTE Confidence: 0.98676294

00:19:48.795 --> 00:19:50.575 tens of millions of dollars.

 $00{:}19{:}52.155 \dashrightarrow 00{:}19{:}53.195$ You know, this one is

NOTE Confidence: 0.99469215

 $00:19:53.195 \longrightarrow 00:19:54.315$ somewhere in the range of

NOTE Confidence: 0.99469215

 $00{:}19{:}54.315 \dashrightarrow 00{:}19{:}56.155$ seventy million all in with

 $00:19:56.155 \longrightarrow 00:19:57.600$ all the construction and

NOTE Confidence: 0.79528487

00:19:58.160 --> 00:19:58.660 equipment. 00:20:00.880 --> 00:20:01.700 Can you

NOTE Confidence: 0.99380654

 $00:20:02.000 \longrightarrow 00:20:03.840$ talk about some of your

NOTE Confidence: 0.99380654

 $00:20:03.840 \longrightarrow 00:20:04.340$ research?

NOTE Confidence: 0.99855703 00:20:05.119 --> 00:20:05.619 And

NOTE Confidence: 0.9985343

 $00:20:06.240 \longrightarrow 00:20:07.359$ I know some of the

NOTE Confidence: 0.9985343

00:20:07.359 --> 00:20:08.980 recent research has

NOTE Confidence: 0.99948615

 $00:20:09.440 \longrightarrow 00:20:10.660$ related to the treatment of

 $00:20:12.559 \longrightarrow 00:20:13.380$ what is

NOTE Confidence: 0.9992161

 $00:20:14.855 \longrightarrow 00:20:16.315$ often thought of as

NOTE Confidence: 0.95844424

00:20:16.934 --> 00:20:18.534 inherited breast cancer and other

NOTE Confidence: 0.95844424

 $00:20:18.534 \longrightarrow 00:20:20.054$ cancers that

NOTE Confidence: 0.95844424

00:20:20.054 --> 00:20:21.975 arise in the setting of

NOTE Confidence: 0.95844424

 $00:20:21.975 \longrightarrow 00:20:22.875$ of BRCA

NOTE Confidence: 0.94804823

 $00:20:23.494 \longrightarrow 00:20:23.994$ mutations.

 $00:20:25.494 \longrightarrow 00:20:27.174$ But I know that your

NOTE Confidence: 0.9986493

00:20:27.174 --> 00:20:28.955 research career stretches

NOTE Confidence: 0.9702132

 $00:20:29.290 \longrightarrow 00:20:30.830$ pretty far back. And

NOTE Confidence: 0.9843176

 $00:20:31.210 \longrightarrow 00:20:32.010$ what are some of the

NOTE Confidence: 0.9843176

00:20:32.010 --> 00:20:33.130 things you've worked on over

NOTE Confidence: 0.9843176

 $00:20:33.130 \longrightarrow 00:20:34.490$ the years? And then maybe

NOTE Confidence: 0.9843176

 $00:20:34.490 \longrightarrow 00:20:36.170$ we can talk more about

NOTE Confidence: 0.9843176

 $00:20:36.170 \longrightarrow 00:20:36.670$ BRCA.

NOTE Confidence: 0.9108113

 $00:20:37.450 \longrightarrow 00:20:38.650$ Yes, I've

NOTE Confidence: 0.9108113

 $00:20:38.650 \longrightarrow 00:20:40.030$ been interested in how

NOTE Confidence: 0.98103917

 $00:20:41.130 \longrightarrow 00:20:43.195$ DNA repair pathways can influence

NOTE Confidence: 0.98103917

 $00:20:43.255 \longrightarrow 00:20:44.695$ the development of cancer and

NOTE Confidence: 0.98103917

 $00:20:44.695 \longrightarrow 00:20:45.895$ how they can be exploited

NOTE Confidence: 0.98103917

 $00:20:45.895 \longrightarrow 00:20:46.635$ for treatment.

NOTE Confidence: 0.8979699

 $00:20:47.095 \longrightarrow 00:20:48.775$ And you mentioned

NOTE Confidence: 0.8979699

 $00:20:48.775 \longrightarrow 00:20:49.355$ the BRCA1

 $00:20:49.815 \longrightarrow 00:20:50.475$ and BRCA2

NOTE Confidence: 0.83154005

 $00:20:52.295 \longrightarrow 00:20:53.435$ genes which are linked

NOTE Confidence: 0.94758743

 $00:20:55.609 \longrightarrow 00:20:56.570$ to a large extent to

NOTE Confidence: 0.94758743

 $00:20:56.570 \longrightarrow 00:20:58.109$ breast and ovarian cancers.

NOTE Confidence: 0.94834715

 $00:21:00.090 \longrightarrow 00:21:01.450$ And defects in those genes

NOTE Confidence: 0.94834715

 $00:21:01.450 \longrightarrow 00:21:03.530$ lead to a deficiency in

NOTE Confidence: 0.94834715

 $00:21:03.530 \longrightarrow 00:21:05.390$ a pathway of DNA repair

NOTE Confidence: 0.9829886

 $00{:}21{:}05.945 \dashrightarrow 00{:}21{:}07.325$ called homologous recombination.

NOTE Confidence: 0.9860671

 $00:21:08.265 \longrightarrow 00:21:10.425$ We recently discovered that some

NOTE Confidence: 0.9860671

00:21:10.425 --> 00:21:12.105 other genes that are seen

NOTE Confidence: 0.9860671

 $00:21:12.105 \longrightarrow 00:21:13.244$ mutated in cancers

NOTE Confidence: 0.948239

00:21:13.865 --> 00:21:15.804 that are linked to abnormal

NOTE Confidence: 0.948239

 $00{:}21{:}15.945 --> 00{:}21{:}16.445 \ \mathrm{metabolism}$

NOTE Confidence: 0.9568783

 $00:21:17.705 \longrightarrow 00:21:19.065$ also cause a defect in

NOTE Confidence: 0.9568783

00:21:19.065 --> 00:21:20.765 the same DNA repair pathway

 $00:21:21.880 \longrightarrow 00:21:23.260$ and we found unexpectedly

NOTE Confidence: 0.9929835

 $00:21:23.560 \longrightarrow 00:21:24.940$ that they can be exploited

NOTE Confidence: 0.998200900:21:25.640 --> 00:21:26.140 with

NOTE Confidence: 0.95027804

 $00:21:27.160 \longrightarrow 00:21:27.660$ molecularly

NOTE Confidence: 0.9974842

 $00:21:28.040 \longrightarrow 00:21:29.580$ targeted agents that

NOTE Confidence: 0.9542711

 $00:21:30.680 \longrightarrow 00:21:31.740$ exploit related

NOTE Confidence: 0.9573806

 $00:21:32.040 \longrightarrow 00:21:33.340$ DNA repair pathways.

NOTE Confidence: 0.97115487

 $00:21:34.715 \longrightarrow 00:21:36.315$ And similar to the situation

NOTE Confidence: 0.97115487

00:21:36.315 --> 00:21:37.695 with BRCA1 and BRCA2,

NOTE Confidence: 0.9243045

 $00:21:38.475 \longrightarrow 00:21:39.935$ these genes include

NOTE Confidence: 0.9272296

 $00:21:40.635 \longrightarrow 00:21:42.255$ genes with the names IDH1

NOTE Confidence: 0.9272296

00:21:42.475 --> 00:21:44.494 and two, SDH and FH

NOTE Confidence: 0.9272296

 $00:21:44.715 \longrightarrow 00:21:45.855$ and they're linked to

NOTE Confidence: 0.9188045

00:21:46.570 --> 00:21:49.050 brain tumors, sarcomas, kidney cancers

NOTE Confidence: 0.9188045

 $00:21:49.050 \longrightarrow 00:21:49.710$ and others.

 $00:21:51.130 \longrightarrow 00:21:52.490$ Some of the strategy that

 $00:21:52.490 \longrightarrow 00:21:53.770$ we and others have worked

NOTE Confidence: 0.94190454

 $00:21:53.770 \longrightarrow 00:21:54.730$ on, you can think of

NOTE Confidence: 0.94190454

 $00:21:54.730 \longrightarrow 00:21:56.190$ it like a traffic pattern

NOTE Confidence: 0.8667809

 $00:21:56.490 \longrightarrow 00:21:57.369$ since you and I live

NOTE Confidence: 0.8667809

 $00:21:57.369 \longrightarrow 00:21:58.590$ in Southern Connecticut.

NOTE Confidence: 0.9640354

 $00:21:59.295 \longrightarrow 00:22:00.255$ If there's a big

NOTE Confidence: 0.9640354

 $00:22:00.255 \longrightarrow 00:22:01.535$ crash on I-95

NOTE Confidence: 0.9640354

 $00:22:01.535 \longrightarrow 00:22:02.735$ and you can't get where

NOTE Confidence: 0.9640354

00:22:02.735 --> 00:22:04.095 you're going, you might think

NOTE Confidence: 0.9640354

 $00:22:04.095 \longrightarrow 00:22:05.295$ of going to the Merritt

NOTE Confidence: 0.9640354

00:22:05.295 --> 00:22:05.795 Parkway,

NOTE Confidence: 0.98119915

 $00:22:06.255 \longrightarrow 00:22:07.615$ but we're using an agent

NOTE Confidence: 0.98119915

00:22:07.615 --> 00:22:08.975 that blocks the Merritt Parkway,

NOTE Confidence: 0.98119915

 $00:22:08.975 \longrightarrow 00:22:10.095$ so then you have nowhere

NOTE Confidence: 0.98119915

 $00:22:10.095 \longrightarrow 00:22:10.755$ to go.

NOTE Confidence: 0.99011177

 $00:22:11.135 \longrightarrow 00:22:13.055$ And so, we're taking that

00:22:13.055 --> 00:22:14.490 kind of approach for these

NOTE Confidence: 0.99011177

00:22:14.970 --> 00:22:16.430 genetically linked cancers.

NOTE Confidence: 0.9977916

 $00:22:17.050 \longrightarrow 00:22:19.230$ And this is by developing

NOTE Confidence: 0.9977916

 $00:22:19.369 \longrightarrow 00:22:19.869$ drugs?

NOTE Confidence: 0.9936443

 $00:22:20.410 \longrightarrow 00:22:22.010$ Yeah. Drugs that target other

NOTE Confidence: 0.9936443

00:22:22.170 --> 00:22:23.850 DNA repair pathways. So there's

NOTE Confidence: 0.9936443

 $00:22:23.850 \longrightarrow 00:22:24.810$ a well known class of

NOTE Confidence: 0.9936443

 $00:22:24.810 \longrightarrow 00:22:26.270$ drugs called PARP inhibitors.

NOTE Confidence: 0.99677753

 $00:22:26.570 \longrightarrow 00:22:27.850$ We did not develop them,

NOTE Confidence: 0.99677753

 $00:22:27.850 \longrightarrow 00:22:29.575$ but we're trying to find

NOTE Confidence: 0.99677753

 $00:22:29.575 \longrightarrow 00:22:31.034$ new uses for them.

NOTE Confidence: 0.9864502

 $00:22:32.294 \longrightarrow 00:22:33.494$ Another thing that we did

NOTE Confidence: 0.9864502

 $00:22:33.494 \longrightarrow 00:22:35.414$ was, we found that agents

NOTE Confidence: 0.9864502

 $00:22:35.414 \longrightarrow 00:22:36.154$ that inhibit

NOTE Confidence: 0.91724485

00:22:36.695 --> 00:22:37.195 angiogenesis,

 $00:22:37.734 \longrightarrow 00:22:39.975$ which means the development of

NOTE Confidence: 0.9469677

 $00:22:39.975 \longrightarrow 00:22:40.955$ new blood vessels,

NOTE Confidence: 0.9182759

 $00:22:41.960 \longrightarrow 00:22:43.800$ these can lead to reduced

NOTE Confidence: 0.9182759

 $00:22:43.800 \longrightarrow 00:22:45.740$ oxygen in tumors, a situation

NOTE Confidence: 0.9182759

 $00:22:45.800 \longrightarrow 00:22:46.780$ known as hypoxia.

NOTE Confidence: 0.9971367

00:22:47.400 --> 00:22:48.140 And that,

NOTE Confidence: 0.93358517

 $00:22:48.520 \longrightarrow 00:22:50.600$ we found, causes decreased DNA

NOTE Confidence: 0.93358517

 $00:22:50.600 \longrightarrow 00:22:51.100$ repair,

NOTE Confidence: 0.9993723

 $00{:}22{:}51.480 \dashrightarrow 00{:}22{:}52.940$ and we can then exploit

NOTE Confidence: 0.9993723

 $00:22:53.000 \longrightarrow 00:22:54.440$ that situation with some of

NOTE Confidence: 0.9993723

 $00:22:54.440 \longrightarrow 00:22:55.720$ the agents I just talked

NOTE Confidence: 0.9993723

 $00:22:55.720 \longrightarrow 00:22:56.220$ about.

NOTE Confidence: 0.99576795

 $00:22:56.715 \longrightarrow 00:22:58.155$ And is there a role

NOTE Confidence: 0.99576795

 $00:22:58.155 \longrightarrow 00:22:59.294$ for using radiation

NOTE Confidence: 0.9854145

 $00:22:59.595 \longrightarrow 00:23:00.875$ in combination with some of

NOTE Confidence: 0.9854145

 $00:23:00.875 \longrightarrow 00:23:02.715$ these therapies?

 $00:23:02.715 \longrightarrow 00:23:03.215$ Yes, for sure.

NOTE Confidence: 0.9391286

 $00:23:03.755 \longrightarrow 00:23:05.115$ Some of these DNA repair

NOTE Confidence: 0.9391286

00:23:05.115 --> 00:23:06.655 inhibitors like PARP inhibitors,

NOTE Confidence: 0.98394394

 $00:23:07.674 \longrightarrow 00:23:08.875$ and others that are in

NOTE Confidence: 0.98394394

 $00:23:08.875 \longrightarrow 00:23:10.395$ clinical development, there's a number

NOTE Confidence: 0.98394394

 $00:23:10.395 \longrightarrow 00:23:11.615$ of targeted agents,

NOTE Confidence: 0.96295583

 $00:23:12.359 \longrightarrow 00:23:13.559$ that we and others are

NOTE Confidence: 0.96295583

00:23:13.559 --> 00:23:14.380 working on to

NOTE Confidence: 0.9942248

00:23:15.160 --> 00:23:17.400 inhibit repair pathways that are

NOTE Confidence: 0.9942248

 $00:23:17.400 \longrightarrow 00:23:17.900$ important

NOTE Confidence: 0.9926445

 $00:23:18.680 \longrightarrow 00:23:20.119$ to how the cancer cell

NOTE Confidence: 0.9926445

 $00:23:20.119 \longrightarrow 00:23:21.260$ tries to fix

NOTE Confidence: 0.979401

00:23:21.960 --> 00:23:23.320 the type of DNA damage

NOTE Confidence: 0.979401

 $00:23:23.320 \longrightarrow 00:23:24.540$ the radiation causes.

NOTE Confidence: 0.98928374

 $00:23:25.174 \longrightarrow 00:23:26.215$ And if I can just

 $00:23:26.215 \longrightarrow 00:23:28.554$ explore one other combination that's

NOTE Confidence: 0.98928374

 $00{:}23{:}28.615 --> 00{:}23{:}30.635$ been talked about recently. So

NOTE Confidence: 0.96235055

 $00:23:31.095 \longrightarrow 00:23:31.595$ immunotherapy,

NOTE Confidence: 0.99387896

 $00:23:32.054 \longrightarrow 00:23:33.195$ of course, has become,

NOTE Confidence: 0.99207574

 $00:23:34.695 \longrightarrow 00:23:36.315$ the treatment of the past

NOTE Confidence: 0.93291515

 $00:23:36.615 \longrightarrow 00:23:38.635$ decade. It's used in

NOTE Confidence: 0.9748067

 $00:23:40.270 \longrightarrow 00:23:41.970$ well over a dozen different

NOTE Confidence: 0.9748067

 $00:23:42.109 \longrightarrow 00:23:43.790$ tumor types and can be

NOTE Confidence: 0.9748067

 $00:23:43.790 \longrightarrow 00:23:44.690$ highly effective.

NOTE Confidence: 0.99031883

 $00:23:45.230 \longrightarrow 00:23:47.250$ But there's some suggestion that

NOTE Confidence: 0.99031883

 $00:23:47.310 \longrightarrow 00:23:49.630$ radiation could also augment the

NOTE Confidence: 0.99031883

 $00:23:49.630 \longrightarrow 00:23:50.609$ effect of immunotherapy.

NOTE Confidence: 0.971093

 $00:23:51.915 \longrightarrow 00:23:53.515$ Yes. I think there's

NOTE Confidence: 0.971093

00:23:53.515 --> 00:23:55.515 a lot of intense study,

NOTE Confidence: 0.971093

00:23:55.515 --> 00:23:57.195 both basic science and in

NOTE Confidence: 0.971093

 $00:23:57.195 \longrightarrow 00:23:58.235$ the clinic, on how to

 $00:23:58.235 \longrightarrow 00:24:00.255$ best combine radiation and immunotherapy.

NOTE Confidence: 0.9988304

 $00:24:01.755 \longrightarrow 00:24:02.255$ Radiation can

 $00:24:03.915 \longrightarrow 00:24:06.315$ elicit an inflamed response in

NOTE Confidence: 0.96884054

 $00:24:06.315 \longrightarrow 00:24:06.815$ tumors that

NOTE Confidence: 0.9959086

 $00:24:08.690 \longrightarrow 00:24:09.190$ synergizes

NOTE Confidence: 0.99923784

 $00:24:09.650 \longrightarrow 00:24:10.770$ with the type of immune

NOTE Confidence: 0.99923784

 $00:24:10.770 \longrightarrow 00:24:11.750$ response that

NOTE Confidence: 0.99108344

 $00:24:12.050 \longrightarrow 00:24:14.050$ these immune checkpoint inhibitors will

NOTE Confidence: 0.99108344

 $00:24:14.050 \longrightarrow 00:24:14.550$ provoke.

NOTE Confidence: 0.97284293

 $00:24:15.730 \longrightarrow 00:24:17.410$ It is also thought

NOTE Confidence: 0.97284293

 $00:24:17.410 \longrightarrow 00:24:19.170$ that radiation can cause the

NOTE Confidence: 0.97284293

 $00:24:19.170 \longrightarrow 00:24:21.270$ release of tumor antigens and

NOTE Confidence: 0.97284293

 $00:24:21.525 \longrightarrow 00:24:22.805$ sort of create an in

NOTE Confidence: 0.97284293

 $00:24:22.805 \longrightarrow 00:24:24.725$ situ tumor vaccine, if you

NOTE Confidence: 0.97284293 00:24:24.725 --> 00:24:25.225 will. NOTE Confidence: 0.88530135

00:24:26.565 --> 00:24:28.805 So, you know, in general,

 $00:24:28.805 \longrightarrow 00:24:29.765$ it's thought that

NOTE Confidence: 0.998083

 $00:24:30.165 \longrightarrow 00:24:32.425$ radiation can enhance the effectiveness

NOTE Confidence: 0.998083

 $00:24:32.645 \longrightarrow 00:24:33.465$ of tumor

NOTE Confidence: 0.94097245

00:24:33.845 --> 00:24:35.780 immune therapy and vice versa,

NOTE Confidence: 0.94097245

 $00{:}24{:}35.840 \to 00{:}24{:}37.520$ that immune the rapy or immune

NOTE Confidence: 0.94097245

 $00:24:37.520 \longrightarrow 00:24:39.440$ response will enhance the effect

NOTE Confidence: 0.94097245

 $00:24:39.440 \longrightarrow 00:24:40.100$ of radiation.

NOTE Confidence: 0.99411714

 $00{:}24{:}41.600 --> 00{:}24{:}42.740$ Have you seen a

NOTE Confidence: 0.93964255

 $00:24:43.119 \longrightarrow 00:24:44.580$ change in the

NOTE Confidence: 0.9987531

 $00:24:45.200 \longrightarrow 00:24:45.940$ type of

NOTE Confidence: 0.9990694

 $00{:}24{:}46.800 \dashrightarrow 00{:}24{:}48.740$ medical student who goes into

NOTE Confidence: 0.99855477

 $00:24:49.534 \longrightarrow 00:24:51.635$ radiation oncology today versus

NOTE Confidence: 0.98111117

 $00:24:52.335 \longrightarrow 00:24:53.875$ twenty or thirty years ago?

NOTE Confidence: 0.98111117

 $00:24:54.015 \longrightarrow 00:24:54.975$ It would seem to me

NOTE Confidence: 0.98111117

 $00:24:54.975 \longrightarrow 00:24:55.775$ that a lot of these

00:24:55.775 --> 00:24:57.294 people must be people who

NOTE Confidence: 0.98111117 00:24:57.294 --> 00:24:57.794 are NOTE Confidence: 0.9881319

 $00:24:59.215 \longrightarrow 00:25:00.975$ interested in physics and interested

NOTE Confidence: 0.9881319

 $00:25:01.215 \longrightarrow 00:25:03.054$ in science and

 $00:25:03.990 \longrightarrow 00:25:04.730$ perhaps interested

NOTE Confidence: 0.9488303

 $00{:}25{:}05.030 \dashrightarrow 00{:}25{:}07.130$ in pursuing careers in research.

NOTE Confidence: 0.9730265

 $00:25:07.830 \longrightarrow 00:25:08.869$ Yes. I think it's always

NOTE Confidence: 0.9730265

 $00:25:08.869 \longrightarrow 00:25:10.090$ been a research friendly

NOTE Confidence: 0.9786202

 $00{:}25{:}11.670 \dashrightarrow 00{:}25{:}13.350$ specialty because there's a lot

NOTE Confidence: 0.9786202

 $00:25:13.350 \longrightarrow 00:25:15.590$ of basic science, and cellular

NOTE Confidence: 0.9786202

 $00:25:15.590 \longrightarrow 00:25:17.030$ biology to explore as well

NOTE Confidence: 0.9786202

 $00:25:17.030 \longrightarrow 00:25:18.310$ as the physics and the

NOTE Confidence: 0.9786202

 $00:25:18.310 \longrightarrow 00:25:19.130$ more technological

NOTE Confidence: 0.979905

 $00{:}25{:}20.505 --> 00{:}25{:}20.744 \ \mathrm{aspects}.$

NOTE Confidence: 0.9600152

 $00:25:21.385 \longrightarrow 00:25:22.905$ I think that, you know,

NOTE Confidence: 0.9600152

 $00:25:22.905 \longrightarrow 00:25:24.505$ years ago, it

00:25:24.505 --> 00:25:25.865 was felt, well, maybe people

NOTE Confidence: 0.9600152

 $00:25:25.865 \longrightarrow 00:25:26.825$ who had a little bit

NOTE Confidence: 0.9600152

00:25:26.825 --> 00:25:28.905 more proclivity for physics might

NOTE Confidence: 0.9600152

 $00:25:28.905 \longrightarrow 00:25:30.345$ go into the field. But

NOTE Confidence: 0.9600152

 $00:25:30.345 \longrightarrow 00:25:31.465$ actually, I think the field

NOTE Confidence: 0.9600152

 $00{:}25{:}31.465 --> 00{:}25{:}31.965 \text{ now}$

NOTE Confidence: 0.8919977

 $00:25:32.549 \longrightarrow 00:25:33.049$ attracts,

NOTE Confidence: 0.94563293

 $00:25:33.509 \longrightarrow 00:25:35.190$ people that like

NOTE Confidence: 0.96933275

 $00{:}25{:}36.149 \dashrightarrow 00{:}25{:}37.669$ advanced technology that we can

NOTE Confidence: 0.96933275

00:25:37.669 --> 00:25:38.950 bring to bear, the image

NOTE Confidence: 0.96933275

 $00:25:38.950 \longrightarrow 00:25:40.090$ guidance, the

NOTE Confidence: 0.9260061

00:25:40.630 --> 00:25:42.230 treatment planning that, you know,

NOTE Confidence: 0.9260061

00:25:42.230 --> 00:25:43.210 is very computerized and visual,

NOTE Confidence: 0.9894832

 $00:25:47.045 \longrightarrow 00:25:48.345$ so I think it's expanded

NOTE Confidence: 0.91041905

 $00:25:48.725 \longrightarrow 00:25:50.325$ the reach of people that

NOTE Confidence: 0.91041905 00:25:50.325 --> 00:25:50.825 are

00:25:51.205 --> 00:25:52.484 interested in the field. And

NOTE Confidence: 0.9566695

 $00:25:52.484 \longrightarrow 00:25:53.285$ the other thing is I

NOTE Confidence: 0.9566695

 $00:25:53.285 \longrightarrow 00:25:54.405$ think people have come to

NOTE Confidence: 0.9566695

 $00:25:54.405 \longrightarrow 00:25:55.145$ know that

NOTE Confidence: 0.9719112

00:25:55.445 --> 00:25:57.065 we're a very patient oriented

NOTE Confidence: 0.9719112

 $00:25:57.285 \longrightarrow 00:25:57.785$ specialty,

NOTE Confidence: 0.9644168

00:25:58.830 --> 00:26:00.669 just like your specialty medical

NOTE Confidence: 0.9644168

 $00{:}26{:}00.669 \dashrightarrow 00{:}26{:}02.609$ on cology. We're very patient facing,

NOTE Confidence: 0.99185985

 $00:26:03.390 \longrightarrow 00:26:04.929$ and, we have longitudinal

NOTE Confidence: 0.99275947

 $00:26:05.309 \longrightarrow 00:26:06.830$ relationships with our patients, and

NOTE Confidence: 0.99275947

 $00:26:06.830 \longrightarrow 00:26:08.609$ I think that attracts

NOTE Confidence: 0.99275947

00:26:08.669 --> 00:26:10.289 the medical students as well.

NOTE Confidence: 0.8369769

 $00:26:10.605 \longrightarrow 00:26:12.045$ Longitude and relationships with your

NOTE Confidence: 0.8369769

 $00:26:12.045 \longrightarrow 00:26:13.085$ patients

NOTE Confidence: 0.9728048

 $00:26:13.565 \longrightarrow 00:26:15.505$ and, of course, close relationships

 $00:26:15.645 \longrightarrow 00:26:17.105$ with your colleagues since

NOTE Confidence: 0.980567

00:26:17.965 --> 00:26:19.165 in the care of patients

NOTE Confidence: 0.980567

 $00:26:19.165 \longrightarrow 00:26:20.445$ with cancer we

NOTE Confidence: 0.98770946

 $00:26:22.205 \longrightarrow 00:26:24.125$ all work together since it

NOTE Confidence: 0.98770946 00:26:24.125 --> 00:26:24.625 takes

NOTE Confidence: 0.99368507

 $00:26:25.220 \longrightarrow 00:26:26.740$ far more than any one

NOTE Confidence: 0.99368507

 $00:26:26.740 \longrightarrow 00:26:27.240$ discipline.

NOTE Confidence: 0.9465303

 $00:26:28.420 \longrightarrow 00:26:29.560$ And as we

NOTE Confidence: 0.99882066

 $00:26:30.420 \longrightarrow 00:26:31.160$ wrap up,

NOTE Confidence: 0.9998301

 $00:26:31.540 \longrightarrow 00:26:32.280$ can you

NOTE Confidence: 0.99921

 $00:26:33.060 \longrightarrow 00:26:35.400$ speculate about where radiation

NOTE Confidence: 0.9994464

 $00:26:35.780 \longrightarrow 00:26:36.280$ oncology

NOTE Confidence: 0.999265

 $00:26:36.580 \longrightarrow 00:26:38.420$ is going over the course

NOTE Confidence: 0.999265

 $00:26:38.420 \longrightarrow 00:26:39.320$ of the next

NOTE Confidence: 0.9489286

 $00:26:39.635 \longrightarrow 00:26:41.015$ ten or twenty years?

 $00:26:42.595 \longrightarrow 00:26:44.135$ What should we be looking for?

 $00:26:44.355 \longrightarrow 00:26:45.315$ Well, I think that we're

NOTE Confidence: 0.97161585

 $00{:}26{:}45.315 --> 00{:}26{:}46.595 \ \mathrm{gonna \ see \ a \ greater}$

NOTE Confidence: 0.97161585

 $00:26:46.595 \longrightarrow 00:26:47.575$ ability to

NOTE Confidence: 0.9937108

 $00:26:48.035 \longrightarrow 00:26:49.715$ achieve real time adjustments in

NOTE Confidence: 0.9937108

 $00:26:49.715 \longrightarrow 00:26:50.375$ the treatment,

NOTE Confidence: 0.98063123

00:26:50.994 --> 00:26:52.355 using some of these onboard

NOTE Confidence: 0.98063123

 $00:26:52.355 \longrightarrow 00:26:54.535$ imaging technologies. And as the

NOTE Confidence: 0.9977882

 $00:26:55.280 \longrightarrow 00:26:55.780$ software

NOTE Confidence: 0.99854094

 $00:26:56.480 \longrightarrow 00:26:57.700$ and hardware improves

NOTE Confidence: 0.9644815

 $00:26:58.240 \longrightarrow 00:26:59.919$ and we can incorporate things

NOTE Confidence: 0.9644815

 $00{:}26{:}59.919 \dashrightarrow 00{:}27{:}02.419$ like artificial intelligence to identify

NOTE Confidence: 0.94083

 $00:27:02.880 \longrightarrow 00:27:04.480$ the tumor targets, track how

NOTE Confidence: 0.94083

 $00:27:04.480 \longrightarrow 00:27:06.580$ they move and adjust radiation

NOTE Confidence: 0.94083

 $00:27:06.640 \longrightarrow 00:27:07.140$ treatments.

NOTE Confidence: 0.93038464

00:27:07.815 --> 00:27:09.255 That's going to allow even

NOTE Confidence: 0.93038464

 $00:27:09.255 \longrightarrow 00:27:10.075$ more precise

 $00:27:10.375 \longrightarrow 00:27:11.034$ and tailored

NOTE Confidence: 0.9928529

 $00{:}27{:}11.734 \dashrightarrow 00{:}27{:}13.434$ radiation therapy for patients.

NOTE Confidence: 0.95482516

00:27:13.815 --> 00:27:14.855 I think also we're going

NOTE Confidence: 0.95482516

 $00:27:14.855 \longrightarrow 00:27:15.914$ to see more individualized

NOTE Confidence: 0.9754847

 $00{:}27{:}16.215 \dashrightarrow 00{:}27{:}17.895$ patient treatments based on clinical

NOTE Confidence: 0.9754847

 $00:27:17.895 \longrightarrow 00:27:19.195$ and genetic characteristics

NOTE Confidence: 0.9787068

 $00:27:20.250 \longrightarrow 00:27:22.010$ And, like we were alluding

NOTE Confidence: 0.9787068

 $00:27:22.010 \longrightarrow 00:27:22.670$ to before,

NOTE Confidence: 0.9512168

 $00:27:23.290 \longrightarrow 00:27:24.330$ I see the next five

NOTE Confidence: 0.9512168

 $00:27:24.330 \longrightarrow 00:27:25.150$ or ten years,

NOTE Confidence: 0.99292415

 $00:27:25.850 \longrightarrow 00:27:26.970$ that we will be able

NOTE Confidence: 0.99292415

 $00{:}27{:}26.970 \dashrightarrow 00{:}27{:}28.830$ to deploy new targeted biological

NOTE Confidence: 0.99292415

 $00{:}27{:}29.050 \dashrightarrow 00{:}27{:}30.890$ agents that sensitize tumors to

NOTE Confidence: 0.99292415

 $00:27:30.890 \longrightarrow 00:27:31.390$ radiation

NOTE Confidence: 0.98008096

 $00:27:32.425 \longrightarrow 00:27:32.925$ without

00:27:33.545 --> 00:27:35.565 sensitizing healthy tissues. And,

NOTE Confidence: 0.9805732

00:27:36.105 --> 00:27:37.465 for example, we're

NOTE Confidence: 0.9805732

 $00:27:37.465 \longrightarrow 00:27:38.425$ working in the lab to

NOTE Confidence: 0.9805732

 $00:27:38.425 \longrightarrow 00:27:39.865$ develop a class of peptide

NOTE Confidence: 0.9805732

00:27:39.865 --> 00:27:41.785 drug conjugates that does just

NOTE Confidence: 0.9805732

 $00:27:41.785 \longrightarrow 00:27:42.285$ that.

NOTE Confidence: 0.95783776

 $00{:}27{:}43.225 \dashrightarrow 00{:}27{:}44.905$ And the preclinical models look

NOTE Confidence: 0.95783776

00:27:44.905 --> 00:27:46.845 encouraging, so hopefully that will

NOTE Confidence: 0.9908915

 $00:27:47.179 \longrightarrow 00:27:48.380$ eventually make its way to

NOTE Confidence: 0.9908915

 $00:27:48.380 \longrightarrow 00:27:50.140$ the clinic.

NOTE Confidence: 0.9908915

00:27:50.140 --> 00:27:51.020 And not to set up a

NOTE Confidence: 0.9908915

 $00:27:51.020 \longrightarrow 00:27:52.700$ competition with surgery, but do

NOTE Confidence: 0.9908915

 $00:27:52.700 \longrightarrow 00:27:53.760$ you think these changes

NOTE Confidence: 0.9995857

 $00:27:54.299 \longrightarrow 00:27:56.400$ will lead to fewer surgical

NOTE Confidence: 0.9995857

 $00:27:56.460 \longrightarrow 00:27:56.960$ procedures

NOTE Confidence: 0.9960714

 $00:27:57.260 \longrightarrow 00:27:58.400$ and more radiation?

00:27:59.065 --> 00:28:00.265 Well, I think it

NOTE Confidence: 0.9936075

 $00:28:00.265 \longrightarrow 00:28:02.105$ may change the balance for

NOTE Confidence: 0.9936075

 $00:28:02.105 \longrightarrow 00:28:03.865$ certain tumors. I think I've

NOTE Confidence: 0.9936075

 $00:28:03.865 \longrightarrow 00:28:05.625$ seen that the pendulum has

NOTE Confidence: 0.9936075

00:28:05.625 --> 00:28:06.765 swung back and forth,

NOTE Confidence: 0.9587783

 $00:28:08.345 \longrightarrow 00:28:10.345$ for different, types of tumors

NOTE Confidence: 0.9587783

 $00:28:10.345 \longrightarrow 00:28:10.665$ where,

NOTE Confidence: 0.8899609

 $00{:}28{:}11.790 \dashrightarrow 00{:}28{:}13.250$ you know, radiation approaches,

NOTE Confidence: 0.96538514

 $00:28:14.350 \longrightarrow 00:28:15.630$ are more favored and then

NOTE Confidence: 0.96538514

 $00:28:15.630 \longrightarrow 00:28:17.070$ surgical. It really

NOTE Confidence: 0.96538514

 $00:28:17.070 \longrightarrow 00:28:18.450$ depends. I mean, the surgeons

NOTE Confidence: 0.98142624

 $00:28:18.910 \longrightarrow 00:28:19.869$ have been very good to

NOTE Confidence: 0.98142624

 $00{:}28{:}19.869 \dashrightarrow 00{:}28{:}21.869$ advance their technology to robotic

NOTE Confidence: 0.98142624

 $00:28:21.869 \longrightarrow 00:28:24.190$ surgeries and minimally invasive surgeries.

NOTE Confidence: 0.98142624

 $00:28:24.190 \longrightarrow 00:28:25.230$ So I think it's all

 $00:28:25.230 \longrightarrow 00:28:26.030$ to the good for the

NOTE Confidence: 0.98142624

 $00:28:26.030 \longrightarrow 00:28:27.794$ patients, and we'll just have

NOTE Confidence: 0.98142624

00:28:27.794 --> 00:28:29.794 more choices for figuring out

NOTE Confidence: 0.98142624

 $00:28:29.794 \longrightarrow 00:28:30.695$ the best treatments.

NOTE Confidence: 0.95241964

 $00:28:31.315 \longrightarrow 00:28:32.674$ Doctor Peter Glazer is the

NOTE Confidence: 0.95241964

00:28:32.674 --> 00:28:34.195 Robert E Hunter Professor of

NOTE Confidence: 0.95241964

 $00{:}28{:}34.195 \dashrightarrow 00{:}28{:}36.355$ The rapeutic Radiology and Professor of

NOTE Confidence: 0.95241964

00:28:36.355 --> 00:28:37.955 Genetics and Chair of the

NOTE Confidence: 0.95241964

 $00{:}28{:}37.955 \dashrightarrow 00{:}28{:}39.875$ Department of Therapeutic Radiology at

NOTE Confidence: 0.95241964

00:28:39.875 --> 00:28:41.255 the Yale School of Medicine.

NOTE Confidence: 0.99032795

 $00:28:41.730 \longrightarrow 00:28:43.010$ If you have questions, the

NOTE Confidence: 0.99032795

 $00:28:43.010 \longrightarrow 00:28:43.990$ address is canceranswers

NOTE Confidence: 0.945039

 $00:28:44.370 \longrightarrow 00:28:46.050$ at yale dot edu, and

NOTE Confidence: 0.945039

 $00:28:46.050 \longrightarrow 00:28:47.410$ past editions of the program

NOTE Confidence: 0.945039

 $00:28:47.410 \longrightarrow 00:28:48.929$ are available in audio and

NOTE Confidence: 0.945039

 $00:28:48.929 \longrightarrow 00:28:50.150$ written form at yale cancercenter

 $00:28:50.690 \longrightarrow 00:28:52.210$ dot org. We hope you'll

NOTE Confidence: 0.99962664

 $00:28:52.210 \longrightarrow 00:28:53.170$ join us next time to

NOTE Confidence: 0.99962664

00:28:53.170 --> 00:28:54.130 learn more about the fight

NOTE Confidence: 0.99962664

00:28:54.130 --> 00:28:54.950 against cancer.

NOTE Confidence: 0.97473866

 $00:28:55.405 \longrightarrow 00:28:57.085$ Funding for Yale Cancer Answers

NOTE Confidence: 0.97473866

 $00{:}28{:}57.085 \dashrightarrow 00{:}28{:}58.685$ is provided by Smilow Cancer

NOTE Confidence: 0.97473866

00:28:58.685 --> 00:28:59.185 Hospital.